

TANK OUTLET ASSEMBLIES – BRASS & STAINLESS STEEL FLANGED FOR FLAT SIDED TANKS

BRASS TANK OUTLET MALE & FEMALE THREAD Watermarked with partial left hand external thread section

CODE	DESCRIPTION		
SFOMF20L	¾" BSPM x ½" BSPF		View Products
SFOMF25L	1" BSPM x ¾" BSPF		
SFOMF32L	1¼" BSPM x 1" BSPF		
SFOMF40L	1½" BSPM x 1¼" BSPF		
SFOMF50L	2" BSPM x 1½" BSPF		
SFOMF65L	2½" BSPM x 2" BSPF		



MALE & FEMALE THREAD BRASS OUTLET

CODE	DESCRIPTION		
SFOMF20	¾" BSPM x ½" BSPF		View Products
SFOMF25	1" BSPM x ¾" BSPF		
SFOMF32	1¼" BSPM x 1" BSPF		
SFOMF40	1½" BSPM x 1¼" BSPF		
SFOMF50	2" BSPM x 1½" BSPF		



MALE THREAD - PLAIN BORE BRASS OUTLET

CODE	DESCRIPTION		
SFOM20	¾" BSPM x 1¾" long		Contact us
SFOM25	1" BSPM x 1¾" long		
SFOM32	1¼" BSPM x 2" long		
SFOM40	1½" BSPM x 1¾" long		
SFOM502	2" BSPM x 2" long		
SFOM80	3" BSPM x 2¼" long		
SFOM20L	¾" BSPM x 1¾" long – Left Hand Thread		
SFOM25L	1" BSPM x 1¾" long – Left Hand Thread		
SFOM32L	1¼" BSPM x 2" long – Left Hand Thread		
SFOM40L	1½" BSPM x 1¾" long – Left Hand Thread		
SFOM50L	2" BSPM x 2" long – Left Hand Thread		
SFOM80L	3" BSPM x 2¼" long – Left Hand Thread		
SFOM100L	4" BSPM x 3" long – Left Hand Thread		




RSFOM80B*	3" BSP Raindrop Bronze x 4" long thread		View Products
RSFOM100B*	4" BSP Raindrop Bronze x 4" long thread		

EZIFIT BRASS TANK OUTLET

Brass tank outlet that can be installed externally w/o entering the tank

CODE	DESCRIPTION		
EFOMF25L	1" BSPM x ¾" BSPF		View Products
EFOM25L	1" BSPM x 1¾" long		
EFOMF50L	2" BSPM x 1½" BSPF		



EXTERNAL BRASS TANK OUTLET

Brass tank outlet that can be installed externally w/o entering the tank

CODE	DESCRIPTION		
ETC25	1" BSPM x ¾" BSPF		Contact us



MALE THREAD-PLAIN BORE & WIDE FLANGE BRASS OUTLET			
CODE	DESCRIPTION		
SFOM40W	1½" BSPM x 2" long		View Products
SFOM50W	2" BSPM x 2" long		




INTERNAL SHORT TYPE/ FEMALE THREAD ONLY BRASS OUTLET			
CODE	DESCRIPTION		
SFOF15	½" Female thread		View Products
SFOF20	¾" Female thread		
SFOF25	1" Female thread		
SFOF32	1¼" Female thread		
SFOF40	1½" Female thread		
SFOFL50	2" Fem.Thread x LH Male		
SFOFL80	3" Fem. Thread x LH Male		



LARGE BRASS FLANGED OUTLETS - ALL THREAD TYPE c/w Loose Back Nut Flanges & Fibre Washers

CODE	DESCRIPTION		
BFT03	3" BSP Male x 9" long		View Products
BFT04	4" BSP Male x 8" Long		
BFT0612	6" BSP Male x 12" Long		
BFT0606	6" BSP Male x 6" Long		



STAINLESS STEEL TANK OUTLETS - Male BSP Thread Plain Bore

CODE	DESCRIPTION		
RSFOM80SS	3" BSP Male x 4" long		View Products
RSFOM100SS	4" BSP Male x 4" Long		



316 S/STEEL TANK OUTLET MALE & FEMALE THREAD With partial left hand external thread section DISCOUNT CODE: 2.5

CODE	DESCRIPTION		
SSOMF20L	¾" BSPM x ½" BSPF		View Products
SSOMF25L	1" BSPM x ¾" BSPF		
SSOMF32L	1¼" BSPM x 1" BSPF		
SSOMF40L	1½" BSPM x 1¼" BSPF		
SSOMF50L	2" BSPM x 1½" BSPF		




BRASS PUSH-IN OUTLETS - c/w Rubber Installation Seal Fitted externally even when tank is full

CODE	DESCRIPTION		
PIOF20S	¾" Female BSP		View Products
PIOM25S	1" Male BSP		
PIOMF25S	1" Male BSP x ¾" Female BSP		
PIOM50S	2" Male BSP		
PIOMF50S	2" Male BSP x 1½" Female BSP		
MALLET24	Rubber Installation Mallet		



POLYPROPYLENE FLAT TANK FLANGED OUTLETS			
CODE	DESCRIPTION		
PTOF15	1/2" M & F Thread c/w Back nut & Rubber washer		Contact us
PTOF20	3/4" M & F Thread c/w Back nut & Rubber washer		
PTOF25	1" M & F Thread c/w Back nut & Rubber washer		
PTOF32	1 1/4" M & F Thread c/w Back nut & Rubber washer		
PTOF40	1 1/2" M & F Thread c/w Back nut & Rubber washer		
PTOF50	2" M & F Thread c/w Back nut & Rubber washer		



GLASS REINFORCED NYLON TANK OUTLETS			
Rated to 1600kPa (1/2" – 2") and 1000kPa (3" & 4") and up to 60°C Threaded BSPF (fixed flange end) x BSPM - Supplied with backnut and 2 x rubber sealing washers			
CODE	DESCRIPTION		
SFTFT15	1/2" M&F x 125mm Overall Length		View Products
SFTFT20	3/4" M&F x 126mm Overall Length		
SFTFT25	1" M&F x 129mm Overall Length		
SFTFT32	1 1/4" M&F x 131mm Overall Length		
SFTFT40	1 1/2" M&F x 132mm Overall Length		
SFTFT50	2" M&F x 136mm Overall Length		
SFTFT80	3" M&F x 184mm Overall Length		
SFTFT100	4" M&F x 200mm Overall Length		



CORRUGATED RUBBER GASKET KITS			To convert Flat tank outlets to Corrugated
CODE	DESCRIPTION		
PCGKS	Small Corrugated Gasket Kits (1/2" – 1" size)		View Products
PCGKL	Large Corrugated Gasket Kits (1 1/4" – 2" size)		



GLASS FILLED NYLON ALLTHREAD TANK OUTLETS				c/w Back nuts & rubber insertion washers
CODE	DESCRIPTION			
PATO15	1/2" x 8" Long		View Products	
PATO20	3/4" x 8" Long			
PATO25	1" x 8" Long			
PATO32	1 1/4" x 8" Long			
PATO40	1 1/2" x 8" Long			
PATO50	2" x 8" Long			

TANK BOSS CORRUGATED – STAR SHAPED

One Piece, BSP Fem. Thread, Brass or Zinc Alloy (Material to be specified when ordering)

CODE	DESCRIPTION		
TB20	¾" Tank Boss – Drilled 3/16" holes		Contact us
TB25	1" Tank Boss – Drilled 3/16" holes		
TB32	1¼" Tank Boss – No holes		
TB40	1½" Tank Boss – No holes		
TB50	2" Tank Boss – No holes		



TANK OUTLETS CORRUGATED - ALLOY

Zinc Alloy Compression Tank Outlets are economical because they're quick & easy to fit. A very strong durable fitting, complete with Flanges & Rubber washers

CODE	DESCRIPTION		
CTOMF20	¾" M x ½" F		View Products
CTOMF25	1" M x ¾" F		
CTOMF32	1¼" M x 1" F		
CTOM20	¾" Male x Plain Bore		
CTOM25	1" Male x Plain Bore		
CTOM32	1¼" Male x Plain Bore		
CTOM40	1½" Male x Plain Bore		
CTOM50	2" Male x Plain Bore		
CTOF20T	¾" Fem only		
CTOF25	1" Fem only		



CAUTION: Use only Nickel Plated or Plastic Ball Valves & Tank taps with Zinc Alloy Fittings. **Brass Gate valves cause the fittings to corrode due to electrolysis.**

TANK BOSSES CORRUGATED GALVANISED

The Corrugated tank Boss is a large heavy duty tank fitting for industrial & commercial applications. Constructed in 2 halves with 6 x ½" hot dipped gal Bolts & nuts that are fitted through the tank wall. The Female thread is located on the outer half.

Special gaskets can be supplied on request.

CODE	DESCRIPTION		
CTB80	3" BSPF Corrugated tank boss		View Products
CTB84	4" BSPF Corrugated tank boss		
CTB86	6" BSPF Corrugated tank boss		
Rubber Gaskets for bosses sold separately below			
Recommended use 2 gaskets per unit			
CTB80G	Gasket for CTB80		View Products
CTB84G	Gasket for CTB84		
CTB86G	Gasket for CTB86		

