



RIVULIS GREEN HOUSE & HYDROPONICS



Rivulis has a wide range of dripper and micro sprinkler options to suit greenhouse applications, including flow-regulated/non-regulated sprinklers and drippers

E1000 DRIPPER



Easy cleaning

Every pack of 1,000 drippers comes with a handy E1000 tool. This specially designed spanner allows you to pop open your E1000 dripper with ease. Once open, you have full access to the flow labyrinth allowing you to easily clean the dripper.

Multi-function port

Use stand-alone or attach a multi-branch adaptor to irrigate multiple pots.



E1000 Online Dripper

Flow Rate Calculated at	Operating Pressure Range	Installation	Outlet Type
100 kPa	80 - 200 kPa	Install with 2.0mm punch tool	Multi-function outlet - for use with single, 2 & 4 way branching adaptors

Product Number	Description
201013383	E1000 Dripper 2.00 lph Brown
201013385	E1000 Dripper 4.00 lph Black
201013386	E1000 Dripper 8.00 lph Green



Multi-function Port

The same E1000 can be used in multiple applications:

Stand-alone: Water emits directly from the dripper to the plant.

1 pot application: The barbed outlet on the multi-function port allows direct connection to 3 x 5 micro tube without the need of any adapter / a snap or barb stabilizer peg should be used.

2 and 4 pot applications: Use with a 2 or 4 way multi-branch adapter to irrigate multiple pots from the same dripper. Flow equalizer drip pegs should be used.

SUPERTIF PC & PCND



Supertif Drippers PC

Nominal Working Pressure	Operating Pressure Range	Operating Pressure Range (25lph Dripper)	Installation
200 kPa	60-350 kPa	100 - 350 kPa	Install with 2.0mm punch tool

Product Number	Description
201015523	Supertif Dripper 2.20 lph (Conic + Barb) Brown Black Base
201015524	Supertif Dripper 3.85 lph (Conic + Barb) Black Black Base
201015525	Supertif Dripper 8.00 lph (Conic + Barb) Green Black Base
201015526	Supertif Dripper 12.00 lph (Conic + Barb) Red Black Base
201015527	Supertif Dripper 25.00 lph (Conic + Barb) Orange Black Base



Supertif PC 60cm Tube & BarPeg Assembly

Product Number	Description
101065299	Supertif Dripper Assembly 3.85 lph Dripper
101048117	Supertif Dripper Assembly 2.20 lph Dripper



Other assemblies are available upon request

Supertif PCND Drippers

Nominal Working Pressure	Opening Pressure	Sealing Pressure	Operating Pressure Range	Installation
200 kPa	30 kPa	15 kPa	70-350 kPa	Install with 2.0mm punch tool

Product Number	Description
201015528	Supertif PCND Dripper 1.10 lph (Conic + Barb) Light Grey Brown Base
201015531	Supertif PCND Dripper 2.20 lph (Conic + Barb) Brown Brown Base
201015533	Supertif PCND Dripper 3.85 lph (Conic + Barb) Black Brown Base
201015534	Supertif PCND Dripper 7.80 lph (Conic + Barb) Green Brown Base
101003191	Supertif PCND Dripper 2.20 lph (SOL Outlet) Brown Brown Base




SUPERTIF DRIPPERS



Supertif PCND 60cm Tube & BarPeg Assembly

Product Number	Description
101028359	Supertif PCND Dripper Assembly 1.10 lph (Conic + Barb)
101041973	Supertif PCND Dripper Assembly 3.85 lph (Conic + Barb)
101041991	Supertif PCND Dripper Assembly 7.80 lph (Conic + Barb)
101023019	Supertif PCND Dripper Assembly 2.20 lph (SOL Outlet)



Supertif PCND-H Drippers


Nominal Working Pressure	Opening Pressure	Sealing Pressure	Operating Pressure Range	Installation
200 kPa	50 kPa	35 kPa	120-350 kPa	Install with 2.0mm punch tool

Product Number	Description
201015529	Supertif PCND-H Dripper 1.60 lph (Conic + Barb) Dark Grey Brown Base
201015532	Supertif PCND-H Dripper 3.10 lph (Conic + Barb) Blue Brown Base
201015535	Supertif PCND-H Dripper 11.00 lph (Conic + Barb) Red Brown Base
101011756	Supertif PCND-H Dripper 1.60 lph (SOL Outlet) Dark Grey Brown Base
101011757	Supertif PCND-H Dripper 3.10 lph (SOL Outlet) Blue Brown Base



Supertif PCND-H 60cm Tube & BarPeg Assembly


Product Number	Description
101048114	Supertif PCND-H Dripper Assembly 11.00 lph (Conic + Barb)
101022796	Supertif PCND-H Dripper Assembly 3.10 lph (SLB Outlet)
101048118	Supertif PCND-H Dripper Assembly 1.60 lph (SOL Outlet)
101023021	Supertif PCND-H Dripper Assembly 3.10 lph (SOL Outlet)



Supertif PCND-MOP Drippers


Nominal Working Pressure	Opening Pressure	Sealing Pressure	Operating Pressure Range	Installation
200 kPa	70 kPa	18 kPa	130-350 kPa	Install with 2.0mm punch tool

Product Number	Description
201015536	Supertif ND MOP Dripper 1.10 lph (Conic + Barb) COLOUR Light Blue Base
101003189	Supertif ND MOP Dripper 1.10 lph (SOL Outlet) Light Grey Light Blue Base
101018411	Supertif ND MOP Dripper 2.20 lph (SOL Outlet) Brown Light Blue Base
101003196	Supertif ND MOP Dripper 3.85 (SOL Outlet) Black Light Blue Base



Supertif PCND-MOP 60cm Tube & BarPeg Assembly

Product Number	Description
101048120	Supertif ND MOP Dripper Assembly 1.10 lph (SOL Outlet)
AU14129	Supertif ND MOP Dripper Assembly 2.20 lph (SOL Outlet)
101048122	Supertif ND MOP Dripper Assembly 3.85 lph (SOL Outlet)



SUPERTIF DRIPPERS



Supertif PCND-H-MOP Drippers

Nominal Working Pressure	Opening Pressure	Sealing Pressure	Operating Pressure Range	Installation
200 kPa	70 kPa	20 kPa	130-350 kPa	Install with 2.0mm punch tool

Product Number	Description
201015537	Supertif NDH MOP Dripper 1.60 lph (Conic + Barb) Dark Grey Blue Base
201015539	Supertif NDH MOP Dripper 3.10 lph (Conic + Barb) Blue Blue Base
201015540	Supertif NDH MOP Dripper 5.30 lph (Conic + Barb) Violet Blue Base
101003185	Supertif NDH MOP Dripper 1.60 lph (SOL Outlet) Dark Grey Blue Base
101003193	Supertif NDH MOP Dripper 3.10 lph (SOL Outlet) Blue Blue Base



Supertif PCND-H-MOP 60cm Tube & BarPeg Assembly

Product Number	Description
101048115	Supertif NDH MOP Dripper Assembly 5.30 lph (Conic + Barb)
101048123	Supertif NDH MOP Dripper Assembly 1.60 lph (SOL Outlet)
101003221	Supertif NDH MOP Dripper Assembly 3.10 lph (SOL Outlet)



Supertif Vacuum Dripper

Product Number	Description
101003200	Supertif Vacuum Dripper Green Green Base

Pre-Assembled Multi-Adaptors with Tube & Pegs

Suitable for:

Conic/multi-function outlet drippers
(Drippers not included)

Product Number	Description	Tube	Peg (s)
201000253	2 Way Adaptor (Barb) with 2 x 60 cm Tube & DriPeg Assembly	2 x 60 cm 3 x 5 mm (white)	2 x DriPeg (grey)
201000254	4 Way Adaptor (Barb) with 4 x 60 cm Tube & DriPeg Assembly	4 x 60 cm 3 x 5 mm (white)	4 x DriPeg (grey)
WT11971	60 cm Tube & BarPeg Assembly	1 x 60 cm 3 x 5 mm (white)	BarPeg (grey)
101038621	60 cm Tube & SnaPeg Assembly	1 x 60 cm 3 x 5 mm (white)	SnaPeg (grey)



DRIPPER ACCESSORIES



Dripper Accessories | Pegs

Product Number	Description	Product Information	
201000248	DripPeg – Flow Equalizing Peg (grey)	For multiple-outlet drippers	
201000247	SnaPeg – 30° Diagonal Bend (grey)	For single-outlet drippers	
101008233	BarPeg – 30° Diagonal Bend (grey)	For single-outlet drippers	
201000076	Polytif – Flow Equalizing Peg (black)	For multiple-outlet drippers	

Dripper Accessories | Multi Adaptors for E1000 & Supertif

Product Number	Description	
101003297	Start Adaptor	
201000237	1 Way Angled Adaptor (Barb)	
101003301	2 Way Adaptor (Barb)	
201000246	2 Way Adaptor (Conic-F x Threaded Barb)	
101003302	4 Way Adaptor (Barb)	
201000074	4 Way Adaptor (Conic-F x Threaded Barb)	

Dripper Accessories | Drifter Tools

Product Number	Description	
101001967	2mm Punch Tool (Supertif & E1000)	
101003349	2mm Quick punch Tool	
101003353	2mm Punch Tool for 12-32mm Pipe	
101043997	E1000 Take Apart Tool	
101050612	Supertif Insertion Tool	
101050614	Dripper Holder for Insertion Tool	

Dripper Accessories | Plugs

Product Number	Description	
101003314	Supertif Plug 2mm	
101003311	Plug 2.8mm	

Dripper Accessories | Tube

Product Number	Description	
101013009	3/5 White Microtube 500m Roll	
Pre-Punched LDPE are available on page 139		

FLF FOGGERS



FLF Foggers | Anti Leak Valve

Operating Pressure Range	Flow rate calculated at
350 - 500 kPa	350 kPa


Product Number	Description
201000197	FLF Fogger - Single Outlet 5.4 lph (Barb) With Anti Leak Valve Light Blue
101003674	FLF Fogger - Single Outlet 10.5 lph (Barb) With Anti Leak Valve Dark Blue
101003679	FLF Fogger - Single Outlet 5.4 lph (Male Conic) With Anti Leak Valve Light Blue
101003680	FLF Fogger - Single Outlet 10.5 lph (Male Conic) With Anti Leak Valve Dark Blue



FLF Foggers

Operating Pressure Range	Flow rate calculated at
350 - 500 kPa	350 kPa

Product Number	Description
101008234	FLF Fogger - Dual Outlet 5.4 lph (Female Conic) Light Blue
101009818	FLF Fogger - Dual Outlet 10.5 lph (Female Conic) Dark Blue
101003664	FLF Fogger - 4-Way Outlet 5.4 lph (Female Conic) Light Blue
101009819	FLF Fogger - 4-Way Outlet 10.5 lph (Female Conic) Dark Blue



FLF Tube Assemblies | Tube, Adaptor, Weight and Barb x Female Conic Connector

Product Number	Description
101022996	FLF Assembly - 6 mm Conic Female (single outlet) 35cm Tube
101003694	FLF Assembly - 6 mm Conic Female (single outlet) 60cm Tube
101029304	FLF Assembly - 6 mm Conic Female (single outlet) 120cm Tube
201000260	FLF Assembly - 6 mm Conic Male (multi outlet) 35 cm Tube
101023123	FLF Assembly - 6 mm Conic Male (multi outlet) 60 cm Tube
101029347	FLF Assembly - 6 mm Conic Male (multi outlet) 120cm Tube



Accessories

Product Number	Description
201000236	Anti-Leak - High Pressure Mini Valve (Conic Female x Conic Male)
201000831	Anti-Leak - High Pressure Mini Valve (Barbed x Conic Female)
201000832	Anti-Leak - High Pressure Mini Valve (Barbed x Conic Male)
201000836	Anti-Leak - High Pressure Mini Valve (Barbed x Conic Male)
101003862	4/7 Grommet
101011244	8mm Drill Bit




RONDO MIST SPRAYERS



Inverted Rondo | Mist Sprayer

Operating Pressure Range	Flow rate calculated at	Inlet
250 - 400 kPa	300 kPa	Conic Female

Product Number	Description	Wetting Diameter (m) 2 m Above Ground @ 300 kPa	
201000281	Rondo Mist Sprayer 47 lph Black	2	
101022981	Rondo Mist Sprayer 61 lph Blue	2	



Depending on the application, misters can also be used for humidification and evaporative climate control in greenhouses.

Inverted Rondo Micro Sprinklers



Inverted Rondo | Micro Sprinkler

Operating Pressure Range	Flow rate calculated at	Inlet
150 - 300 kPa	200 kPa	Conic Female / 3/8" BSP Male

Product Number	Description	Wetting Diameter (m) 2 m Above Ground @ 200 kPa	
101011800	Rondo Inverted Sprinkler 51 lph Blue Spinner Blue Nozzle	7.4	
201000123	Rondo Inverted Sprinkler 75 lph Blue Spinner Green Nozzle	8	
101011801	Rondo Inverted Sprinkler 102 lph Blue Spinner Red Nozzle	8.6	
201000124	Rondo Inverted Sprinkler 132 lph Blue Spinner White Nozzle	8.6	
101011803	Rondo Inverted Sprinkler 51 lph Green Spinner Blue Nozzle	8.6	
201000126	Rondo Inverted Sprinkler 75 lph Green Spinner Green Nozzle	9.8	
101011804	Rondo Inverted Sprinkler 102 lph Green Spinner Red Nozzle	10.6	
101011805	Rondo Inverted Sprinkler 132 lph Green Spinner White Nozzle	10.8	

Inverted Rondo | Accessories

Product Number	Description	
201000202	Anti Leak Valve (Conic Female x Conic Male) - suitable for Inverted Rondo	
201000203	Anti Leak Valve (Barbed x Conic Female) - suitable for Inverted Rondo	
201000204	Anti-Leak - Mini Valve (Barbed x Conic Male) - suitable for Inverted Rondo	
201000206	Male Conic x 1/2" Female Threads (Adaptor from PVC to Rondo Female Conic end)	
201000276	Female Conic x 1/2" female Threads (Adapter from PVC to Tornado Male Conic End)	
101003723	Weight for hanging tube	
201000260	35 cm tube, Weight and 4/7 x Male Press Fit Connector Assembly	
101003694	60 cm tube, Weight and 4/7 x Male Press Fit Connector Assembly	
WT14855	Meteor adaptor (3/8" F x 4/7) assembled with 20 cm 4/7 PVC tube and connector	



RIVULIS GREEN HOUSE & HYDROPONICS



Rivulis has a wide range of dripper and micro sprinkler options to suit greenhouse applications, including flow-regulated/non-regulated sprinklers and drippers

For Assistance please contact Michael: 0488 917 285 or michael@irrigationdirect.com.au