



RIVULIS DRIP TAPE & FITTINGS



Rivulis offers the widest selection of drip tape configurations and performance beyond expectation.

T-Tape Drip Tape



EASY PRODUCT IDENTIFICATION


508-30-340

Specifies the series and the diameter of the tape: 5/8" (16 mm)

Specifies the wall thickness of the tape: 8 thousandths of an inch (0.20 mm)

Specifies the spacing between emitters: 30 cm

Specifies the flow rate per 100 m of tape per hour @ 55kPa: 340 lph /100 m



Recommended Operating Pressures

Mil Thickness	Nominal ID (mm)	Minimum Operating Pressure	Maximum Operating Pressure	Maximum Pressure
500 Series (16 mm)				
6	16 mm	30 kPa	70 kPa	90 kPa
8	16 mm	30 kPa	105 kPa	124 kPa
10	16 mm	30 kPa	105 kPa	152 kPa
12	16 mm	30 kPa	105 kPa	179 kPa
15	16 mm	30 kPa	105 kPa	228 kPa
700 Series (22 mm)				
6	22 mm	30 kPa	55 kPa	69 kPa
8	22 mm	30 kPa	70 kPa	83 kPa
10	22 mm	30 kPa	105 kPa	110 kPa
12	22 mm	30 kPa	105 kPa	131 kPa
15	22 mm	30 kPa	105 kPa	159 kPa
900 Series (29 mm)				
8	29 mm	30 kPa	55 kPa	69 kPa
10	29 mm	30 kPa	70 kPa	83 kPa
12	29 mm	30 kPa	85 kPa	103 kPa
15	29 mm	30 kPa	105 kPa	124 kPa
1100 Series (35 mm)				
15	35 mm	30 kPa	105 kPa	110 kPa

T-TAPE - 500 SERIES



T-Tape 500 series - MINI ROLLS

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Rolls per pallet
16mm (5/8")	6mil (0.15mm), 8mil (0.20mm), 15mil (0.38mm)	55-105 kPa	55 kPa (8psi)	64 -112 rolls

Product Number	Description	Flow	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
		(lph/per emitter)		
101002185	506-10-750 (610 m roll)	0.75	85	Custom
101002186	506-20-500 (610 m roll)	1.0	115	Custom
101002187	508-10-750 (455 m roll)	0.75	85	Custom
101002010	508-15-500 (455 m roll)	0.75	110	Custom
101002189	508-20-500 (455 m roll)	1.0	115	Custom
101002182	508-30-340 (455 m roll)	1.02	155	Custom
101002022	508-40-250 (455 m roll)	1.0	175	Custom
101002053	515-20-500 (225 m roll)	1.0	115	Custom
101002054	515-30-340 (225 m roll)	1.02	150	Custom

T-Tape 500 series - 6 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
16mm (5/8")	6mil (0.15mm)	55-70 kPa	55 kPa (8psi)	3,050	20-24 rolls

Product Number	Description	Flow	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
		(lph/per emitter)		
101001995	506-15-220	0.33	185	Custom
101008273	506-10-750	0.75	85	Custom
101001678	506-15-170	0.25	180	Custom
101001996	506-15-340	0.5	130	Custom
101001679	506-15-500	0.75	110	Custom
WT13088	506-15-1000	1.5	75	Custom
101001478	506-20-125	0.25	235	Custom
101001479	506-20-250	0.5	175	Custom
506-25-250	506-25-250	0.62	-	Custom
101001997	506-25-300	0.75	155	Custom
506-25-500	506-25-500	1.25	-	Custom
101001480	506-20-380	0.75	135	Custom
101001481	506-20-500	1.0	115	Custom
101001485	506-30-250	0.75	175	Custom
101001482	506-30-170	0.5	230	Custom
101001488	506-30-340	1.0	150	Custom
101001691	506-40-250	1.0	175	Custom

T-TAPE - 500 SERIES



T-Tape 500 series - 8 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
16mm (5/8")	8mil (0.20mm)	55-105 kPa	55 kPa (8psi)	2,300	20-24 rolls

Product Number	Description	Flow	Maximum Run Length (m)	T-Tape Availability
		(lph/per emitter)	90% Emission Uniformity	
101002004	508-10-1000	1.0	75	Standard
101001980	508-10-1000 AGS 2000m	1.0	75	Custom
101001978	508-10-1000 AGS 2000m	1.0	75	Custom
101001490	508-10-750	0.75	85	Standard
WT10311	508-15-170	0.25	180	Custom
101002008	508-15-220	0.33	185	Custom
101002009	508-15-340	0.5	130	Custom
101002012	508-15-500	0.75	110	Custom
101001491	508-15-1000	1.5	75	Custom
101001981	508-15-1000 AGS 2000m	1.5	75	Custom
101002013	508-20-125	0.25	235	Custom
101001492	508-20-250	0.5	175	Standard
101001869	508-20-380	0.75	135	Standard
101001494	508-20-500	1.0	115	Standard
508-25-250	508-25-250	0.62	-	Custom
101002018	508-25-300	0.75	155	Standard
508-25-500	508-25-500	1.25	-	Custom
101002019	508-25-600	1.5	115	Standard
101002020	508-30-80	0.25	300	Custom
101001497	508-30-170	0.5	230	Standard
101001499	508-30-250	0.75	175	Standard
101001500	508-30-340	1.0	150	Standard
101001712	508-40-250	1.0	175	Custom
101001715	508-60-210	1.25	205	Custom

T-TAPE - 500 SERIES



T-Tape 500 series - 10 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
16mm (5/8")	10mil (0.25mm)	55-105 kPa	55 kPa (8psi)	1,830	20-24 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101001506	510-10-750	0.75	85	Custom
101002024	510-10-1000	1.0	75	Custom
101002025	510-15-1000	1.5	75	Custom
510-15-170	510-15-170	0.25	-	Custom
101002026	510-15-220	0.33	185	Custom
101002027	510-15-340	0.5	130	Standard
101002028	510-15-500	0.75	110	Custom
101001509	510-20-250	0.5	175	Standard
101001870	510-20-380	0.75	135	Standard
101001511	510-20-500	1.0	115	Standard
510-25-250	510-25-250	0.62	-	Custom
510-25-500	510-25-500	2.0	-	Custom
101002031	510-25-600	1.5	115	Custom
101001512	510-30-170	0.5	230	Standard
101001514	510-30-250	0.75	175	Standard
101001515	510-30-340	1.0	150	Standard
101001726	510-40-125	0.5	240	Custom
101001727	510-40-250	1.0	175	Custom
101002032	510-40-315	1.25	160	Custom
101002034	510-50-400	2.0	135	Custom
101002033	510-50-800	4.0	85	Custom
101001730	510-60-210	1.25	205	Custom

T-Tape 500 series - 12 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
16mm (5/8")	12mil (0.3mm)	55-105 kPa	55 kPa (8psi)	1,550	20-24 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101002038	512-10-1000	1.0	75	Custom
WT14724	512-15-500	0.75	110	Standard
101002040	512-20-250	0.5	175	Custom
101002041	512-20-380	0.75	135	Standard
101001737	512-20-500	1.0	115	Standard
101002039	512-30-170	0.5	230	Custom
101002043	512-30-250	0.75	175	Standard
101001738	512-30-340	1.0	150	Standard
101002044	512-40-125	0.5	240	Custom
101002045	512-40-185	0.75	215	Custom
101001739	512-40-250	1.0	175	Custom
101002046	512-40-315	1.25	160	Custom
101002047	512-50-250	1.25	175	Custom
101002048	512-50-400	2.0	135	Custom
101002049	512-60-210	1.25	205	Custom
101002050	512-75-267	2.0	175	Custom

T-TAPE - 500 SERIES



T-Tape 500 series - 15 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
16mm (5/8")	15mil (0.38mm)	55-105 kPa	55 kPa (8psi)	1,250	20-24 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101001743	515-20-250	0.5	175	Standard
101001744	515-20-380	0.75	135	Standard
101001745	515-20-500	1.0	115	Standard
101014477	515-30-170	0.5	230	Custom
101001747	515-30-250	0.75	175	Standard
101001748	515-30-340	1.0	150	Custom
101001750	515-40-125	0.5	240	Custom
101001751	515-40-185	0.75	215	Custom
101001752	515-40-250	1.0	175	Custom
101002055	515-40-315	1.25	160	Custom
101002056	515-50-400	2.0	135	Custom
101001757	515-60-210	1.25	205	Custom
101001343	515 Header Hose	-	-	Custom

T-Tape 500 series - 1,000m SPECIAL ROLLS


Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
16mm (5/8")	6mil (0.15mm), 15mil (0.38mm) 12mil (0.30mm)	55-105 kPa	55 kPa (8psi)	1,000	64 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101047900	506-20-500	1.0	115	Custom
101001979	508-10-1000 AGS	1.0	75	Custom
101002188	508-10-750	0.75	85	Custom
101002011	508-15-500	0.75	110	Custom
101002190	508-20-500	1.0	115	Custom
101002036	512-10-1000	1.0	75	Custom
101002035	512-10-750	0.75	85	Custom
101002042	512-20-500	1.0	115	Custom



Just a few insects can cause a huge amount of damage to your fields and you may not know it until it is too late. Rivulis Defend is the world's first treated Drip Lines/Tapes with insect repelling properties.

Speak with your local Rivulis Representative to discover how Defend could work for you and your crop.



T-TAPE - 700 SERIES



T-Tape 700 series- 6 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
22mm (7/8")	6mil (0.15mm)	30-55 kPa	55 kPa (8psi)	2,250	20-24 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101001767	706-15-170	0.25	405	Custom
101002059	706-15-220	0.33	350	Custom
101002060	706-15-340	0.5	265	Custom
101001521	706-20-250	0.5	310	Standard
101002061	706-20-380	0.75	240	Standard
101001522	706-20-500	1.0	205	Standard
101002063	706-25-300	0.75	280	Custom
101001523	706-30-170	0.5	405	Custom
101001530	706-30-250	0.75	315	Standard
101001532	706-30-340	1.02	265	Standard
101001776	706-40-250	1.0	320	Custom

T-Tape 700 series - 8 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
22mm (7/8")	8mil (0.20mm)	55-70 kPa	55 kPa (8psi)	1,695	20-24 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101002065	708-15-170	0.25	405	Custom
101002066	708-15-220	0.33	350	Custom
101002067	708-15-340	0.5	265	Custom
101002068	708-15-500	0.75	205	Custom
101002069	708-20-125	0.25	415	Custom
101001534	708-20-250	0.5	310	Standard
101001871	708-20-380	0.75	240	Standard
101001535	708-20-500	1.0	205	Standard
708-25-250	708-25-250	0.62	-	Custom
101002070	708-25-300	0.75	280	Custom
708-25-500	708-25-500	1.25	-	Custom
101002071	708-25-600	1.5	200	Custom
101001536	708-30-170	0.5	405	Standard
101001542	708-30-250	0.75	315	Standard
101001543	708-30-340	1.0	265	Standard
101014482	708-40-185	0.75	390	Custom
101001788	708-40-250	1.0	320	Custom

T-TAPE - 700 SERIES



T-Tape 700 series - 10 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
22mm (7/8")	10mil (0.25mm)	55-105 kPa	55 kPa (8psi)	1,340	20-24 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101002072	710-15-220	0.33	360	Custom
101002078	710-15-340	0.5	265	Custom
101001544	710-20-250	0.5	310	Standard
101001873	710-20-380	0.75	240	Standard
101001545	710-20-500	1.0	205	Standard
710-25-250	710-25-250	0.62	-	Custom
710-25-500	710-25-500	1.25	-	Custom
101001546	710-30-170	0.5	405	Custom
101001553	710-30-250	0.75	315	Standard
101001554	710-30-340	1.0	265	Standard
101001802	710-40-250	1.0	320	Custom
101002079	710-40-315	1.25	280	Custom
101002080	710-50-800	4.0	150	Custom
101001804	710-60-210	1.25	365	Custom

T-Tape 700 series- 12 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
22mm (7/8")	12mil (0.3mm)	55-105 kPa	55 kPa (8psi)	1,135	20-24 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101002082	712-20-250	0.5	310	Custom
101002083	712-20-380	0.75	240	Custom
101002084	712-20-500	1.0	205	Standard
101002085	712-30-170	0.5	405	Custom
101002089	712-30-250	0.75	315	Standard
101002090	712-30-340	1.02	265	Standard
101002091	712-40-125	0.5	490	Custom
101002092	712-40-185	0.74	390	Custom
101002093	712-40-250	1.0	320	Custom
101002094	712-40-315	1.25	280	Custom
101002095	712-50-400	2.0	240	Custom
101002096	712-60-210	1.25	365	Custom
101002097	712-75-267	2.0	310	Custom

T-TAPE - 700 SERIES



T-Tape 700 series - 15 mil


Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
22mm (7/8")	15mil (0.38mm)	55-105 kPa	55 kPa (8psi)	915	20-24 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101002108	715-20-380	0.75	240	Standard
101001806	715-20-500	1.0	205	Standard
101002119	715-30-170	0.5	405	Standard
101001814	715-30-250	0.75	315	Standard
101001815	715-30-340	1.0	265	Standard
101002111	715-40-185	0.75	390	Custom
101001818	715-40-250	1.0	320	Custom
101002113	715-40-315	1.25	280	Custom
101001819	715-60-210	1.25	365	Custom
101002115	715-50-400	2.0	240	Custom
101002114	715-50-800	4.0	150	Custom
101002116	715-60-350	2.1	260	Custom
101002117	715-75-267	2.0	310	Custom
101002118	715-75-533	4.0	200	Custom
101001348	715 Header Hose	-	-	Custom



Just a few insects can cause a huge amount of damage to your fields and you may not know it until it is too late. Rivulis Defend is the world's first treated Drip Lines/Tapes with insect repelling properties.

Speak with your local Rivulis Representative to discover how Defend could work for you and your crop.



T-TAPE - 900 SERIES



T-Tape 900 Series - 8 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
29mm (9/8")	8mil (0.2mm)	30-55 kPa	55 kPa (8psi)	1,700	16-20 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101002120	908-15-170	0.25	530	Custom
101002121	908-20-125	0.25	640	Custom
101002122	908-20-250	0.5	480	Custom
101002123	908-20-500	1.0	320	Custom
101002124	908-30-250	0.75	480	Standard
101002125	908-30-340	1.0	410	Custom
101002127	908-40-250	1.0	480	Custom
101002128	908-40-315	1.25	435	Custom
101002129	908-50-400	2.0	370	Custom
101002130	908-60-210	1.25	560	Custom

T-Tape 900 series - 10 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
29mm (9/8")	10mil (0.25mm)	55-70 kPa	55 kPa (8psi)	1,345	16-20 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101002131	910-15-220	0.33	540	Custom
101002136	910-20-250	0.5	480	Custom
101002137	910-20-380	0.75	370	Custom
101002138	910-20-500	1.0	320	Custom
101002139	910-30-170	0.5	620	Custom
101002140	910-30-250	0.75	480	Custom
101002141	910-30-340	1.0	410	Custom
101002142	910-40-250	1.0	480	Custom
101002143	910-40-315	1.25	435	Custom

T-Tape 900 series- 12 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
29mm (9/8")	12mil (0.3mm)	55-85 kPa	55 kPa (8psi)	1,150	16-20 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101002151	912-20-250	0.5	480	Custom
101002146	912-20-380	0.75	370	Custom
101002147	912-20-500	1.0	320	Custom
101047902	912-30-170	0.5	620	Custom
101002152	912-30-250	0.75	480	Custom
101002153	912-30-340	1.0	410	Custom
101002155	912-40-185	0.75	600	Custom
101002156	912-40-250	1.0	480	Custom
101002157	912-40-315	1.25	435	Custom
101002158	912-50-400	2.0	370	Custom
101002159	912-60-210	1.25	560	Custom

T-TAPE - 900/1100 SERIES



T-Tape 900 series - 15 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
29mm (9/8")	15mil (0.38mm)	55-105 kPa	55 kPa (8psi)	925	16-20 rolls

Product Number	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101002172	915-20-250	0.5	480	Custom
101002173	915-20-500	1.0	320	Custom
101002174	915-30-170	0.5	620	Custom
101002175	915-30-250	0.75	480	Custom
101002176	915-30-340	1.0	410	Custom
101047903	915-40-185	0.75	600	Custom
101002177	915-40-250	1.0	480	Custom
101002178	915-40-315	1.25	435	Custom
101002179	915-50-400	2.0	370	Custom
101002180	915-60-210	1.25	560	Custom
101002181	915-60-310	1.86	425	Custom
101047901	915 Header Hose	-	-	Custom

T-TAPE 1100 SERIES

T-Tape 1100 series - 15 mil


Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet
35mm (1 3/8")	15mil (0.38mm)	55-105 kPa	55 kPa (8psi)	823	16-20 rolls

	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101001829	1115-30-250	0.75	680	Custom
101001830	1115-30-340	1.0	590	Custom
101001832	1115-40-250	1.0	705	Custom
101001350	1115 Header Hose	-	-	Custom



Just a few insects can cause a huge amount of damage to your fields and you may not know it until it is too late. Rivulis Defend is the world's first treated Drip Lines/Tapes with insect repelling properties.

Speak with your local Rivulis Representative to discover how Defend could work for you and your crop.



T-TAPE - BIG BOY ROLLS



T-Tape is available on 570 mm discs, these rolls are on average 30 percent longer than standard T-Tape rolls. With roll width remaining the same as a traditional T-Tape roll, Big Boy Rolls make installation easier with fewer joiners and change-overs while laying.

Caution: Big Boy Rolls weigh more than standard T-Tape Rolls. Weights are specified in the table below. Custom configurations available upon request

Big Boy T-Tape 500 series - 8 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Weight (kg/Roll)	Packaging (per pallet)
16mm (5/8")	8mil (0.20mm)	55-105 kPa	55 kPa (8psi)	3,000	35	20-24 rolls

	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101048034	508-15-220 - Big Boy Roll	0.33	185	Custom
101048035	508-20-250 - Big Boy Roll	0.5	175	Custom
101048036	508-20-380 - Big Boy Roll	0.76	135	Custom
101048037	508-20-500 - Big Boy Roll	1.0	115	Custom
101048038	508-30-340 - Big Boy Roll	1.02	150	Custom

Big Boy T-Tape 500 series - 10 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Weight (kg/Roll)	Packaging (per pallet)
16mm (5/8")	10mil (0.25mm)	55-105 kPa	55 kPa (8psi)	2,250	33.5	20-24 rolls

	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101048200	510-20-250 - Big Boy Roll	0.5	175	Custom
101048201	510-20-380 - Big Boy Roll	0.76	135	Custom
101048202	510-20-500 - Big Boy Roll	1.0	115	Custom
101046418	510-30-250 - Big Boy Roll	0.75	175	Custom
101048203	510-30-340 - Big Boy Roll	1.02	150	Custom

Big Boy T-Tape 500 series - 12 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Weight (kg/Roll)	Packaging (per pallet)
16mm (5/8")	12mil (0.30mm)	55-105 kPa	55 kPa (8psi)	2,050	36.5	20-24 rolls

	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101048204	512-30-250 - Big Boy Roll	0.75	175	Custom
101048205	512-30-340 - Big Boy Roll	1.02	150	Custom

T-TAPE - BIG BOY ROLLS



Big Boy T-Tape 700 series - 8 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Weight (kg/Roll)	Packaging (per pallet)
22mm (7/8")	8mil (0.20mm)	55-70 kPa	55 kPa (8psi)	2,150	32.5	20-24 rolls

	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101048206	708-30-250 - Big Boy Roll	0.75	315	Custom
101048207	708-30-340 - Big Boy Roll	1.02	265	Custom

Big Boy T-Tape 700 series - 10 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Weight (kg/Roll)	Packaging (per pallet)
22mm (7/8")	10mil (0.20mm)	55-70 kPa	55 kPa (8psi)	Various	43.5 - 47.5	20-24 rolls

	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101060448	710-30-250 - Big Boy Roll (1500 m roll)	0.75	315	Custom
101048210	710-30-250 - Big Boy Roll (1830 m roll)	0.75	315	Custom
101048208	710-30-250 - Big Boy Rolls (1700 m roll)	0.75	315	Custom
101049988	710-30-250 - Big Boy Rolls (2300 m roll)	0.75	315	Custom
101047879	710-30-340 - Big Boy Roll (1500 m roll)	1.02	265	Custom
101048211	710-30-340 - Big Boy Roll (1830 m roll)	1.02	265	Custom
101048209	710-30-340 - Big Boys Rolls (1700 m roll)	1.02	265	Custom

Big Boy T-Tape 900 series - 10 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Weight (kg/Roll)	Packaging (per pallet)
29mm (9/8")	10mil (0.25mm)	55-70 kPa	55 kPa (8psi)	1,700	40	16-20 rolls

	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101051681	910-30-250 - Big Boy Roll	0.75	480	Custom



Big Boy T-Tape 1100 series - 15 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Weight (kg/Roll)	Packaging (per pallet)
35mm (1 3/8")	15mil (0.38mm)	55-105 kPa	55 kPa (8psi)	1,100	45	16-20 rolls

	Description	Flow (lph/per emitter)	Maximum Run Length (m) 90% Emission Uniformity	T-Tape Availability
101048212	1115-30-340 - Big Boy Roll	1.02	590	Custom

D1000 Drip Tape

ActiveFlex™



16mm D1000 Drip Tape - 6 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet	M.O.Q
16.1mm	6 mil (0.15mm)	80-100 kPa	100 kPa (14.5psi)	≤ 0.20m Spacing: 2800 >0.20m Spacing: 3000	16-24 rolls	100,000m

Product Number	Description	Dripper Spacing (m)	Dripper Flow Rate (lph)	Maximum Run Length (m) 90% Emission Uniformity on Flat Ground @ 100 kPa
AU2021000	D1000 Drip Tape 16 mm	0.15	1.0	118
AU2021001	D1000 Drip Tape 16 mm	0.15	1.5	93
101067039	D1000 Drip Tape 16 mm	0.2	0.64	197
AU2021002	D1000 Drip Tape 16 mm	0.2	1.0	145
AU2021003	D1000 Drip Tape 16 mm	0.2	1.5	112
AU2021004	D1000 Drip Tape 16 mm	0.25	1.0	170
AU2021005	D1000 Drip Tape 16 mm	0.25	1.5	130
101067521	D1000 Drip Tape 16 mm	0.3	0.64	260
AU2021006	D1000 Drip Tape 16 mm	0.3	1.0	190
AU2021007	D1000 Drip Tape 16 mm	0.3	1.5	147
AU2021008	D1000 Drip Tape 16 mm	0.4	1.0	235
AU2021009	D1000 Drip Tape 16 mm	0.4	1.5	180

16mm D1000 Drip Tape - 8 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet	M.O.Q
16.1mm	8 mil (0.20mm)	80-100 kPa	100 kPa (14.5psi)	≤0.20m Spacing: 2300 >0.20m Spacing: 2500	16-24 rolls	100,000m

Product Number	Description	Dripper Spacing (m)	Dripper Flow Rate (lph)	Maximum Run Length (m) 90% Emission Uniformity on Flat Ground @ 100 kPa
AU2021010	D1000 Drip Tape 16 mm	0.15	1.0	118
AU2021011	D1000 Drip Tape 16 mm	0.15	1.5	93
101067522	D1000 Drip Tape 16 mm	0.2	0.64	197
101067524	D1000 Drip Tape 16 mm	0.2	1.0	145
AU2021012	D1000 Drip Tape 16 mm	0.2	1.5	112
AU2021013	D1000 Drip Tape 16 mm	0.25	1.0	170
AU2021014	D1000 Drip Tape 16 mm	0.25	1.5	130
101067523	D1000 Drip Tape 16 mm	0.3	0.64	260
101067525	D1000 Drip Tape 16 mm	0.3	1.0	190
AU2021015	D1000 Drip Tape 16 mm	0.3	1.5	147
AU2021016	D1000 Drip Tape 16 mm	0.4	1.0	235
AU2021017	D1000 Drip Tape 16 mm	0.4	1.5	180

D1000 22MM DRIP TAPE



22mm D1000 Drip Tape - 8 mil

Nominal Diameter	Wall Thickness	Operating Pressure Range	Flow rate calculated at	Roll Length (m)	Rolls per pallet	M.O.Q
22mm (7/8")	8 mil (0.20mm)	80-100 kPa	100 kPa (14.5psi)	≤0.20m Spacing: 1600 >0.20m Spacing: 1800	16-24 rolls	100,000m

Product Number	Description	Dripper Spacing (m)	Dripper Flow Rate (lph)	Maximum Run Length (m) 90% Emission Uniformity on Flat Ground @ 100 kPa
AU2021018	D1000 Drip Tape 22mm	0.15	1	207
101067526	D1000 Drip Tape 22mm	0.2	0.64	-
101067528	D1000 Drip Tape 22mm	0.2	1	254
AU2021019	D1000 Drip Tape 22mm	0.2	1.5	194
AU2021020	D1000 Drip Tape 22mm	0.25	1	293
AU2021021	D1000 Drip Tape 22mm	0.25	1.5	224
101067527	D1000 Drip Tape 22mm	0.3	0.64	-
101067529	D1000 Drip Tape 22mm	0.3	1	330
AU2021022	D1000 Drip Tape 22mm	0.3	1.5	252
AU2021023	D1000 Drip Tape 22mm	0.4	1	404
AU2021024	D1000 Drip Tape 22mm	0.4	1.5	308

BITE BACK

If you dream of winning the fight against insects wreaking havoc on your irrigation, your dreams have come true. Rivulis Defend uses patent pending technology to protect it from insect damage. Its proven performance worldwide has given growers the peace of mind that their drip irrigation systems are no longer easy prey. In fact, it bites back.

HERE'S THE FACTS

HOLES CAUSED BY INSECTS.
PER 1000 METRES

2

STANDARD 8 MIL drip line

66

STANDARD 12 MIL drip line



13

DRIP TAPE FITTINGS




PROGRIP FITTINGS

ProGrip | Couplings

Product Number	Description	Quantity (per bag)	
101001157	ProGrip 16 mm (5/8") Coupling	100	
101001180	ProGrip 22 mm (7/8") Coupling	100	

ProGrip | Layflat Start Connector

Product Number	Description	Quantity (per bag)	
101001154	ProGrip 16mm Tape x Layflat	100	
101001117	ProGrip Layflat Start Connector x 19mm Threaded Female	100	




ProGrip | Tape x Barb

Product Number	Description	Quantity (per bag)	
101001144	ProGrip 16mm Tape x 10mm Barb	100	
101001145	ProGrip 16mm Tape x 13mm Barb	100	
101001173	ProGrip 22mm Tape x 13mm Barb	100	
101001174	ProGrip 22mm Tape x 18mm Barb	100	

ProGrip | Tape x Thread

Product Number	Description	Quantity (per bag)
101001156	ProGrip 16mm Tape x 1/2" MPT Threaded Joiner	100
101001178	ProGrip 22mm Tape x 3/4" MPT Threaded Joiner	100



ProGrip | Tees

Product Number	Description	Quantity (per bag)	
101001158	ProGrip 16mm Tape Coupling x 13mm Barb	100	
101001160	ProGrip 16mm Tape Coupling x 3/4" MPT	100	
101001162	ProGrip 16mm Tape Coupling Tee	100	

PROGRIP FITTINGS







ProGrip | Valved Fittings

Product Number	Description	List Price (each)	Quantity (per bag)	
101001848	ProGrip 16mm Tape x 13mm Barb w/ Valve	\$2.89	100	
101001851	ProGrip 16mm Tape x 16mm Tape w/ Valve	\$3.15	100	

ProGrip | Tape Flush Ends

Product Number	Description	List Price (each)	Quantity (per bag)	
101001153	ProGrip 16mm Tape x Flush Valve	\$2.84	100	

ProGrip | Pressure Test Fitting

Product Number	Description	List Price (each)	Quantity (per bag)	
101001147	ProGrip 16mm Tape Coupling Test Tool	\$10.92	100	
101001149	ProGrip 16mm Tape End Test Tool	\$10.92	100	
101001176	ProGrip 22mm Tape End Test Tool	\$10.92	100	
101001175	ProGrip 22mm Tape Coupling Test Tool	\$10.92	100	





ProGrip | Grommets

Product Number	Description	List Price (each)	Quantity (per bag)	
101001104	ProGrip Take Off Grommet 16mm	\$0.42	100	

Tape Connectors | Joiners

Product Number	Description	List Price (each)	Quantity (per bag)
101000871	29mm Tape Joiner (900-00-CON)	\$3.83	25
101000874	35mm Tape Joiner (1100-00-CON)	\$5.54	25

Tape Connectors | Start Connectors

Product Number	Description	List Price (each)	Quantity (per bag)	
101000820	16mm Tape Start Connector for PVC/PE with Gasket	\$1.37	100	
101000849	22mm Tape Start Connector for PVC/PE with Gasket	\$1.79	100	
101000816	16mm Tape Start Connector for PE	\$0.89	100	
101000847	22mm Tape Start Connector for PE	\$1.89	100	
101000824	16mm Tape Start Connector for Layflat	\$2.21	50	
101062371	22mm Tape Start Connector for Layflat	\$2.10	100	
201000610	22mm Tape x Layflat Start Connector (700-16-LFT)	\$1.89	50	
101000869	29mm Tape x Layflat Start Connector (900-19-LFT) (use with 14mm Layflat Punch)	\$3.99	50	
WT14583	Layflat start connector x 25mm Spigot (use with 14mm Layflat Punch)	\$2.68	50	
WT14582	35mm Tape x 25mm Spigot (Use with WT14583)	\$3.94	25	

DRIP TAPE FITTINGS



Tape Connectors | Start Connectors with Valve

Product Number	Description	List Price (each)	Quantity (per bag)
101000826	16mm Tape Start Connector for Layflat with Valve	\$4.25	50
101000852	22mm Tape Start Connector for Layflat with Valve	\$4.15	50

Tape Connectors | Tape x Barb

Product Number	Description	List Price (each)	Quantity (per bag)
WT201000592	16mm Tape x 10mm Barb Start Connector c/w Grommet (500-10-BRB-GR)	\$1.00	100
101000834	16mm Tape x 16mm Barb	\$1.16	100
WT201000601	16mm Tape x 19mm Barb	\$0.89	100
101000860	22mm Tape x 19mm Barb	\$3.52	50
101000870	29 mm Tape x 19mm Barb (900-19-BRB)	\$3.62	50
WT201000588	35mm x 25mm Barb (1100-25-BRB)	\$3.73	25



Tape Connectors | Tape x Thread

Product Number	Description	List Price (each)	Quantity (per bag)
101000830	16mm Tape x 3/4" MTH	\$0.74	100
101000854	22mm Tape x 3/4" MTH	\$0.95	100
101047611	22mm Tape x 3/4" Female Thread Swivel	\$2.99	100
101047609	25mm x 3/4" Female Thread Swivel	\$3.68	100
101047608	25mm x 3/4" Male Threaded Connector	\$2.21	100



Tape Connectors | Elbows

Product Number	Description	List Price (each)	Quantity (per bag)
101000843	16mm Tape x 16mm Tape Elbow	\$1.58	50
101000833	16mm Tape x 13 mm Barb Elbow (500-13-SDI)	\$1.37	50
101000840	16mm Tape x 20 mm Barb Elbow	\$1.21	50
101055559	16mm Tape x 1/2" MTH Elbow (Suitable for H6000)	\$1.68	50
101055561	22mm Tape x 1/2 MTH Elbow (Suitable for H6000)	\$2.05	50
101000862	22 mm Tape x 19 mm Barbed Elbow (700-19-SDI)	\$1.79	50



Tape Connectors | Tees

Product Number	Description	List Price (each)	Quantity (per bag)
101055558	16mm Tape x 1/2" MTH x 16mm Tape Tee (Suitable for H6000)	\$1.89	50
101055560	22mm Tape x 1/2" MTH x 22mm Tape Tee (Suitable for H6000)	\$2.78	50
101000837	16mm Tape x 16mm Barb x 16mm Tape	\$2.47	50



DRIP TAPE FITTINGS



Tape Connectors | Valves

Product Number	Description	List Price (each)	Quantity (per bag)
WT201000593	16mm Tape x 13 mm Barb Valve	\$2.74	50
101000839	16mm Tape x 20 mm Barb Valve	\$1.58	50
101000861	22mm Tape x 20 mm Barb Valve	\$2.73	50
101000831	16mm Tape x 3/4" MTH Valve	\$1.63	50
101000855	22mm Tape x 3/4" MTH Valve	\$2.73	50



Tape Connectors | Drain Valves

Product Number	Description	List Price (each)	Quantity (per bag)
101000866	22mm Tape Drain Valve (700-00-DRN)	\$5.15	50

Tape Connectors | Multi-Outlet Fittings

Product Number	Description	List Price (each)	Quantity (per bag)
101066510	16mm 2-Way Tape Fitting x 1/2" Threaded	\$4.41	50
101066194	16mm 2-Way Tape Fitting x 3/4" Threaded	\$5.04	50
101066511	16mm 3-Way Tape Fitting x 1/2" Threaded	\$4.94	50
101048194	16mm 3-Way Tape Fitting x 3/4" Threaded	\$5.51	50
101066512	16mm 4-Way x Type Tape Fitting x 1/2" Threaded	\$5.04	50
101066195	16mm 4-Way x Type Tape Fitting x 3/4" Threaded	\$5.67	50
101066513	16mm 6-Way * Type Tape Fitting x 1/2" Threaded	\$5.57	50
101048195	16mm 6-Way * Type Tape Fitting x 3/4" Threaded	\$6.14	50



Tape Connectors | Accessories

Product Number	Description	List Price (each)	Quantity (per bag)
101000817	13mm Top Hat Grommet (use with 16mm Drill Bit)	\$0.32	100
101051884	Gasket for start connector, from PVC or PE pipe 15mm	\$0.47	100
101048048	19mm Tail x 3/4" BSPM Director	\$2.05	25
101048050	25mm Tail x 3/4" BSPM Director	\$2.15	25



Tape Connectors | Layflat Tools

Product Number	Description	List Price (each)	Quantity (per bag)
101051919	Layflat Plastic Driver 10mm	\$9.35	1
201000356	14mm Layflat Punch (Metal) For Irritec 500, 700 & 900 Take-Off	\$199.50	1
101001118	14mm Layflat Punch (Al-Magor)	\$147.00	1
101001119	16mm Layflat Cutter (Pro-Grip Take Off)	\$189.00	1
101048489	Hex Wrench – 14mm	\$7.04	20
101048490	Hex Wrench – 20 mm	\$7.25	20



FAST RING FITTINGS



Fast Ring | Couplings

Product Number	Description	List Price (each)	Quantity (per bag)
101051859	Fast Ring 16mm Coupling	\$0.58	100
101051885	Fast Ring 22mm Coupling	\$1.21	50



Fast Ring | Fast Ring x Barb

Product Number	Description	List Price (each)	Quantity (per bag)
101051860	Fast Ring 16mm x 16mm Barbed Adaptor	\$0.63	100
101051889	Fast Ring 16mm x 20mm Barbed Adaptor	\$0.74	50
101051886	Fast Ring 22mm x 20mm Barbed Adaptor	\$0.84	50



Fast Ring | Start Connectors

Product Number	Description	List Price (each)	Quantity (per bag)
101051891	Fast Ring 16 mm Start connector with Gasket	\$1.21	100
101051880	Fast Ring 22 mm Start Connector with Gasket	\$1.63	100
101051912	Fast Ring 16 mm Layflat Start Connector <i>(use with 14 mm Lay Flat Punch)</i>	\$1.37	100
101051897	Fast Ring 22 mm Layflat Start Connector <i>(use with 14 mm Lay Flat Punch)</i>	\$2.10	100
101051884	Fast Ring Grommet for Start Connector	\$0.47	100

Fast Ring | Adaptors

Product Number	Description	List Price (each)	Quantity (per bag)
101051908	Fast Ring 16mm x 1/2" Male Threaded Adaptor	\$0.89	100
101051890	Fast Ring 22mm x 3/4" Male Threaded Adaptor	\$1.05	50




Fast Ring | Elbows

Product Number	Description	List Price (each)	Quantity (per bag)
101051911	Fast Ring 16mm x 1/2" Male Threaded Elbow	\$0.47	50
101051895	Fast Ring 22mm x 1/2" Male Threaded Elbow	\$2.47	50



Fast Ring | Tees

Product Number	Description	List Price (each)	Quantity (per bag)
101051909	Fast Ring 16 mm x 3/4" x 16 mm Female Threaded Tee	\$1.94	50
101051893	Fast Ring 22 mm x 3/4" x 22 mm Female Threaded Tee	\$3.26	50
101051910	Fast Ring 16 mm x 1/2" x 16 mm Male Threaded Tee	\$1.94	50
101051894	Fast Ring 22 mm x 1/2" x 22 mm Male Threaded Tee	\$3.26	50





RIVULIS DRIP TAPE & FITTINGS



Rivulis offers the widest selection of drip tape configurations and performance beyond expectation.

For Assistance please contact Michael: 0488 917 285 or michael@irrigationdirect.com.au