



Irrigation
direct.com.au

IRRIGATION FITTINGS, GALVANISED & ALUMINUM



BENDS



General Purpose 4mm 45° Fixed Flange (Table D)

mm	Inches	Code
80	3	1730
100	4	1735
125	5	1740
150	6	1750
200	8	1770



General Purpose 4mm 45° Loose Flange (Table D)

mm	Inches	Code
80	3	2050
100	4	2060
125	5	2070
150	6	2080
200	8	2100

Heavy Duty min. 5mm 45° Fixed Flange (Table D)

HEAVY DUTY	mm	Inches	Code
	80	3	1731
	100	4	1736
	125	5	1741
	150	6	1751
	200	8	1771
	250	10	1791
	300	12	1801

Heavy Duty min. 5mm 45° Loose Flange (Table D)

HEAVY DUTY	mm	Inches	Code
	80	3	2051
	100	4	2061
	125	5	2071
	150	6	2081
	200	8	2101
	250	10	2121
	300	12	2131



General Purpose 4mm 90° Fixed Flange (Table D)

mm	Inches	Code
80	3	1885
100	4	1890
125	5	1900
150	6	1910
200	8	1930



General Purpose 4mm 90° Loose Flange (Table D)

mm	Inches	Code
80	3	2225
100	4	2230
125	5	2240
150	6	2250
200	8	2270

Heavy Duty min. 5mm 90° Fixed Flange (Table D)

HEAVY DUTY	mm	Inches	Code
	80	3	1886
	100	4	1891
	125	5	1901
	150	6	1911
	200	8	1931
	250	10	1951
	300	12	1961

Heavy Duty min. 5mm 90° Loose Flange (Table D)

HEAVY DUTY	mm	Inches	Code
	80	3	2226
	100	4	2231
	125	5	2241
	150	6	2251
	200	8	2271
	250	10	2291
	300	12	2301

BENDS



2mm Light Wall 45° Fixed Flange (Table D)

mm	Inches	Code
225	9	1780
250	10	1790
300	12	1800
350	14	1810
375	15	1820
400	16	1830
450	18	1840



2mm Light Wall 45° Loose Flange (Table D)

mm	Inches	Code
225	9	2110
250	10	2120
300	12	2130
350	14	2140
375	15	2150
400	16	2160
450	18	2170



2mm Light Wall 90° Fixed Flange (Table D)


mm	Inches	Code
225	9	1940
250	10	1950
300	12	1960
350	14	1970
375	15	1980
400	16	1990
450	18	2000



2mm Light Wall 90° Loose Flange (Table D)

mm	Inches	Code
225	9	2280
250	10	2290
300	12	2300
350	14	2310
375	15	2320
400	16	2330
450	18	2340

BENDS & TEES



Denotes Lobster Back Style 2mm Wall

Medium Wall Loose Flange 90°

mm	Inches	Code
80-40	3-1½	2380S
80-50	3-2	2385S
80-65	3-2½	2390S
100-40	4-1½	2410S
100-50	4-2	2420S
100-65	4-2½	2430S
100-80	4-3	2440S
125-65	5-2½	2450S
125-80	5-3	2460S
125-100	5-4	2465S
150-65	6-2½	2470S
150-80	6-3	2475S
150-100	6-4	2480S
150-125	6-5	2490S
200-125	8-5	2530S
200-150	8-6	2540S
250-150	10-6	2590S
250-200	10-8	2600S



1.6mm Light Wall (Table D)

mm	Inches	Code
80-50	3-2 branch	6130
80-80	3-3	6135
100-80	4-3 branch	6140
100-100	4-4	6145
125-100	5-4 branch	6150
125-125	5-5	6155
150-100	6-4 branch	6160
150-150	6-6	6165
200-150	8-6 branch	6170
200-200	8-8	6175
250-250	10-10	6195
300-300	12-12	6205

Heavy Duty (Table D)

HEAVY DUTY	mm	Inches	Code
	80-80	3	6136
	100-100	4	6146
	125-125	5	6156
	150-150	6	6166
	200-200	8	6176
	250-250	10	6196
	300-300	12	6206
350-350	14	6219	

TAPERS CONCENTRIC



Light Wall (Table D)

mm	Inches	Code	Price	Code with socket
32-50	1¼-2	4985	91.50	4985S
32-80	1¼-3	4995	227.90	4995S
40-50	1½-2	5005	241.60	5005S
40-65	1½-2½	5015	333.40	5015S
40-80	1½-3	5025	245.50	5025S
40-100	1½-4	5035	257.90	5035S
50-65	2-2½	5075	260.60	5075S
50-80	2-3	5045	392.50	5045S
50-100	2-4	5055	265.40	5055S
50-125	2-5	5065	291.80	5065S
65-80	2½-3	5085	250.30	5085S
65-100	2½-4	5095	261.90	5095S
65-125	2½-5	5105	287.10	5105S
65-150	2½-6	5115	307.00	5115S
80-100	3-4	5125	301.50	5125S
80-125	3-5	5135	326.60	5135S
80-150	3-6	5145	346.30	5145S
80-200	3-8	5155	350.40	5155S
100-125	4-5	5165	275.60	5165S
100-150	4-6	5175	290.60	5175S
100-175	4-7	5185	338.00	5185S
100-200	4-8	5195	362.00	5195S
100-225	4-9	5205	427.30	5205S
125-150	5-6	5215	287.10	5215S
125-175	5-7	5285	348.30	5285S
125-200	5-8	5225	371.50	5225S
125-225	5-9	5235	444.30	5235S
125-250	5-10	5245	473.60	5245S
150-200	6-8	5255	381.10	5255S
150-225	6-9	5265	458.60	5265S
150-250	6-10	5275	527.90	5275S
175-200	7-8	5305	300.60	5305S
200-225	8-9	5315	517.70	5315S
200-250	8-10	5325	593.30	5325S
200-300	8-12	5335	666.10	5335S
250-300	10-12	5375	703.50	5375S



SGP General Purpose - 4mm Wall (min.) (Table D)

mm	Inches	Code	Price	Code with socket
50-80	2-3	5045GP	116.70	5045GPS
50-100	2-4	5055GP	153.60	5055GPS
65-80	2½-3	5085GP	118.00	5085GPS
65-100	2½-4	5095GP	153.60	5095GPS
65-125	2½-5	5105GP	215.80	5105GPS
65-150	2½-6	5115GP	241.80	5115GPS
80-100	3-4	5125GP	155.00	5125GPS
80-125	3-5	5135GP	217.20	5135GPS
80-150	3-6	5145GP	238.60	5145GPS
100-125	4-5	5165GP	217.20	5165GPS
100-150	4-6	5175GP	255.50	5175GPS
100-200	4-8	5195GP	374.20	5195GPS
125-150	5-6	5215GP	254.20	5215GPS
125-200	5-8	5225GP	363.20	5225GPS
150-200	6-8	5255GP	371.50	5255GPS



Heavy Duty - 5mm Wall (min.) (Table D)

	mm	inch	Code	Price	Code with socket
HEAVY DUTY	65-100	2½-4	5097	237.70	5097S
	80-100	3-4	5127	254.70	5127S
	80-150	3-6	5147	277.10	5147S
	100-125	4-5	5167	300.90	5167S
	100-150	4-6	5177	337.40	5177S
	125-150	5-6	5217	352.60	5217S
	125-200	5-8	5227	481.50	5227S
	150-200	6-8	5257	509.30	5257S
	200-250	8-10	5327	761.20	5327S
	250-300	10-12	5377	1,034.20	5377S

TAPERS ECCENTRIC



Light Wall (Table D)

mm	Inches	Code	Price	Code with socket
32-50	1¼-2	5645	228.40	5645S
32-80	1¼-3	5655	196.90	5655S
40-50	1½-2	5665	242.10	5665S
40-65	1½-2½	5675	246.10	5675S
40-80	1½-3	5685	383.30	5685S
40-100	1½-4	5695	259.80	5695S
50-65	2-2½	5730	272.70	5730S
50-80	2-3	5710	255.80	5710S
50-100	2-4	5715	266.10	5715S
50-125	2-5	5720	332.80	5720S
65-80	2½-3	5725	250.90	5725S
65-100	2½-4	5735	262.60	5735S
65-125	2½-5	5740	287.80	5740S
65-150	2½-6	5745	306.10	5745S
80-100	3-4	5750	302.20	5750S
80-125	3-5	5755	328.70	5755S
80-150	3-6	5760	347.00	5760S
80-200	3-8	5765	410.60	5765S
100-125	4-5	5770	276.20	5770S
100-150	4-6	5775	291.20	5775S
100-175	4-7	5780	338.90	5780S
100-200	4-8	5785	362.70	5785S
100-225	4-9	5790	428.40	5790S
125-150	5-6	5795	287.80	5795S
125-175	5-7	5845	349.10	5845S
125-200	5-8	5800	372.40	5800S
125-225	5-9	5805	445.30	5805S
125-250	5-10	5810	474.70	5810S
150-200	6-8	5815	381.90	5815S
150-225	6-9	5825	459.60	5825S
150-250	6-10	5835	529.10	5835S
175-200	7-8	5865	437.00	5865S
200-225	8-9	5875	518.90	5875S
200-250	8-10	5895	594.70	5895S
200-300	8-12	5905	667.70	5905S
250-300	10-12	5945	765.70	5945S

SGP General Purpose - 4mm Wall (min.) (Table D)

mm	Inches	Code	Price	Code with socket
50-80	2-3	5710GP	121.30	5710GPS
50-100	2-4	5715GP	157.60	5715GPS
65-80	2½-3	5725GP	121.30	5725GPS
65-100	2½-4	5735GP	157.60	5735GPS
65-125	2½-5	5740GP	200.30	5740GPS
65-150	2½-6	5745GP	255.50	5745GPS
80-100	3-4	5750GP	158.90	5750GPS
80-125	3-5	5755GP	201.70	5755GPS
80-150	3-6	5760GP	251.00	5760GPS
100-125	4-5	5770GP	224.50	5770GPS
100-150	4-6	5775GP	267.20	5775GPS
100-200	4-8	5785GP	392.90	5785GPS
125-150	5-6	5795GP	262.60	5795GPS
125-200	5-8	5800GP	381.80	5800GPS
150-200	6-8	5815GP	387.10	5815GPS



Heavy Duty - 5mm Wall (min.) (Table D)

HEAVY DUTY	mm	Inches	Code	Price	Code with socket
	65-100	2½-4	5733	241.20	5733S
	80-100	3-4	5753	258.60	5753S
	80-150	3-6	5763	280.50	5763S
	100-125	4-5	5773	302.10	5773S
	100-150	4-6	5778	341.60	5778S
	125-150	5-6	5798	356.50	5798S
	125-200	5-8	5803	486.90	5803S
	150-200	6-8	5818	512.10	5818S
	200-250	8-10	5898	774.90	5898S
250-300	10-12	5948	990.20	5948S	

ACCESSORIES



Flange Support Bracket

mm	Inches	Code
50	2	FSB2
80	3	FSB3
100	4	FSB4
125	5	FSB5
150	6	FSB6
200	8	FSB8
225	9	FSB9
250	10	FSB10
300	12	FSB12
350	14	FSB14
375	15	FSB15
400	16	FSB16
450	18	FSB18
500	20	FSB20
600	24	FSB24



* Denotes different style for larger brackets.



Adjustable Flange Support Bracket

mm	Inches	Code
80	3	FSB3A
100	4	FSB4A
125	5	FSB5A
150	6	FSB6A
200	8	FSB8A



Bore Caps

mm	OD	Size		Code
		Thickness	Slot	
32	230	8	55 x 25W	4200
40	230	8	55 x 25W	4201
50	230	8	55 x 25W	4202
65	230	8	55 x 25W	4203
80	285	10	70 x 25W	4204
100	285	10	70 x 25W	4206



Bore Caps Stainless Steel

mm	OD	Size		Code
		Thickness	Slot	
32	230	8	55 x 25W	4200SS316
40	230	8	55 x 25W	4201SS316
50	230	8	55 x 25W	4202SS316
65	230	8	55 x 25W	4203SS316
80	285	10	70 x 25W	4204SS316
100	285	10	70 x 25W	4206SS316



Bore Caps - Dual FBSP to suit Deep Well Pump

mm	Code
32mm x 40mm	4210G
40mm x 50mm	4207G

FLANGES & GASKETS



Weld On Galv (Table D)

mm	Inches	Thickness	Code
50	2	10	10495
65	2½	10	10505
80	3	10	10515
100	4	10	10525
125	5	10	10535
150	6	10	10545
175	7	10	10555
200	8	12	10565
225	9	12	10575
250	10	12	10585
300	12	12	10595
350	14	16	10605
375	15	16	10615
400	16	16	10625
450	18	20	10635
500	20	20	10645
600	24	20	10655
750	30	20	10665
900	36	20	10675

Blank Galv

mm	Inches	Thickness	Code
50	2	10	10497
65	2½	10	10507
80	3	10	10517
100	4	10	10527
125	5	10	10537
150	6	10	10547
200	8	12	10567
250	10	12	10587
300	12	12	10597
350	14	16	10607
375	15	16	10617
400	16	16	10627
450	18	20	10637
500	20	20	10647
600	24	20	10657
750	30	20	10667
900	36	20	10677



Rubber Gaskets

Size		Code
mm	Inches	
40	1½	11395
50	2	11405
65	2½	11415
80	3	11425
100	4	11435
125	5	11445
150	6	11455
175	7	11465
200	8	11475
225	9	11485

Rubber Gaskets

Size		Code
mm	Inches	
250	10	11495
300	12	11505
350	14	11515
375	15	11525
400	16	11535
450	18	11545
500	20	11555
600	24	11565
750	30	11575
900	36	11585

CONNECTORS



Threaded - Hose Ends

mm	Inches	Code
80-50 BSP	3-2	4716
80-80 BSP	3-3	4726
100-80 BSP	4-3	4736
100-100 BSP	4-4	4746
125-125 BSP	5-5	4756
150-150 BSP	6-6	4766



To Hose (Two Beads)

mm	Inches	Code
50	2	3060B2
65	2½	3070B2
80	3	3080B2
100	4	3090B2
125	5	4000B2
150	6	4010B2



Flanged & Threaded BSP (Table D)

mm	Inches	Code
65-65 BSP	2½-2½ BSP	3795
80-80 BSP	3-3 BSP	3805
100-100 BSP	4-4 BSP	3815
125-125 BSP	5-5 BSP	3825
150-80 BSP	6-3 BSP	4265
150-125 BSP	6-5 BSP	4285
150-150 BSP	6-6 BSP	3835



Enlarging Flanged & Threaded BSP (Table D)

mm	Inches	Code
50-80 BSP	2-3 BSP	3875
50-100 BSP	2-4 BSP	3885
65-80 BSP	2½-3 BSP	3920
80-100 BSP	3-4 BSP	3930
100-125 BSP	4-5 BSP	3945
100-150 BSP	4-6 BSP	3950
125-150 BSP	5-6 BSP	3955



Reducing Flanged & Threaded BSP (Table D)

mm	Inches	Code
65-50 BSP	2½-2 BSP	4165
80-50 BSP	3-2 BSP	4185
100-50 BSP	4-2 BSP	4215
100-80 BSP	4-3 BSP	4235
125-80 BSP	5-3 BSP	4245
125-100 BSP	5-4 BSP	4255
150-100 BSP	6-4 BSP	4275

FLANGED CONNECTORS



1.6mm Wall Thickness (Table D)

Length	mm	Inches	Code
300mm	80	3	3600
	100	4	3610
	125	5	3620
	150	6	3630
	200	8	3650
	250	10	3670
	300	12	3680
600mm	80	3	3605
	100	4	3615
	125	5	3625
	150	6	3635
	200	8	3655
	250	10	3675
	300	12	3685

4mm min. Wall Thickness (Table D)

Length	mm	Inches	Code
300mm	80	3	3601
	100	4	3611
	125	5	3621
	150	6	3631
	200	8	3651
	250	10	3671
	300	12	3681
600mm	80	3	3606
	100	4	3616
	125	5	3626
	150	6	3636
	200	8	3656
	250	10	3676
	300	12	3686

HEAVY DUTY

FLANGED HOSE ENDS



STRAIGHT: 1.6mm Wall Light Duty (Table D)

mm	inch	Code
80	3	4356
100	4	4366
125	5	4376
150	6	4386
200	8	4406
250	10	4426
300	12	4436



REDUCING: 1.6mm Wall Light Duty (Table D)

mm	Inches	Code
80- 50	3-2	4786
100- 50	4-2	4796
100- 80	4-3	4806
125- 80	5-3	4816
125-100	5-4	4826
150- 80	6-3	4986
150-100	6-4	4836
150-125	6-5	4846
200-100	8-4	4856
200-150	8-6	4866



ECCENTRIC: 1.6mm Wall Light Duty (Table D)

mm	Inches	Code
80-100	3-4	4547
80-125	3-5	4557
80-150	3-6	4567
100-125	4-5	4577
100-150	4-6	4587
125-150	5-6	4597



ENLARGING: 1.6mm Wall Light Duty (Table D)

mm	Inches	Code
50- 80	2-3	4546
50-100	2-4	4556
65- 80	2½ -3	4566
65-100	2½ -4	4576
80-100	3-4	4586
80-125	3-5	4596
80-150	3-6	4606
100-125	4-5	4616
100-150	4-6	4626
125-150	5-6	4636
200-250	8-10	4656

HOSE JOINERS, TAILS & CLAMPS



**HOSE JOINER - Single Bead to Each End:
MIN 1.6mm Wall Light Duty**

mm	Inches	Code
50	2	3060
65	2½	3070
80	3	3080
100	4	3090
125	5	4000
150	6	4010
200	8	4020




HEAVY DUTY HOSE JOINER (MACHINED) (Table D)

mm	Inches	Code
80	3	3080HD
100	4	3090HD
125	5	4000HD
150	6	4010HD



HEAVY DUTY HOSE TAIL (MACHINED)

mm	Inches	Code
80	3	4356HD
100	4	4366HD
125	5	4376HD
150	6	4386HD
200	8	4406HD
250	10	4426HD



Machined – Suit Standard Layflat Hose

mm	Inches	Code
110	4	4978
114	4½	4980
125	5	4982
150	6	4984



Standard Stainless Steel

mm	Inches	Code
100	4	4905SS
125	5	4915SS
150	6	4925SS
200	8	4945SS



Standard Zinc Plated

mm	Inches	Code
80	3	4895
100	4	4905
125	5	4915
150	6	4925
200	8	4945

REDUCERS & TEES



Standard

mm	inch	Code
80-50	3-2	495
100-50	4-2	515
100-80	4-3	525
125-80	5-3	535
125-100	5-4	545
150-125	6-5	555
150-100	6-4	565



Special - To Suit Irrigation Hose

mm	inch	Code
80-65	3-2 ½	496
100-89	4-3 ½	526
125-89	5-3 ½	536
125-114	5-4 ½	546



Standard

mm	inch	Code
50	2	25
80	3	35
100	4	45
125	5	55
150	6	65



Single Reducing

mm	inch	Code
80-80-50	3-3-2	95
100-100-50	4-4-2	105
100-100-80	4-4-3	115
125-125-50	5-5-2	125
125-125-100	5-5-4	135
150-150-125	6-6-5	145



Double Reducing

mm	inch	Code
80-50-50	3-2-2	155
100-50-50	4-2-2	165
100-80-80	4-3-3	175
125-100-100	5-4-4	185
150-125-125	6-5-5	195



Threaded Branch


mm	inch	Code
50-50-50	2-2-2	235
80-80-50	3-3-2	240
80-80-80	3-3-3	245
80-80-100	3-3-4	265
100-100-50	4-4-2	275
100-100-80	4-4-3	285
100-100-100	4-4-4	295
125-125-50	5-5-2	305
150-150-100	6-6-4	315

CROSSES



Standard

mm	inch	Code
50	2	325
80	3	335
100	4	345
125	5	355
150	6	365



Single Reducing

mm	inch	Code
80-80-80-50	3-3-3-2	375
100-100-100-80	4-4-4-3	385
125-125-125-100	5-5-5-4	395
150-150-150-125	6-6-6-5	405



Double Reducing

mm	inch	Code
80-80-50-50	3-3-2-2	415
100-100-50-50	4-4-2-2	425
100-100-80-80	4-4-3-3	435
125-125-100-100	5-5-4-4	445
150-150-125-125	6-6-5-5	455

BENDS



Standard 45°

mm	Inches	Code
50	2	795
80	3	810
100	4	815
125	5	820
150	6	825



Standard 90°

mm	Inches	Code
50	2	675
80	3	685
100	4	695
125	5	705
150	6	715



Reducing 45°

mm	Inches	Code
80-50	3-2	845
100-80	4-3	855
125-100	5-4	865
150-125	6-5	875



Reducing 90°

mm	Inches	Code
80-50	3-2	745
100-50	4-2	755
100-80	4-3	765
150-100	6-4	775
125-100	5-4	780
150-125	6-5	785

STARTERS & ENDS



BSP Starter

mm	Inches	Code
50-40 BSP	2-1½	1125
50-50 BSP	2-2	1135
50-80 BSP	2-3	1145
80-40 BSP	3-1½	1165
80-50 BSP	3-2	1175
80-65 BSP	3-2½	1185
80-80 BSP	3-3	1190
80-100 BSP	3-4	1195
100-40 BSP	4-1½	1205
100-50 BSP	4-2	1215
100-65 BSP	4-2½	1225
100-80 BSP	4-3	1235
100-100 BSP	4-4	1245



Stop Ends

mm	Inches	Code
50	2	975
80	3	985
100	4	995
125	5	1005
150	6	1010



Hose Joiner (Bead Each End)


mm	Inches	Code
50	2	1035BEE
80	3	1045BEE
100	4	1055BEE
125	5	1065BEE
150	6	1075BEE



Hose Ends


mm	Inches	Code
50	2	1035
80	3	1045
100	4	1055
125	5	1065
150	6	1075

STANDARD DIMENSIONS



Galvanized Tapers

mm	inches	Light Wall L (mm)	Med Wall L (mm)	Heavy Duty L (mm)
40 – 80	1 ½ - 3	160	-	89
50 – 80	2 – 3	160	111	89
50 – 100	2 – 4	160	124	102
65 – 80	2 ½ - 3	160	111	89
80 – 100	3 – 4	160	124	102
80 – 125	3 – 5	160	149	127
80 – 150	3 – 6	160	162	140
100 – 125	4 – 5	160	149	127
100 – 150	4 – 6	160	162	140
125 – 150	5 – 6	160	160	140
125 – 200	5 – 8	220	174	152
150 – 200	6 – 8	220	174	152
200 – 250	8 – 10	220	-	178
200 - 300	44903	220	-	203



Galvanized 90° Bends

mm	inches	Light Wall H (mm)	Med Wall H (mm)	Heavy Duty H (mm)
80	3	124	124	114
100	4	210	162	152
125	5	250	200	190
150	6	290	240	230
200	8	302	317	305
250	10	385	-	385
300	12	457	-	457

Rodney Industries

A Division of Vinidex Pty Limited

BUILT FOR STRENGTH, BUILT FOR QUALITY, BUILT TO LAST

We pride ourselves in our continued manufacture and supply of quality products and services.

Why choose Rodney Industries' Irrigation Fittings?

We understand the importance of quality and value for money. Take for example our hose joiner:

- Heavier wall thickness for strength and durability.
- Chamfered for easy installation and hose protection.
- Smooth tapered spigot to reduce rusting and cutting inside irrigation hose.
- Hot dipped galvanized for longer lifespan.





IRRIGATION FITTINGS



For range and quality, choose Rodney Industries' fittings

We offer a large selection of Irrigation fittings including:

- Hose Joiners
- Bauer Style Fittings
- Weld Bells
- Mainline Adaptors

IRRIGATION FITTINGS



Plain to Half Joiner

Inch	Code
3" x 3½"	10004
4" x 3"	10989
4" x 3½"	9899
4" x 4"	10012
4" x 5"	10024
5" x 3½"	9987
5" x 4"	9988
5" x 4½"	9989
5" x 5"	10999
5" x 6"	10025
6" x 4"	10023
6" x 5"	9900
6" x 6"	10998

Threaded to Half Joiner

Inch	Code
2½" x 2½"	9927
2" x 3"	9929
2½" x 3"	9930
3" x 2½"	9926
3" x 3"	9931
2½" x 3½"	9932
3" x 3½"	9933
2½" x 4"	9934
3" x 4"	9935
4" x 3½"	9937
4" x 4"	9936
4" x 4½"	9938
4" x 6"	9939



Flange to Half Joiner

Inch	Code
2" x 2½"	9944
2½" x 3"	9946
3" x 3"	9947
4" x 2½"	10033
4" x 3"	9948
3" x 3½"	9949
4" x 3½"	9950
5" x 3½"	9951
6" x 3½"	9952
3" x 4"	9953
4" x 4"	9964

Flange to Half Joiner

Inch	Code
4" x 5"	9961
5" x 4"	9954
6" x 4"	9955
4" x 4½"	9956
5" x 4½"	9957
6" x 4½"	9958
5" x 5"	10007
5" x 6"	10008
6" x 5"	9960
6" x 6"	9962

IRRIGATION FITTINGS



Hose Joiner

Inch	Code
2"	9980
2½"	9981
3"	9982
3½"	9983
4"	9984
4½"	9985
5"	10005
6"	10006



Hose Joiner Reducing

Inch	Code
2 ½" x 3"	10031
3" x 3½"	10003
3" x 4"	9986
3½" x 4"	9978
4" x 4½"	9979



Coupler Joiner

Inch	Code
3" x 3"	9973
4" x 3"	9974
4" x 4"	9975



Ring Type Coupler - (Hosetail x Coupler)

Inch	Code
2½" x 3"	9990
2 ½" x 4"	9996
3" x 3"	9991
3 ½" x 3"	10002
3" x 4"	9992
3 ½" x 4"	9997
3 ½" x 5"	10014
4" x 4"	9998
4" x 5"	10015
4 ½" x 4"	9999
4" x 3"	10000
4 ½" x 5"	10001
5" x 4"	10010
5" x 5"	10018
6" x 6"	10016



Standard Coupler (Hosetail x Coupler)

Inch	Code
3" x 4"	10009
3½" x 4"	9993
4" x 4"	9994
4½" x 4"	9995

IRRIGATION FITTINGS



Flange to Bell

Inch	Code
2½" x 3"	9959
3" x 3"	9965
4" x 3"	9969
3" x 4"	9968
4" x 4"	9963
5" x 4"	9967
5" x 5"	10019
6" x 4"	9966
6" x 6"	10017
6" x 8"	10020
8" x 8"	10021

Mainline Adaptor (Bell x Spigot)

Inch	Code
3" x 3"	9970
3" x 4"	9971
3" x 5"	10011
4" x 4"	9972
4" x 5"	9976
4" x 6"	10032
5" x 5"	10022



Flange to Bell No Lugs \ Links

Inch	Code
3" x 3"	9965HAB
4" x 4"	9963HA
5" x 5"	10019HA
6" x 6"	10017HA
8" x 8"	10021HA

Flange to Male Spigot

Inch	Code
3" x 3"	9965MSA
4" x 4"	9963MSA
5" x 5"	10019MSA
6" x 6"	10017MSA
8" x 8"	10021MSA

IRRIGATION FITTINGS



Weld Bells c/w Lugs and Links (Black)

Inch	mm	Code
3"	80	9922
4"	100	9923
5"	125	9294
6"	150	9295
8"	200	9315



Weld Bells c/w Lugs and Links (Galvanized)

Inch	mm	Code
3"	80	9920
4"	100	9921
5"	125	9290
6"	150	9291
8"	200	9313



Weld Bells w/o Lugs and Links (Black)

Inch	mm	Code
3"	80	9297
4"	100	9298
5"	125	9299
6"	150	9300
8"	200	9317



Thread to Weld Bells c/w Lugs and Links (Galvanized)

Inch	mm	Code
4" x 4"	100 x 100	10026
5" x 5"	125 x 125	10027
4" x 5"	100 x 125	10028

Note: All Weld Bells supplied with round-back gaskets

IRRIGATION FITTINGS



Weld Bell Clamps (Travis Clamps)

Inch	mm	Code
4"	100	9304
5"	125	9305
6"	150	9306
8"	200	9321



Round Back Gaskets


Inch	mm	Code
3"	80	9924
4"	100	9925
5"	125	9310
6"	150	9312
8"	200	9319



Joiner Ring Only

Inch	Code
2"	9901
2½"	9902
3"	9903
3½"	9904
4"	9905
4½"	9906
5"	9908

IRRIGATION FITTINGS



Size		Female Coupling		Male Coupling		Rubber Seal	
inches	mm	A	B	C	D	E	F
2	50	48.5	72	50	48.5	62	80.6
3	76	76	98	81	76	88.5	114.5
3.5	89	89	121	93	89	108	134
4	108	108	147	112	108	132	162
5	133	132	163	137	132	152	188
6	159	158	182	155	158	170	208
8	194	194	231	200	194	220	258



Black Steel Coupling Complete With Rubber Seal

Inch	mm	Code
2	50	12000
3	76	12002
3.5	89	12004
4	108	12006
5	133	12008
6	159	12010

Black Steel Male Coupling

Inch	mm	Code
2	50	12014
3	76	12016
3.5	89	12018
4	108	12020
5	133	12022
6	159	12024
8	194	12026

IRRIGATION FITTINGS



Galvanized Steel Lever Ring

Inch	mm	Code
2	50	12028
3	76	12030
3.5	89	12032
4	108	12034
5	133	12036
6	159	12038
8	194	12040



Black Steel Female Coupling With Rubber Seal

Inch	mm	Code
2	50	12042
3	76	12044
3.5	89	12046
4	108	12048
5	133	12050
6	159	12052
8	194	12054



Rubber O'Ring Seal

Inch	mm	Code
2	50	12056
3	76	12058
3.5	89	12060
4	108	12062
5	133	12064
6	159	12066
8	194	12068



Galvanized Steel Male End Plug With Lever Ring

Inch	mm	Code
2	50	12084
3	76	12086
3.5	89	12088
4	108	12090
5	133	12092
6	159	12094
8	194	12096



Galvanized Steel Female Coupling With Hose Tail & Rubber Seal - (Bauer X Tail)

Inch	mm	Code
2	50 x 50	12098
3	76 x 76	12102
3.5	89 x 76	12104
4	108 x 100	12108
5	133 x 125	12112
6	159 x 150	12114
8	194 x 200	12118



Galvanized Steel Male Coupling With Hose Tail & Lever Ring - (Bauer X Tail)

Inch	mm	Code
2	50 x 50	12120
3	76 x 76	12124
3.5	89 x 89	12128
4	108 x 100	12130
5	133 x 125	12134
6	159 x 150	12136
8	194 x 200	12140

IRRIGATION FITTINGS



Galvanized Steel Female Coupling Threaded BSPM With Rubber Seal – (Bauer X BSPM)

mm x Inch	Code
50 mm x 2"	12144
76 mm x 3"	12148
89 mm x 3"	12150
108 mm x 4"	12152
133 mm x 5"	12154
159 mm x 6"	12156
194 mm x 8"	12158



Galvanized Steel Female End Plug With Rubber Seal

Inch	mm	Code
2	50	12070
3	76	12072
3.5	89	12074
4	108	12076
5	133	12078
6	159	12080
8	194	12082



Galvanized Steel Flanged Female Coupling With Rubber Seal – (Flange X Bauer)

Inch	mm	Code
2	50 x 50	12180
3	80 x 89	12182
4	100 x 108	12184
5	125 x 133	12186
6	150 x 159	12188
8	200 x 194	12190



Galvanized Steel Flanged Male Coupling With Lever Ring – (Flange X Bauer)

Inch	mm	Code
2	50 x 50	12194
3	80 x 89	12196
4	100 x 108	12198
5	125 x 133	12200
6	150 x 159	12202
8	200 x 194	12204



Galvanized Steel Male Coupling Threaded BSPM With Lever Ring – (Bauer X BSPM)

mm x Inch	Code
50 mm x 2"	12162
76 mm x 3"	12166
89 mm x 3"	12168
108 mm x 4"	12170
133 mm x 5"	12172
159 mm x 6"	12174
194 mm x 8"	12176



Irrigation
direct.com.au

IRRIGATION FITTINGS, GALVANISED & ALUMINUM



For Assistance please contact Michael: 0488 917 285 or
michael@irrigationdirect.com.au