



Booster Pumps

- Steady Press Booster System
- Hydro Pac - Single Systems
- Hydro Pac - Dual Systems
- Pressure Pac - Single Booster
- Hydro Pac - Single Booster
- Pressure Pac - Dual Booster





STEADY PRES- SINGLE PUMP BOOSTER

SteadyPres–Single Pump Booster Systems


Variable Speed Controlled–Constant Pressure

- Price Includes:
 - 240volt Pump IP55
 - SteadyPres Controller IP65 with inbuilt non-return - Discharge fittings and isolation valves
 - PWL 8 or PWL18 Pressure Tank (dependent on system size)
- Pumps to AS/NZS 4020
- 2 year warranty on factory assembled booster systems - Freight charges apply to this product range



Product Code: LWHM
Model
3HM03-SP08
3HM04-SP08
3HM05-SP08
5HM02-SP08
5HM03-SP08
5HM04-SP08
5HM05-SP08
5HM06-SP08
3HMS04-SP08
3HMS06-SP08
5HMS03-SP08
5HMS04-SP08
5HMS05-SP08

Product Code: LWSV
Model
3SV08F07-SP08
3SV10F11-SP08
3SV12F11-SP08
3SV16F15-SP08
5SV05F07-SP18
5SV06F11-SP18
5SV08F11-SP18
5SV09F15-SP18
5SV11F15-SP18
5SV12F22-SP18
5SV16F022-SP18
10SV03F11-SP18
10SV04F15-SP18
10SV06F22-SP18



Check out the Smart Pump Booster Sets with permanent magnet variable speed drives on page 16

**DOMESTIC AND COMMERCIAL
UV AND FILTRATION SYSTEMS
FOR HEALTHY, CLEAN WATER**

Packaged filtration systems, fully assembled and ready for installation.

Hand built and assembled by the team at Brown Brothers Engineers.

Contact us for more information.





HYDRO PAC-SINGLE BOOSTER



Hydro Pac-Single Booster System

Variable Speed Controlled

Price includes:

- e-SV multi-stage pump IP55 / Hydrovar controller IP55 / Stainless steel manifold / Pressure tank / Pressure gauge / Non-return valve and isolation valves all mounted on a stainless steel base
- Other models available on request - Manifold sizes as shown
- Pumps to AS/NZS 4020

- 2 year warranty on factory-assembled booster systems - Freight charges apply to this product range



Product Code: BSHP			
Model	Manifold	kW	240 V 1 Phase 50Hz
1SV22HPS-M	25mm	1.10	
1SV25HPS-M	25mm	1.50	
3SV10HPS-M	25mm	1.10	
3SV12HPS-M	25mm	1.10	
3SV16HPS-M	25mm	1.50	
3SV21HPS-M	25mm	2.20	
5SV08HPS-M	32mm	1.10	
5SV11HPS-M	32mm	1.50	
5SV13HPS-M	32mm	2.20	
5SV16HPS-M	32mm	2.20	
10SV03HPS-M	40mm	1.10	
10SV04HPS-M	40mm	1.50	
10SV05HPS-M	40mm	2.20	
10SV06HPS-M	40mm	2.20	
15SV01HPS-M	50mm	1.10	
15SV02HPS-M	50mm	2.20	
22SV01HPS-M	50mm	1.10	
22SV02HPS-M	50mm	2.20	
phase options up to 4 kW available on request POA			

Product Code: BSHP			
Model	Manifold	kW	415 V 3 Phase 50Hz
1SV22HPS-T	25mm	1.10	
1SV25HPS-T	25mm	1.50	
3SV10HPS-T	25mm	1.10	
3SV12HPS-T	25mm	1.10	
3SV16HPS-T	25mm	1.50	
3SV21HPS-T	25mm	2.20	
5SV08HPS-T	32mm	1.10	
5SV11HPS-T	32mm	1.50	
5SV13HPS-T	32mm	2.20	
5SV16HPS-T	32mm	2.20	
5SV18HPS-T	32mm	3.00	
5SV21HPS-T	32mm	3.00	
10SV03HPS-T	40mm	1.10	
10SV04HPS-T	40mm	1.50	
10SV05HPS-T	40mm	2.20	
10SV06HPS-T	40mm	2.20	
10SV07HPS-T	40mm	3.00	
10SV08HPS-T	40mm	3.00	
10SV11HPS-T	40mm	4.00	
10SV13HPS-T	40mm	5.50	
15SV02HPS-T	50mm	2.20	
15SV03HPS-T	50mm	3.00	
15SV04HPS-T	50mm	4.00	
15SV05HPS-T	50mm	4.00	
15SV07HPS-T	50mm	5.50	
15SV09HPS-T	50mm	7.50	
15SV11HPS-T	50mm	11.00	
22SV02HPS-T	50mm	2.20	
22SV03HPS-T	50mm	3.00	
22SV04HPS-T	50mm	4.00	
22SV05HPS-T	50mm	5.50	
22SV07HPS-T	50mm	7.50	
22SV10HPS-T	50mm	11.00	



HYDRO PAC-DUAL BOOSTER



Hydro Pac-Dual Booster System

Variable Speed Controlled

Price includes:

- Dual e-SV multi-stage pumps IP55/ Dual Hydrovar controllers IP55 /Stainless steel manifolds / Pressure tank / Pressure gauge / Non-return valves and isolation valves all mounted on a stainless steel base
- Other models available on request - Manifold sizes as shown
- Pumps to AS/NZS 4020



- 2 year warranty on factory-assembled booster systems - Freight charges apply to this product range



Hydro Pac-Dual System

Product Code: BSHP			
Model	Manifold	kW	240 V 1 Phase 50Hz
1DSV22HPS-M	50mm	1.10	
1DSV25HPS-M	50mm	1.50	
3DSV10HPS-M	50mm	1.10	
3DSV12HPS-M	50mm	1.10	
3DSV16HPS-M	50mm	1.50	
3DSV21HPS-M	50mm	2.20	
5DSV08HPS-M	50mm	1.10	
5DSV11HPS-M	50mm	1.50	
5DSV13HPS-M	50mm	2.20	
5DSV16HPS-M	50mm	2.20	
10DSV03HPS-M	65mm	1.10	
10DSV04HPS-M	65mm	1.50	
10DSV05HPS-M	65mm	2.20	
10DSV06HPS-M	65mm	2.20	
15DSV01HPS-M	80mm	1.10	
15DSV02HPS-M	80mm	2.20	
22DSV01HPS-M	80mm	1.10	
22DSV02HPS-M	80mm	2.20	
phase options up to 4 kW available on request POA			

Product Code: BSHP			
Model	Manifold	kW	415 V 3 Phase 50Hz
1DSV22HPS-T	50mm	1.10	
1DSV25HPS-T	50mm	1.50	
3DSV10HPS-T	50mm	1.10	
3DSV12HPS-T	50mm	1.10	
3DSV16HPS-T	50mm	1.50	
3DSV21HPS-T	50mm	2.20	
3DSV33HPS-T	50mm	3.00	
5DSV08HPS-T	50mm	1.10	
5DSV11HPS-T	50mm	1.50	
5DSV13HPS-T	50mm	2.20	
5DSV16HPS-T	50mm	2.20	
5DSV21HPS-T	50mm	3.00	
10DSV03HPS-T	65mm	1.10	
10DSV04HPS-T	65mm	1.50	
10DSV06HPS-T	65mm	2.20	
10DSV07HPS-T	65mm	3.00	
10DSV08HPS-T	65mm	3.00	
10DSV09HPS-T	65mm	4.00	
10DSV10HPS-T	65mm	4.00	
10DSV11HPS-T	65mm	4.00	
10DSV13HPS-T	65mm	5.50	
15DSV01HPS-T	80mm	1.10	
15DSV02HPS-T	80mm	2.20	
15DSV03HPS-T	80mm	3.00	
15DSV05HPS-T	80mm	4.00	
15DSV07HPS-T	80mm	5.50	
15DSV09HPS-T	80mm	7.50	
15DSV11HPS-T	80mm	11.00	
22DSV01HPS-T	80mm	1.10	
22DSV02HPS-T	80mm	2.20	
22DSV03HPS-T	80mm	3.00	
22DSV04HPS-T	80mm	4.00	
22DSV05HPS-T	80mm	5.50	
22DSV07HPS-T	80mm	7.50	
22DSV10HPS-T	80mm	11.00	



Custom multiple pump systems (eg. triple, quads) are also available upon request.



PRESSURE PAC-SINGLE BOOSTER -240V

Pressure Pac-Single Booster System

Pressure Switch Controlled

Price includes:

- e-SV Multi-stage pump IP55 / Stainless steel manifold and base / Pressure tank / Pressure switch and gauge / Non-return valve and isolation valves
- Other models available on request
- Extra for 25mm 304 stainless steel flexible hose for free standing tanks
 - 0.5 metre length P/No: AKMS70221 \$81
 - 1.0 metre length P/No: AKMS70222 \$126
 - 1.5 metre length P/No: AKMS70223 \$131
- Three-phase systems include contactor and overload - Pumps to AS/NZS 4020

- 2 year warranty on factory-assembled booster systems - Freight charges apply to this product range



Product Code: BSPP		10 Bar	16 Bar	
240 V 1 Phase 50Hz (M)	Model	kW	PWL 18	PWL 18-16
	1SV09WPS-M 25mm manifold	0.55		
	1SV11WPS-M "	0.55		
	1SV15WPS-M "	0.75		
	1SV22WPS-M "	1.10		
	1SV25WPS-M "	1.50		
	3SV08WPS-M 25mm manifold	0.75		
	3SV11WPS-M "	1.10		
	3SV13WPS-M "	1.50		
	3SV16WPS-M "	1.50		
	3SV21WPS-M "	2.20		
	5SV06WPS-M 32mm manifold	1.10		
	5SV08WPS-M "	1.10		
	5SV11WPS-M "	1.50		
	5SV13WPS-M "	2.20		
	5SV16WPS-M "	2.20		
	10SV03WPS-M 40mm manifold	1.10		
	10SV04WPS-M "	1.50		
	10SV06WPS-M "	2.20		
	15SV01WPS-M 50mm manifold	1.10		
	15SV02WPS-M "	2.20		
	22SV01WPS-M 50mm manifold	1.10		
	22SV02WPS-M "	2.20		


HYDRO PAC-SINGLE BOOSTER - 3 PHASE


Product Code: BSPP		10 Bar	16 Bar
Model	kW	PWL 18	PWL 18-16
1SV09WPS-T 25mm manifold	0.55		
1SV11WPS-T "	0.55		
1SV15WPS-T "	0.75		
1SV17WPS-T "	1.10		
1SV22WPS-T "	1.10		
1SV25WPS-T "	1.50		
3SV08WPS-T 25mm manifold	0.75		
3SV11WPS-T "	1.10		
3SV13WPS-T "	1.50		
3SV16WPS-T "	1.50		
3SV21WPS-T "	2.20		
5SV06WPS-T 32mm manifold	1.10		
5SV08WPS-T "	1.10		
5SV11WPS-T "	1.50		
5SV13WPS-T "	2.20		
5SV16WPS-T "	2.20		
5SV21WPS-T "	3.00		
10SV03WPS-T 40mm manifold	1.10		
10SV04WPS-T "	1.50		
10SV05WPS-T "	2.20		
10SV06WPS-T "	2.20		
10SV08WPS-T "	3.00		
10SV11WPS-T "	4.00		
10SV13WPS-T "	5.50		
15SV02WPS-T 50mm manifold	2.20		
15SV03WPS-T "	3.00		
15SV04WPS-T "	4.00		
15SV05WPS-T "	4.00		
15SV07WPS-T "	5.50		
15SV09WPS-T "	7.50		
22SV02WPS-T 50mm manifold	2.20		
22SV03WPS-T "	3.00		
22SV04WPS-T "	4.00		
22SV05WPS-T "	5.50		
22SV07WPS-T "	7.50		

415 V 3 Phase 50Hz (T)



PRESSURE PAC-DUAL BOOSTER -240V



Pressure Pac-Dual Booster System

Pressure Switch Controlled

Price includes:

- Dual e-SV Multi-stage pump IP55 / Stainless steel manifolds and base / Pressure tank / Pressure switch and gauge / Non-return valves and isolation valves
- Other models available on request
- Extra for 25mm 304 stainless steel flexible hose for free standing tanks -
 0.5 metre length P/No: AKMS70221 \$81
 - 1.0 metre length P/No: AKMS70222 \$126
 - 1.5 metre length P/No: AKMS70223 \$131
- Systems include basic dual alternating panel - Pumps to AS/NZS 4020



- 2 year warranty on factory-assembled booster systems - Freight charges apply to this product range



Product Code: BSPP		10 Bar	16 Bar	
240 V 1 Phase 50Hz (M)	Model	kW	PWL 18	PWL 18-16
	1DSV09WPS-M 50mm manifold	0.55		
	1DSV11WPS-M "	0.55		
	1DSV15WPS-M "	0.75		
	1DSV17WPS-M "	1.10		
	1DSV22WPS-M "	1.10		
	1DSV25WPS-M "	1.50		
	3DSV08WPS-M 50mm manifold	0.75		
	3DSV11WPS-M "	1.10		
	3DSV13WPS-M "	1.50		
	3DSV16WPS-M "	1.50		
	3DSV21WPS-M "	2.20		
	5DSV06WPS-M 50mm manifold	1.10		
	5DSV08WPS-M "	1.10		
	5DSV11WPS-M "	1.50		
	5DSV13WPS-M "	2.20		
	5DSV16WPS-M "	2.20		
	10DSV03WPS-M 65mm manifold	1.10		
	10DSV04WPS-M "	1.50		
	10DSV05WPS-M "	2.20		
	10DSV06WPS-M "	2.20		
	15DSV01WPS-M 80mm manifold	1.10		
	15DSV02WPS-M "	2.20		
22DSV01WPS-M 80mm manifold	1.10			
22DSV02WPS-M "	2.20			


PRESSURE PAC-DUAL BOOSTER - 240V
Pressure Pac-Dual Booster System (Cont.)

Product Code: BSPP		10 Bar	16 Bar	
415 V 3 Phase 50Hz (T)	Model	kW	PWL 18	PWL 18-16
		1DSV09WPS-T 50mm manifold	0.55	
	1DSV11WPS-T "	0.55		
	1DSV15WPS-T "	0.75		
	1DSV17WPS-T "	1.10		
	1DSV22WPS-T "	1.10		
	1DSV25WPS-T "	1.50		
	3DSV06WPS-T 50mm manifold	0.55		
	3DSV08WPS-T "	0.75		
	3DSV11WPS-T "	1.10		
	3DSV13WPS-T "	1.50		
	3DSV16WPS-T "	1.50		
	3DSV21WPS-T "	2.20		
	5DSV06WPS-T 50mm manifold	1.10		
	5DSV08WPS-T "	1.10		
	5DSV11WPS-T "	1.50		
	5DSV13WPS-T "	2.20		
	5DSV16WPS-T "	2.20		
	5DSV21WPS-T "	3.00		
	10DSV03WPS-T 65mm manifold	1.10		
	10DSV04WPS-T "	1.50		
	10DSV05WPS-T "	2.20		
	10DSV06WPS-T "	2.20		
	10DSV08WPS-T "	3.00		
	10DSV11WPS-T "	4.00		
	10DSV13WPS-T "	5.50		
	15DSV02WPS-T 80mm manifold	2.20		
	15DSV03WPS-T "	3.00		
	15DSV04WPS-T "	4.00		
	15DSV05WPS-T "	4.00		
	15DSV07WPS-T "	5.50		
	15DSV09WPS-T "	7.50		
	15DSV11WPS-T "	11.0		
	22DSV02WPS-T 80mm manifold	2.20		
	22DSV03WPS-T "	3.00		
	22DSV04WPS-T "	4.00		
	22DSV05WPS-T "	5.50		
	22DSV07WPS-T "	7.50		
	22DSV10WPS-T "	11.0		



Booster Pumps

- Steady Press Booster System
- Hydro Pac - Single Systems
- Hydro Pac - Dual Systems
- Pressure Pac - Single Booster
- Hydro Pac - Single Booster
- Pressure Pac - Dual Booster



For Assistance please contact Michael: 0488 917 285 or michael@irrigationdirect.com.au