



# Circulator Pumps

Hot water

Cold water

Solar



# CIRCULATOR PUMPS



## D5 SERIES



### Circulators

#### Ecocirc D5 Solar Pump

- 12V solar circulator
- Solar version for direct connection to photovoltaic panels
- Vario version can be direct or battery powered and has speed control - 1 year warranty

Product Code: LWCI

Model	Version
-------	---------

D5SOLAR-38/700 B	R 1½
------------------	------

D5VARIO-38/700 B	R 1½
------------------	------



## ECOCIRC BASIC & PREMIUM



Product Code: LWCI

Model	Version	Length	
ecocirc Prem25-6	1"	130mm	
ecocirc Prem25-6	1"	180mm	
ecocirc Prem32-6	1 1/4"	180mm	

### Ecocirc Basic

- Permanent magnet motor
- Variable speed motor with auto speed adjustment
- Ceramic bearings

### Ecocirc Premium

- Permanent magnet motor
- Variable speed motor with auto speed adjustment - Use friendly LCD display
- Anti-block technology and dry run protection

Product Code: LWCI

Model	Version	Length	Cast Iron Range
ecocirc Basic25-6	1"	130mm	
ecocirc Basic25-6	1"	180mm	
ecocirc Basic32-6	1 1/4"	180mm	

Product Code: LWCI

Model	Version	Length	304SS Range
ecocirc Basic25-6N	1"	130mm	
ecocirc Basic25-6N	1"	180mm	
ecocirc Basic32-6N	1 1/4"	180mm	



**ECOCIRC XL CIRCULATOR**



**Ecocirc XL Circulator**

- High efficiency IECM Motor
- User selectable—4 function mode of operation - User friendly LCD display
- Night mode

- Anti-block technology and dry run protection
- 240V power supply
- Temperature range -10°C to +110°C
- 1 year warranty

Product Code: LWCI

Model	Version	Length
ecocirc XL 32-120F	32mm	220mm
ecocirc XL 40-120F	40mm	250mm
ecocirc XL 40-180F	40mm	250mm
ecocirc XL 50-80F	50mm	240mm
ecocirc XL 50-120F	50mm	280mm
ecocirc XL 50-180F	50mm	280mm

Product Code: LWCI

Model	Version	Length
ecocirc XL 65-80F	65mm	340mm
ecocirc XL 65-120F	65mm	340mm
ecocirc XL 65-150F	65mm	340mm
ecocirc XL 65-180F	65mm	340mm
ecocirc XL 80-120F	80mm	360mm
ecocirc XL 100-120F	100mm	360mm

**COUNTERFLANGE KITS—Ecocirc XL & XL Plus**

For threaded DN32/RP 1 1/4", PN6, Fe/Zn 8-ISO 2081	LWCI109.395.700
For threaded DN40/RP 1 1/2", PN6, Fe/Zn 8-ISO 2081	LWCI109.395.710
For threaded DN50/RP 2", PN6, Fe/Zn 8-ISO 2081	LWCI109.395.720
For threaded DN65/RP 2 1/2", PN6, Fe/Zn 8-ISO 2081	LWCI105.395.730
For threaded DN80/RP 3", PN6, Fe/Zn 8-ISO 2081	LWCI109.395.740
For threaded DN100/RP 4", PN6, Fe/Zn 8-ISO 2081	LWCI109.395.750
For threaded DN32/RP 1 1/4", PN6, AISI 316L	LWCI109.395.701

**HOT WATER CIRCULATOR**



**TLCN—Hot Water Circulator**

- Single head stainless steel version -
- No communication capabilities
- Note: Please check availability before ordering
- 1 year warranty

Product Code: LWCI

Model	Version	Length
TLCN 20-6M	R 1¼ (DN 20)	150mm
TLCN 25-6L	R 1½ (DN 25)	180mm

Steel pipe union	TLC 20mm P/No: LWCI105.890.350
Steel pipe union	TLC 25mm P/No: LWCI105.890.200





**e-LINE SERIES CIRCULATOR**



**e-LNE Series**

**Cast Iron In-line Circulator Pumps**

- Stub shaft version
- All cast iron wetted construction
- Standard carbon ceramic seal fitted with viton elastomers
- Alternative seal arrangements available POA
- Base plate not included, available as optional extra
- 1 year warranty

2 Pole–2900 RPM

4 Pole–1450 RPM



*e-LNE Series images shown with optional base plate*

Product Code: LWLN		
Model	kW	415 V 3 Phase 50Hz
LNES40-125/11	1.10	
LNES40-125/22	2.20	
LNES40-125/30	3.00	
LNES40-160/30	3.00	
LNES40-160/40	4.00	
LNES40-200/55	5.50	
LNES40-200/75	7.50	
LNES50-125/22	2.20	
LNES50-125/30	3.00	
LNES50-160/40	4.00	
LNES50-160/75	7.50	
LNES50-200/110	11.00	
LNES65-125/30	3.00	
LNES65-125/40	4.00	
LNES65-125/55	5.50	
LNES65-125/75	7.50	
LNES65-160/75	7.50	
LNES65-200/110	11.00	
LNES65-200/150	15.00	
LNES80-160/110	11.00	
LNES80-200/110	11.00	
LNES80-200/150	15.00	
LNES80-200/185	18.50	
LNES100-160/150	15.00	
LNES100-160/185	18.50	
LNES100-200/220	22.00	
LNES100-200/300	30.00	

Product Code: LWLN		
Model	kW	415 V 3 Phase 50Hz
LNES4 40-160/05	0.55	
LNES4 40-200/07	0.75	
LNES4 40-250/15	1.50	
LNES4 40-250/22	2.20	
LNES4 50-125/05	0.55	
LNES4 50-160/07	0.75	
LNES4 50-200/11	1.10	
LNES4 50-200/15	1.50	
LNES4 50-250/22	2.20	
LNES4 65-160/07	0.75	
LNES4 65-200/11	1.10	
LNES4 65-200/15	1.50	
LNES4 65-250/22	2.20	
LNES4 65-250/30	3.00	
LNES4 65-250/40	4.00	
LNES4 80-160/15	1.50	
LNES4 80-160/22	2.20	
LNES4 80-200/30	3.00	
LNES4 80-200/40	4.00	
LNES4 80-250/55	5.50	
LNES4 80-250/75	7.50	

Base Plate (optional)	LNE Base Plate 40-100 Series LWLN 109.391.270
-----------------------	---



# Circulator Pumps

Hot water

Cold water

Solar



For Assistance please contact Michael: 0488 917 285 or [michael@irrigationdirect.com.au](mailto:michael@irrigationdirect.com.au)