



Domestic Pumps

Constant Pressure
Pressure Systems
Bare pumps





PRESSURE SYSTEMS

J SERIES / MULTIEVO / INTELLI MASTER

XBGR with MP Plus Controller Pressure System



- Auto reset controller
- Pump and controller both AS/NZS 4020 approved and RCM Certified
- Available in 240 volt, 50Hz, Single Phase
- Plug and Play leads
- 2 year warranty

Product Code: GLBG

Model	kW
XBGR50-MP Plus	0.37
XBGR75-MP Plus	0.55
XBGR100-MP Plus	0.75



	kW/Ø	WITH SOUTHERN CROSS® PRESSURE CONTROLLER	WITH PRESSURE SWITCH & SOUTHERN CROSS® STEEL TANK
		PART NUMBER	PART NUMBER
CBI 2-30	0.28/1Ø	CBI2-30PC15	CBI2-30PT8
CBI 2-40	0.37/1Ø	CBI2-40PC15	CBI2-40PT18
CBI 2-50	0.48/1Ø	CBI2-50PC15	CBI2-50PT18
CBI 2-60	0.59/1Ø	CBI2-60PC22	CBI2-60PT18
CBI 4-30	0.56/1Ø	CBI4-30PC15	
CBI 4-40	0.74/1Ø	CBI4-40PC15	CBI4-40PT18
CBI 4-50	0.92/1Ø	CBI4-50PC22	CBI4-50PT18
CBI 4-60	1.05/1Ø	CBI4-60PC22	CBI4-60PT18



J SERIES / MULTI EVO / INTELLI MASTER



AS/NZS 4020
TESTED & CERTIFIED.
SAFE TO USE FOR DRINKING WATER.
EXCEPT JSK MODELS

	kW/Ø	WITH ONGA® PRESS CONTROL	WITH PRESSURE SWITCH & ONGA®STEEL TANK	MANUAL PUMP
		PART NUMBER	PART NUMBER	LIST PRICE
JS45	0.37/1Ø	JSP45	JSK45	JS45
JS60	0.55/1Ø	JSP60	JSK60	JS60
JS90	0.90/1Ø	JSP90	JSK90	JS90



AS/NZS 4020
TESTED & CERTIFIED.
SAFE TO USE FOR DRINKING WATER.

	kW/Ø	WITH ONGA®PRESS CONTROL	MANUAL PUMP
		PART NUMBER	PART NUMBER
Multi EVO- A 3-40	0.51/1Ø	OME340P	OME340
Multi EVO- A 3-50	0.70/1Ø	OME350P	OME350
Multi EVO-A 3-60	0.90/1Ø	OME360P	OME360
Multi EVO-A 5-40	0.75/1Ø	OME540P	OME540
Multi EVO-A 5-50	0.95/1Ø	OME550P	OME550
Multi EVO-A 5-60	1.20/1Ø	OME560P	OME560
Multi EVO-A 8-50	1.40/1Ø	OME850P	OME850



AS/NZS 4020
TESTED & CERTIFIED.
SAFE TO USE FOR DRINKING WATER.

	kW/Ø	WITH VARIABLE SPEED CONTROL & 8L PRESSURE TANK
		PART NUMBER
INTELLIMASTER 750	0.75/1Ø	IMH750K
INTELLIMASTER 1100	1.10/1Ø	IMH1100K
INTELLIMASTER 2200	2.20/1Ø	IMH2200K



e-HM SERIES / BGM SERIES



e-HM Series and BGM Series

- All pumps are 240 volt and IP55
- 415 volt available on request
- HMS are AISI304 complete wet end - Pumps to AS/NZS 4020
- Price includes pressure tank as stated, pressure switch, 5-way tee and pressure gauge
- Pressure systems with larger size tanks available upon request
- Extra for 25mm 304 stainless steel flexible hose for free standing tanks
 - 0.5 metre length P/No: AKMS70221 \$81 -
 - 1.0 metre length P/No: AKMS70222 \$126 - 1.5 metre length P/No: AKMS70223 \$131
- 2 year warranty on pumps; 5 year warranty on tanks

Product Code: LWHM / LWBG			
Model	kW	PWL 8	PWL 18
3HM02-PS	0.50		
3HM03-PS	0.50		
3HM04-PS	0.50		
3HM05-PS	0.75		
5HM02-PS	0.50		
5HM03-PS	0.50		
5HM04-PS	0.75		
5HM05-PS	0.95		
3HMS05-PS	0.50		
3HMS06-PS	0.50		
5HMS03-PS	0.50		
5HMS04-PS	0.50		
5HMS05-PS	0.75		
BGM3-PS	0.37		
BGM5-PS	0.55		
BGM7-PS	0.75		
BGM9-PS	0.90		
BGM11-PS	1.10		



PresFlo Pressure Systems

- All pumps are 240 volt and IP55
- HMS are AISI304 complete wet end - Pumps to AS/NZS 4020
- Loss of prime protection
- Anti-cycling protection
- Controller auto start, IP65 and rated to 16 Amps
- Plug and Play leads
- 2 year warranty





PRES FLO PRESSURE SYSTEMS



Product Code: LWHM	
Model	kW
3HM03-PF1615	0.50
3HM04-PF1622	0.50
3HM05-PF1622	0.75
3HM06-PF1622	0.95
5HM02-PF1615	0.50
5HM03-PF1615	0.50
5HM04-PF1622	0.75
5HM05-PF1622	0.95
5HM06-PF1622	1.10
3HMS04-PF1615	0.50
3HMS05-PF1622	0.50
3HMS06-PF1622	0.50
3HMS07-PF1622	0.55
5HMS03-PF1615	0.50
5HMS04-PF1615	0.50
5HMS05-PF1622	0.75
5HMS06-PF1622	0.75
5HMS08-PF1622	0.95

Product Code: LWBG	
Model	kW
BGM5-PF1615	0.55
BGM7-PF1622	0.75
BGM9-PF1622	0.90
BGM11-PF1622	1.10



PresFlo Multi Pressure Systems

- All pumps are 240 volt and IP55
- HMS are AISI304 complete wet end - Pumps to AS/NZS 4020
- Loss of prime protection
- Anti-cycling protection
- Adjustable current protection controller
- Adjustable start pressure - 2 litre pressure tank
- Controller auto start, IP65 and rated to 16 Amps
- Plug and Play leads
- 2 year warranty



Product Code: LWHM	
Model	kW
3HM03-PFM16	0.50
3HM05-PFM16	0.75
5HM02-PFM16	0.50
5HM04-PFM16	0.75
5HM06-PFM16	1.10
3HMS04-PFM16	0.50
3HMS06-PFM16	0.50
5HMS04-PFM16	0.50

Product Code: LWBG	
Model	kW
BGM5-PFM16	0.55
BGM7-PFM16	0.75
BGM9-PFM16	0.90
BGM11-PFM16	1.10



LIGHT INDUSTRIAL / CENTRIFUGAL



XBGR Series

Centrifugal Jet Pumps

- Self-priming, IP55 motor protection
- Standard mech seal carbon/ceramic-EPDM
- Single-phase pumps supplied with Plug & Play leads
- AS/NZ4020 approved
- RCM certified
- 2 year warranty



Product Code: GLBG		
Model	kW	240 V 1 Phase 50Hz
XBGR-50	0.37	
XBGR-75	0.55	
XBGR-100	0.75	



BGM Series

Shallow Well Jet Pumps

- Self-priming
- IP55 motor protection
- Standard mech seal carbon/ceramic-NBR
- Single-phase pumps supplied with lead and plug
- AS/NZ4020 approved
- 2 year warranty

Product Code: LWBG		
Model	kW	240 V 1 Phase 50Hz
BGM-3	0.37	
BGM-5	0.55	
BGM-7	0.75	
BGM-9	0.90	
BGM-11	1.10	



P Series

Peripheral Turbine Pumps

- M denotes single-phase
- Pumps rated for 40°C, K models rated for 80°C
- Pumps 8 bar-rated; PSA versions 10 bar-rated - Standard mech seal carbon/ceramic-NBR
- Single-phase pumps include lead and plug
- 1 year warranty

Product Code: LWPP		
Model	kW	240 V 1 Phase 50Hz
PSAM70/A	0.37	
PKM30/B	0.50	
PKM40/B	0.60	
PKM70/A	0.75	
PM60/A	1.10	

Product Code: LWPP		
Model	kW	415 V 3 Phase 50Hz
PSA70/A	0.37	
P40	0.60	
PK70/A	0.75	
P70	0.75	
P60	1.10	



SP Series

Self-Priming Pumps

- Turbine-type impeller
- Pumps rated for 40°C
- Standard mech seal carbon/ceramic-NBR
- 1 year warranty

Product Code: LWPP		
Model	kW	240 V 1 Phase 50Hz
SP5	0.55	
SP7	0.75	

Product Code: LWPP		
Model	kW	415 V 3 Phase 50Hz
SP5T	0.55	
SP7T	0.75	



LIGHT INDUSTRIAL / CENTRIFUGAL

C Series



Close-Coupled Centrifugal Pumps–Single Impeller

- CEAM Single-phase, max temp 110°C, IP55 motor -
- CEA Three-phase, max temp 110°C, IP55 motor
- V denotes viton elastomers
- Standard mech seal carbon/ceramic–viton
- Single-phase pumps supplied with lead and plug -
- Wetted components 304 Stainless Steel
- Wetted components in 316L available–POA
- 1 year warranty

LOWARA
a xylem brand



Product Code: LWCS		
Model	kW	240 V 1 Phase 50Hz
CEAM 70/3V	0.37	
CEAM 70/5V	0.55	
CEAM 80/5V	0.75	
CEAM 120/3V	0.55	
CEAM 120/5V	0.90	
CEAM 210/2V	0.75	
CEAM 210/3V	1.10	
CEAM 210/4V	1.50	
CEAM 210/5V	2.20	
CEAM 370/1V	1.10	
CEAM 370/2V	1.50	
CEAM 370/3V	2.20	

Product Code: LWCS		
Model	kW	415 V 3 Phase 50Hz
CEA 70/3V	0.37	
CEA 70/5V	0.55	
CEA 80/5V	0.75	
CEA 120/3V	0.55	
CEA 120/5V	0.90	
CEA 210/2V	0.75	
CEA 210/3V	1.10	
CEA 210/4V	1.50	
CEA 210/5V	1.85	
CEA 370/1V	1.10	
CEA 370/2V	1.50	
CEA 370/3V	1.85	
CEA 370/5V	3.00	

Close-Coupled Centrifugal Pumps–Twin Impeller



- CAM Single-phase, max temp 110°C, IP55 motor -
- CA Three-phase, max temp 110°C, IP55 motor
- V denotes viton elastomers
- Single-phase pumps supplied with lead and plug -
- All Wetted components AISI 304 stainless steel -
- Wetted components in 316L available–POA
- 1 year warranty



Product Code: LWCS		
Model	kW	240 V 1 Phase 50Hz
CAM-70/33V	0.75	
CAM-70/34V	0.90	
CAM-70/45V	1.10	
CAM-120/33V	1.10	
CAM-120/35V	1.50	
CAM-120/55V	2.20	
CAM-200/33V	1.85	
CAM-200/35V	2.20	

Product Code: LWCS		
Model	kW	415 V 3 Phase 50Hz
CA-70/34V	0.90	
CA-70/45V	1.10	
CA-120/33V	1.10	
CA-120/35V	1.50	
CA-120/55V	2.20	
CA-200/33V	1.85	
CA-200/35V	2.20	
CA-200/55V	3.00	



Domestic Pumps

Constant Pressure
Pressure Systems
Bare pumps



For Assistance please contact Michael: 0488 917 285 or
michael@irrigationdirect.com.au