



Drainage and Dewatering Pumps

Above Floor Drainage Systems

Dirty Water Drainage

Drainage Sump Pumps

Drainage pumps for Waste Water

Heavy Duty Drainage pumps for hot water

Dirty Water with soft solids - Vortex type

Grey Water

Transfer pumps





DOC Series

Drainage Sump Pumps

- SG denotes manual version
- VX denotes vortex impeller
- Single-phase models auto operation
- Three lip seals–NBR
- GW version includes non-clogging magnetic float and are for clean water only
- Includes 10m lead - 1 year warranty



Product Code: LWDE			
240 V 1 Phase 50Hz			
Model	Lead	kW	240 V 1 Phase 50Hz
DOC-3/10	10m	0.25	
DOC-7/10	10m	0.55	
DOC-7VX/10	10m	0.55	
DOC-3SG	10m	0.25	
DOC-7SG	10m	0.55	
DOC-3/GW	10m	0.25	
DOC-7/GW	10m	0.55	
DOC-7VX/GW	10m	0.55	

Low level suction screen P/No LWDE 148.994.100 \$63 (Not suitable for DOC-7VX)



DOMO Series

Waste Water Submersible Pumps

- T denotes three-phase / VX denotes vortex impeller
- Single-phase models auto operation
- SG denotes manual operation
- Three-phase models manual operation only
- Standard mech seal sic/sic–NBR
- GT version includes tube float and are for clean water only
- 1 year warranty



Product Code: LWDE			
Model	Lead	kW	240 V 1 Phase 50Hz
DOMO-7	10m	0.55	
DOMO-7SG	10m	0.55	
DOMO-7/GT	10m	0.55	
DOMO-7VX	10m	0.55	
DOMO-7VX/GT	10m	0.55	
DOMO-10	10m	0.75	
DOMO-10SG	10m	0.75	
DOMO-10VX	10m	0.75	
DOMO-15	10m	1.10	
DOMO-15SG	10m	1.10	
DOMO-15VX	10m	1.10	

Product Code: LWDE			
Model	Lead	kW	415 V 3 Phase 50Hz
DOMO-7T	10m	0.55	
DOMO-7VXT	10m	0.55	
DOMO-10T	10m	0.75	
DOMO-10VXT	10m	0.75	
DOMO-15T	10m	1.10	
DOMO-15VXT	10m	1.10	
DOMO-20T	10m	1.50	
DOMO-20VXT	10m	1.50	



DIWA Series

Submersible Drainage Pumps

- T denotes three-phase
- Single-phase models auto operation
- Three-phase models manual operation only
- Standard mech seal sic/sic–NBR
- Includes 10m lead
- 1 year warranty




Product Code: LWDE		
Model	kW	240 V 1 Phase 50Hz
DIWA-05	0.55	
DIWA-07	0.75	
DIWA-11	1.10	

Product Code: LWDE		
Model	kW	415 V 3 Phase 50Hz
DIWA-05T	0.55	
DIWA-07T	0.75	
DIWA-11T	1.10	
DIWA-15T	1.50	



Flygt N Series

Submersible Wastewater Pumps

- N denotes wastewater series
- P denotes Guide Rail mounted, price does not include discharge bend and UGBB
- S denotes Freestanding, price includes stand and discharge bend
- Guide rail system is uniform across the range - Freight charges apply to this product range 
- MT denotes Medium Head -
- SH Denotes Super Head
- Standard mechanical seal Griploc™
- Includes 20-metre motor cable
- Other models available upon request
- 1 year warranty



N3085 Range

Product Code: FLYT			
Model	kW	Outlet (mm)	415 V 3 Phase 50Hz
NP3085-160-MT460-02.0-B-0 80-A20	2.0	80	
NP3085-160-MT461-02.0-B-0 80-A20	2.0	80	
NP3085-160-MT462-02.0-B-0 80-A20	2.0	80	
NP3085-160-MT463-02.0-B-0 80-A20	2.0	80	
NP3085-160-SH253-02.4-B-0 80-A20	2.4	80	
NP3085-160-SH254-02.4-B-0 80-A20	2.4	80	
NP3085-160-SH255-02.4-B-0 80-A20	2.4	80	
NP3085-160-SH256-02.4-B-0 80-A20	2.4	80	
NS3085-160-MT460-02.0-B-0 80-A20	2.0	80	

N3102 Range

Product Code: FLYT			
Model	kW	Outlet (mm)	415 V 3 Phase 50Hz
NP3102-160-LT420-03.1-B-100-A20	3.1	100	
NP3102-160-MT460-03.1-B-100-A20	3.1	100	
NP3102-160-MT461-03.1-B-100-A20	3.1	100	
NP3102-160-MT462-03.1-B-100-A20	3.1	100	
NP3102-160-SH255-04.2-B-0 80-A20	4.2	80	
NP3102-160-SH256-04.2-B-0 80-A20	4.2	80	
NS3102-160-MT460-03.1-B-100-A20	3.1	100	
NS3102-160-SH255-04.2-B-0 80-A20	4.2	80	

N3127 Range

Product Code: FLYT			
Model	kW	Outlet (mm)	415 V 3 Phase 50Hz
NP3127-161-MT437-05.9-B 100	5.9	100	
NP3127-161-MT437-05.9-B 150	5.9	150	
NP3127-161-HT487-05.9-B 100	5.9	100	
NP3127-161-HT488-05.9-B 100	5.9	100	
NP3127-161-SH246-07.4-B-0 80-A20	7.4	80	
NP3127-161-SH247-07.4-B-0 80-A20	7.4	80	
NP3127-161-SH248-07.4-B-0 80-A20	7.4	80	
NS3127-161-SH246-07.4-B-0 75-A20	7.4	75	

3000 N Series Accessories

Product Code: FLYT Model
Discharge Con. 80 x 80 AS2129 D
Discharge Con. 100 x 100 AS2129 D
Discharge Con. 140 x 150 AS2129 D

Product Code: FLYT
Model
Upper Guide Rail Bracket 50mm
Flush Valve 4901
Flush Valve Gasket



1300 Series

Submersible Non-clog and Vortex Pumps

- Model variant: S = Super High Head; H = High Head; M = Medium Head; L = Low Head
- Install type: T = Free Standing threaded outlet only, W = Wet Well only
- Standard mech seal carb.alum-NBR
- 10 metre cable included
- 1 year warranty

NOTE: There are numerous other 1300 Series combination models available-POA

Non-Clog Version

Product Code: LWDE						
Model	Discharge Diameter & Install Type	kW	Version	Pole	Curve	415 V 3 Phase 50Hz
1310S-50W.S60	50W	2.40	Wet Well	2	S60	
1310S-50T.S60	50T	2.40	Free Standing	2	S60	
1310S-80 X.S60	80	2.40	Bare Pump	2	S60	
1315S-80 X.S61	80	4.40	Bare Pump	2	S61	
1315M-100X.S20	100	3.30	Bare Pump	4	S20	
1320S-80 X.S62	80	6.20	Bare Pump	2	S62	
1320H-100X.S41	100	5.90	Bare Pump	4	S41	

Vortex Version

Product Code: LWDE						
Model	Discharge Diameter & Install Type	kW	Version	Pole	Curve	415 V 3 Phase 50Hz
1310H-50W.V90	50W	2.40	Wet Well	2	V90	
1310H-50T.V90	50T	2.40	Free Standing	2	V90	
1310M-80 X.V85	80	2.40	Bare Pump	2	V85	
1315H-80 X.V91	80	4.40	Bare Pump	2	V91	
1315M-100X.V81	100	3.30	Bare Pump	4	V81	
1320H-80 X.V92	80	6.20	Bare Pump	2	V92	
1320M-100X.V81	100	5.90	Bare Pump	4	V81	

Installation Kits

Purchase a bare pump and select the required installation kit, or add an installation kit to a complete pump to provide added options for installation.

Product Code: LWDE		
Model	Type	Version
1310-80T	80T	Free Standing
1315/1320-80T	80T	Free Standing
1315/1320-100T	100T	Free Standing

Product Code: LWDE		
Model	Type	Version
1310-50W	50W	Wet Well
1310/1315/1320-80W	80W	Wet Well
1315/1320-100W	100W	Wet Well



Drainage and Dewatering Pumps

Above Floor Drainage Systems

Dirty Water Drainage

Drainage Sump Pumps

Drainage pumps for Waste Water

Heavy Duty Drainage pumps for hot water

Dirty Water with soft solids - Vortex type

Grey Water

Transfer pumps



For Assistance please contact Michael: 0488 917 285 or michael@irrigationdirect.com.au