



Multi Stage Pumps

Horizontal MultiStage
Vertical MultiStage





MULTI STAGE HORIZONTAL PUMPS

e-HM SERIES



e-HM Series

Horizontal Multi-Stage Centrifugal Pumps

- T denotes three-phase
- Standard mech seal carbon/ceramic-EPDM
- Single-phase pumps supplied with lead and plug
- Pump casing, seal plate, diffusers in AISI 304 stainless steel
- Noryl impellers

- IP55
- AS/NZ4020 approved
- 2 year warranty



Please Note: Pump performance varies depending on phase and materials, refer to technical data books.

Noryl Impeller



Product Code: LWHM		
Model	kW	240 V 1 Phase 50Hz
1HM-03	0.50	
1HM-04	0.50	
1HM-05	0.50	
1HM-06	0.75	
3HM-02	0.50	
3HM-03	0.50	
3HM-04	0.50	
3HM-05	0.75	
3HM-06	0.95	
5HM-02	0.50	
5HM-03	0.50	
5HM-04	0.75	
5HM-05	0.95	
5HM-06	1.10	
10HM-02	1.10	
10HM-03	1.50	
10HM-04	2.20	
10HM-05	2.20	

Product Code: LWHM		
Model	kW	415 V 3 Phase 50Hz
1HM-02T	0.30	
1HM-03T	0.30	
1HM-04T	0.40	
1HM-05T	0.50	
1HM-06T	0.75	
3HM-02T	0.30	
3HM-03T	0.40	
3HM-04T	0.50	
3HM-05T	0.75	
3HM-06T	1.10	
5HM-02T	0.40	
5HM-03T	0.50	
5HM-04T	1.10	
5HM-05T	1.10	
5HM-06T	1.50	
10HM-02T	1.10	
10HM-03T	1.50	
10HM-04T	2.20	
10HM-05T	3.00	
10HM-06T	3.00	



e-HM SERIES

e-HMS Series–304 Stainless Steel



Horizontal Multi-Stage Centrifugal Pumps

- Pump casing, seal plate, diffusers and impellers in AISI 304 stainless steel - Single-phase pumps supplied with lead and plug
- T denotes three-phase
- S denotes AISI 304 stainless steel complete wet end
- IP55
- AS/NZ4020 approved
- 2 year warranty
- Available in AISI 316 stainless steel - POA

Please Note: Pump performance varies depending on phase and materials, refer to technical data books.

AISI304 Impeller

Product Code: LWHM		
Model	kW	240 V 1 Phase 50Hz
1HMS-06	0.50	\$868
1HMS-07	0.55	
1HMS-08	0.55	
1HMS-09	0.55	
1HMS-11	0.55	
1HMS-12	0.55	
1HMS-14	0.75	
1HMS-16	0.75	
1HMS-18	0.75	
1HMS-20	0.95	
1HMS-22	0.95	
1HMS-25	1.10	
3HMS-03	0.50	
3HMS-04	0.50	
3HMS-05	0.50	
3HMS-06	0.50	
3HMS-07	0.55	
3HMS-08	0.75	
3HMS-09	0.75	
3HMS-10	0.75	
3HMS-11	0.95	
3HMS-12	0.95	
3HMS-13	1.10	
3HMS-14	1.10	
3HMS-16	1.50	
3HMS-17	1.50	
3HMS-19	1.50	
3HMS-21	2.20	

Product Code: LWHM		
Model	kW	240 V 1 Phase 50Hz
5HMS-02	0.50	
5HMS-03	0.50	
5HMS-04	0.50	
5HMS-05	0.75	
5HMS-06	0.75	
5HMS-07	0.95	
5HMS-08	0.95	
5HMS-09	1.10	
5HMS-10	1.50	
5HMS-11	1.50	
5HMS-12	1.50	
5HMS-13	2.20	
5HMS-14	2.20	
5HMS-15	2.20	
5HMS-17	2.20	
10HMS-02	1.10	
10HMS-03	1.10	
10HMS-04	1.50	
10HMS-05	2.20	
10HMS-06	2.20	
15HMS-02	1.50	
15HMS-03	2.20	
22HMS-02	2.20	



e-HM SERIES

e-HMS Series (Cont.)

AISI304 Impeller




Product Code: LWHM		
Model	kW	415 V 3 Phase 50Hz
1HMS-02T	0.30	
1HMS-03T	0.30	
1HMS-04T	0.30	
1HMS-05T	0.30	
1HMS-06T	0.30	
1HMS-07T	0.55	
1HMS-08T	0.55	
1HMS-09T	0.55	
1HMS-11T	0.55	
1HMS-12T	0.55	
1HMS-14T	0.75	
1HMS-16T	0.75	
1HMS-18T	1.10	
1HMS-20T	1.10	
1HMS-22T	1.10	
1HMS-25T	1.50	
3HMS-02T	0.30	
3HMS-03T	0.30	
3HMS-04T	0.30	
3HMS-05T	0.40	
3HMS-06T	0.50	
3HMS-07T	0.75	
3HMS-08T	0.75	
3HMS-09T	1.10	
3HMS-10T	1.10	
3HMS-11T	1.10	
3HMS-12T	1.10	
3HMS-13T	1.10	
3HMS-14T	1.50	
3HMS-16T	1.50	
3HMS-17T	1.50	
3HMS-19T	2.20	
3HMS-21T	2.20	

Product Code: LWHM		
Model	kW	415 V 3 Phase 50Hz
5HMS-02T	0.30	
5HMS-03T	0.40	
5HMS-04T	0.50	
5HMS-05T	0.75	
5HMS-06T	1.10	
5HMS-07T	1.10	
5HMS-08T	1.10	
5HMS-09T	1.50	
5HMS-10T	1.50	
5HMS-11T	1.50	
5HMS-12T	2.20	
5HMS-13T	2.20	
5HMS-14T	2.20	
5HMS-15T	2.20	
5HMS-17T	3.00	
5HMS-19T	3.00	
5HMS-21T	3.00	
10HMS-02T	0.75	
10HMS-03T	1.10	
10HMS-04T	1.50	
10HMS-05T	2.20	
10HMS-06T	2.20	
10HMS-07T	3.00	
10HMS-08T	3.00	
10HMS-09T	4.00	
10HMS-10T	4.00	
10HMS-11T	4.00	
10HMS-12T	5.50	
10HMS-13T	5.50	
15HMS-02T	1.50	
15HMS-03T	2.20	
15HMS-04T	3.00	
15HMS-05T	4.00	
15HMS-06T	5.50	
15HMS-07T	5.50	
22HMS-02T	2.20	
22HMS-03T	3.00	
22HMS-04T	4.00	
22HMS-05T	5.50	



MULTI STAGE VERTICAL PUMPS

e-SV SERIES



e-SV Series—1, 3, 5, 10, 15, 22

- AISI 304 Stainless steel vertical multi-stage pumps - 25 bar rated
- All wetted components manufactured in stainless steel - All 316L stainless steel construction available POA
- In line configuration with round flanges
- Motor IP55
- Standard mech seal sic/carb-EDPM
- 2 year warranty on e-SV multi-stage pumps - AS/NZS 4020 approved for potable water
- Please note mating flanges not included in price refer to page 40 for flange pricing



1 e-SV Series

Product Code: LWSV		
Model	kW	240 V 1 Phase 50Hz
1SV02F003M	0.37	
1SV03F003M	0.37	
1SV04F003M	0.37	
1SV05F003M	0.37	
1SV06F003M	0.37	
1SV07F003M	0.37	
1SV08F005M	0.55	
1SV09F005M	0.55	
1SV10F005M	0.55	
1SV11F005M	0.55	
1SV12F007M	0.75	
1SV13F007M	0.75	
1SV15F007M	0.75	
1SV17F011M	1.10	
1SV19F011M	1.10	
1SV22F011M	1.10	
1SV25F015M	1.50	
1SV27F015M	1.50	
1SV30F015M	1.50	
1SV32F022M	2.20	
1SV34F022M	2.20	
1SV37F022M	2.20	

Product Code: LWSV		
Model	kW	415 V 3 Phase 50Hz
1SV02F003T	0.37	
1SV03F003T	0.37	
1SV04F003T	0.37	
1SV05F003T	0.37	
1SV06F003T	0.37	
1SV07F003T	0.37	
1SV08F005T	0.55	
1SV09F005T	0.55	
1SV10F005T	0.55	
1SV11F005T	0.55	
1SV12F007T	0.75	
1SV13F007T	0.75	
1SV15F007T	0.75	
1SV17F011T	1.10	
1SV19F011T	1.10	
1SV22F011T	1.10	
1SV25F015T	1.50	
1SV27F015T	1.50	
1SV30F015T	1.50	
1SV32F022T	2.20	
1SV34F022T	2.20	
1SV37F022T	2.20	



e-SV SERIES

e-SV Series (Cont.)

3 e-SV Series

Product Code: LWSV		
Model	kW	240 V 1 Phase 50Hz
3SV02F003M	0.37	
3SV03F003M	0.37	
3SV04F003M	0.37	
3SV05F005M	0.55	
3SV06F005M	0.55	
3SV07F007M	0.75	
3SV08F007M	0.75	
3SV09F011M	1.10	
3SV10F011M	1.10	
3SV11F011M	1.10	
3SV12F011M	1.10	
3SV13F015M	1.50	
3SV14F015M	1.50	
3SV16F015M	1.50	
3SV19F022M	2.20	
3SV21F022M	2.20	
3SV23F022M	2.20	
3SV25F022M	2.20	\$3,130 Single-
phase options up to 3 kW available on request POA		

Product Code: LWSV		
Model	kW	415 V 3 Phase 50Hz
3SV02F003T	0.37	
3SV03F003T	0.37	
3SV04F003T	0.37	
3SV05F005T	0.55	
3SV06F005T	0.55	
3SV07F007T	0.75	
3SV08F007T	0.75	
3SV09F011T	1.10	
3SV10F011T	1.10	
3SV11F011T	1.10	
3SV12F011T	1.10	
3SV13F015T	1.50	
3SV14F015T	1.50	
3SV16F015T	1.50	
3SV19F022T	2.20	
3SV21F022T	2.20	
3SV23F022T	2.20	
3SV25F022T	2.20	
3SV27F030T	3.00	
3SV29F030T	3.00	
3SV31F030T	3.00	
3SV33F030T	3.00	

5 e-SV Series

Product Code: LWSV		
Model	kW	240 V 1 Phase 50Hz
5SV02F003M	0.37	
5SV03F005M	0.55	
5SV04F005M	0.55	
5SV05F007M	0.75	
5SV06F011M	1.10	
5SV07F011M	1.10	
5SV08F011M	1.10	
5SV09F015M	1.50	
5SV10F015M	1.50	
5SV11F015M	1.50	
5SV12F022M	2.20	
5SV13F022M	2.20	
5SV14F022M	2.20	
5SV15F022M	2.20	
5SV16F022M	2.20	
Single-phase options up to 5.5 kW available on request POA		

Product Code: LWSV		
Model	kW	415 V 3 Phase 50Hz
5SV02F003T	0.37	
5SV03F005T	0.55	
5SV04F005T	0.55	
5SV05F007T	0.75	
5SV06F011T	1.10	
5SV07F011T	1.10	
5SV08F011T	1.10	
5SV09F015T	1.50	
5SV10F015T	1.50	
5SV11F015T	1.50	
5SV12F022T	2.20	
5SV13F022T	2.20	
5SV14F022T	2.20	
5SV15F022T	2.20	
5SV16F022T	2.20	
5SV18F030T	3.00	
5SV21F030T	3.00	
5SV23F040T	4.00	
5SV25F040T	4.00	
5SV28F040T	4.00	
5SV30F055T	5.50	
5SV33F055T	5.50	



e-SV SERIES

e-SV Series (Cont.)

10 e-SV Series

Product Code: LWSV		
Model	kW	240 V 1 Phase 50Hz
10SV01F007M	0.75	
10SV02F007M	0.75	
10SV03F011M	1.10	
10SV04F015M	1.50	
10SV05F022M	2.20	
10SV06F022M	2.20	
Single-phase options up to 7.5 kW available on request POA		

Product Code: LWSV		
Model	kW	415 V 3 Phase 50Hz
10SV01F007T	0.75	
10SV02F007T	0.75	
10SV03F011T	1.10	
10SV04F015T	1.50	
10SV05F022T	2.20	
10SV06F022T	2.20	
10SV07F030T	3.00	
10SV08F030T	3.00	
10SV09F040T	4.00	
10SV10F040T	4.00	
10SV11F040T	4.00	
10SV13F055T	5.50	
10SV15F055T	5.50	
10SV17F075T	7.50	
10SV18F075T	7.50	
10SV20F075T	7.50	
10SV21F110T	11.00	

15 e-SV Series

Product Code: LWSV		
Model	kW	240 V 1 Phase 50Hz
15SV01F011M	1.10	
15SV02F022M	2.20	
Single-phase options up to 7.5 kW available on request POA		

Product Code: LWSV		
Model	kW	415 V 3 Phase 50Hz
15SV01F011T	1.10	
15SV02F022T	2.20	
15SV03F030T	3.00	
15SV04F040T	4.00	
15SV05F040T	4.00	
15SV06F055T	5.50	
15SV07F055T	5.50	
15SV08F075T	7.50	
15SV09F075T	7.50	
15SV10F110T	11.00	
15SV11F110T	11.00	
15SV13F110T	11.00	
15SV15F150T	15.00	
15SV17F150T	15.00	



e-SV SERIES

e-SV Series (Cont.)

22 e-SV Series

Product Code: LWSV		
Model	kW	240 V 1 Phase 50Hz
22SV01F011M	1.10	
22SV02F022M	2.20	
Single-phase options up to 7.5 kW available on request POA		

Product Code: LWSV		
Model	kW	415 V 3 Phase 50Hz
22SV01F011T	1.10	
22SV02F022T	2.20	
22SV03F030T	3.00	
22SV04F040T	4.00	
22SV05F055T	5.50	
22SV06F075T	7.50	
22SV07F075T	7.50	
22SV08F110T	11.00	
22SV09F110T	11.00	
22SV10F110T	11.00	
22SV12F150T	15.00	
22SV14F150T	15.00	
22SV17F185T	18.50	

e-SV Counterflange Kits

eSV Series–PN25 Pressed Steel Zinc-Plated Threaded Flanges		
Suit 1eSV to 3eSV	25mm 4 holes	LWSV109.398.000
Suit 5eSV	32mm 4 holes	LWSV109.398.010
Suit 10eSV	40mm 4 holes	LWSV109.398.020
Suit 15eSV to 22eSV	50mm 4 holes	LWSV109.398.030

eSV Series–PN16 304 Stainless Steel Threaded Flanges		
Suit 1eSV to 3eSV	25mm 4 holes	LWSV109.398.001
Suit 5eSV	32mm 4 holes	LWSV109.398.011
Suit 10eSV	40mm 4 holes	LWSV109.398.021
Suit 15eSV to 22eSV	50mm 4 holes	LWSV109.398.031



e-SV SERIES



e-SV Series—33, 46, 66, 92, 125

- Stainless steel \ cast iron vertical multi-stage pumps -
- Up to 40 bar as shown
- 316L stainless steel construction available POA -
- In line configuration with round flanges
- Single-phase options up to 7.5 kW available on request -
- Motor IP55
- 2 year warranty
- AS/NZS 4020 approved for potable water
- Counter flanges available refer page 42



e-SV 33 Series

Product Code: LWSV			
Model	Flange Rating	kW	415 V 3 Phase 50Hz
SV33-01/1F22T	16 bar	2.20	
SV33-01F30T	16 bar	3.00	
SV33-02/2F40T	16 bar	4.00	
SV33-02/1F40T	16 bar	4.00	
SV33-02F55T	16 bar	5.50	
SV33-03/2F55T	16 bar	5.50	
SV33-03/1F75T	16 bar	7.50	
SV33-03F75T	16 bar	7.50	
SV33-04/2F75T	16 bar	7.50	
SV33-04/1F110T	16 bar	11.00	
SV33-04F110T	16 bar	11.00	
SV33-05/2F110T	16 bar	11.00	
SV33-05/1F110T	16 bar	11.00	
SV33-05F150T	16 bar	15.00	
SV33-06/2F150T	16 bar	15.00	
SV33-06/1F150T	25 bar	15.00	
SV33-06F150T	25 bar	15.00	
SV33-07/2F150T	25 bar	15.00	
SV33-07/1F185T	25 bar	18.50	
SV33-07F185T	25 bar	18.50	
SV33-08/2F185T	25 bar	18.50	
SV33-08/1F185T	25 bar	18.50	
SV33-08F220T	25 bar	22.00	
SV33-09/2F220T	25 bar	22.00	
SV33-09/1F220T	25 bar	22.00	
SV33-09F220T	25 bar	22.00	
SV33-10/2F220T	25 bar	22.00	
SV33-10/1F300T	25 bar	30.00	
SV33-10F300T	25 bar	30.00	
SV33-11/2F300T	40 bar	30.00	
SV33-11/1F300T	40 bar	30.00	
SV33-11F300T	40 bar	30.00	
SV33-12/2F300T	40 bar	30.00	
SV33-12/1F300T	40 bar	30.00	
SV33-12F300T	40 bar	30.00	
SV33-13/2F300T	40 bar	30.00	
SV33-13/1F300T	40 bar	30.00	

e-SV 46 Series

Product Code: LWSV			
Model	Flange Rating	kW	415 V 3 Phase 50Hz
SV46-01/1F30T	16 bar	3.00	
SV46-01F40T	16 bar	4.00	
SV46-02/2F55T	16 bar	5.50	
SV46-02F75T	16 bar	7.50	
SV46-03/2F110T	16 bar	11.00	
SV46-03F110T	16 bar	11.00	
SV46-04/2F150T	16 bar	15.00	
SV46-04F150T	16 bar	15.00	
SV46-05/2F185T	16 bar	18.50	
SV46-05F185T	16 bar	18.50	
SV46-06/2F220T	25 bar	22.00	
SV46-06F220T	25 bar	22.00	
SV46-07/2F300T	25 bar	30.00	
SV46-07F300T	25 bar	30.00	
SV46-08/2F300T	25 bar	30.00	
SV46-08F300T	25 bar	30.00	
SV46-09/2F300T	25 bar	30.00	
SV46-09F370T	25 bar	37.00	
SV46-10/2F370T	40 bar	37.00	
SV46-10F370T	40 bar	37.00	
SV46-11/2F450T	40 bar	45.00	
SV46-11F450T	40 bar	45.00	
SV46-12/2F450T	40 bar	45.00	
SV46-12F450T	40 bar	45.00	
SV46-13/2F450T	40 bar	45.00	



e-SV SERIES

SV Series (Cont.)

e-SV 66 Series

Product Code: LWSV			
Model	Flange Rating	kW	415 V 3 Phase 50Hz
SV66-01/1F40T	16 bar	4.00	
SV66-01F55T	16 bar	5.50	
SV66-02/2F75T	16 bar	7.50	
SV66-02/1F110T	16 bar	11.00	
SV66-02F110T	16 bar	11.00	
SV66-03/2F150T	16 bar	15.00	
SV66-03/1F150T	16 bar	15.00	
SV66-03F185T	16 bar	18.50	
SV66-04/2F185T	16 bar	18.50	
SV66-04/1F220T	16 bar	22.00	
SV66-04F220T	16 bar	22.00	
SV66-05/2F300T	16 bar	30.00	
SV66-05/1F300T	16 bar	30.00	
SV66-05F300T	16 bar	30.00	
SV66-06/2F300T	25 bar	30.00	
SV66-06/1F300T	25 bar	30.00	
SV66-06F370T	25 bar	37.00	
SV66-07/2F370T	25 bar	37.00	
SV66-07/1F370T	25 bar	37.00	
SV66-07F450T	25 bar	45.00	
SV66-08/2F450T	25 bar	45.00	
SV66-08/1F450T	25 bar	45.00	
SV66-08F450T	25 bar	45.00	

e-SV 92 Series

Product Code: LWSV			
Model	Flange Rating	kW	415 V 3 Phase 50Hz
SV92-01/1F55T	16 bar	5.50	
SV92-01F75T	16 bar	7.50	
SV92-02/2F110T	16 bar	11.00	
SV92-02F150T	16 bar	15.00	
SV92-03/2F185T	16 bar	18.50	
SV92-03F220T	16 bar	22.00	
SV92-04/2F300T	16 bar	30.00	
SV92-04F300T	16 bar	30.00	
SV92-05/2F370T	25 bar	37.00	
SV92-05F370T	25 bar	37.00	
SV92-06/2F450T	25 bar	45.00	
SV92-06F450T	25 bar	45.00	
SV92-07/2F450T	25 bar	45.00	

SV Series SV125 pumps are also available upon request.

e-SV Counterflange Kits

SV Series—PN16 Pressed Steel Zinc-Plated Threaded Flanges		
Suit SV33	65mm 4 holes	LWSV109.392.710
Suit SV46	80mm 8 holes	LWSV109.392.720
Suit SV66/92	100mm 8 holes	LWSV109.392.730



e-SV SERIES



e-SV Series–Bare Shaft Pumps

- Bare pumps only – stainless steel vertical multi-stage pumps
- 25 bar rated
- All wetted components manufactured in stainless steel - All 316L Stainless steel construction available POA
- In line configuration with round flanges
- Please note mating flanges not included in price
- Refer to page 80 for flange pricing
- 2 year warranty



1 e-SV Series

Product Code: LWSV	
Model	kW
1SV02B	0.37
1SV03B	0.37
1SV04B	0.37
1SV05B	0.37
1SV06B	0.37
1SV07B	0.37
1SV08B	0.55
1SV09B	0.55
1SV10B	0.55
1SV11B	0.55
1SV12B	0.75
1SV13B	0.75
1SV15B	0.75
1SV17B	1.10
1SV19B	1.10
1SV22B	1.10
1SV25B	1.50
1SV27B	1.50
1SV30B	1.50
1SV32B	2.20
1SV34B	2.20
1SV37B	2.20

3 e-SV Series

Product Code: LWSV	
Model	kW
3SV02B	0.37
3SV03B	0.37
3SV04B	0.37
3SV05B	0.55
3SV06B	0.55
3SV07B	0.75
3SV08B	0.75
3SV09B	1.10
3SV10B	1.10
3SV11B	1.10
3SV12B	1.10
3SV13B	1.50
3SV14B	1.50
3SV16B	1.50
3SV19B	2.20
3SV21B	2.20
3SV23B	2.20
3SV25B	2.20
3SV27B	3.00
3SV29B	3.00
3SV31B	3.00
3SV33B	3.00



e-SV SERIES

5 e-SV Series

Product Code: LWSV	
Model	kW
5SV02B	0.37
5SV03B	0.55
5SV04B	0.55
5SV05B	0.75
5SV06B	1.10
5SV07B	1.10
5SV08B	1.10
5SV09B	1.50
5SV10B	1.50
5SV11B	1.50
5SV12B	2.20
5SV13B	2.20
5SV14B	2.20
5SV15B	2.20
5SV16B	2.20
5SV18B	3.00
5SV21B	3.00
5SV23B	4.00
5SV25B	4.00
5SV28B	4.00
5SV30B	5.50
5SV33B	5.50

10 e-SV Series

Product Code: LWSV	
Model	kW
10SV01B	0.75
10SV02B	0.75
10SV03B	1.10
10SV04B	1.50
10SV05B	2.20
10SV06B	2.20
10SV07B	3.00
10SV08B	3.00
10SV09B	4.00
10SV10B	4.00
10SV11B	4.00
10SV13B	5.50
10SV15B	5.50
10SV17B	7.50
10SV18B	7.50
10SV20B	7.50
10SV21B	11.00

15 e-SV Series

Product Code: LWSV	
Model	kW
15SV01B	1.10
15SV02B	2.20
15SV03B	3.00
15SV04B	4.00
15SV05B	4.00
15SV06B	5.50
15SV07B	5.50
15SV08B	7.50
15SV09B	7.50
15SV10B	11.00
15SV11B	11.00
15SV13B	11.00
15SV15B	15.00
15SV17B	15.00

22 e-SV Series

Product Code: LWSV	
Model	kW
22SV01B	1.10
22SV02B	2.20
22SV03B	3.00
22SV04B	4.00
22SV05B	5.50
22SV06B	7.50
22SV07B	7.50
22SV08B	11.00
22SV09B	11.00
22SV10B	11.00
22SV12B	15.00
22SV14B	15.00
22SV17B	18.50



e-SV SERIES

e-SV Rotating Elements



Stainless steel vertical multi-stage pumps rotating elements -
 All wetted components manufactured in stainless steel
 - Mechanical seal and 'O' ring kit included in price up to 4kW
 - For e-SV1-3-5 P/No: LWSPKL01AAD
 - For e-SV10-15-22 up to 4 kW P/No: LWSPKL01AAE -
 Mechanical seal included in kits above 5.5kW
 - For e-SV10-15-22 above 5.5 kW P/No: LWSPKL01AD7

1 e-SV Series

Product Code: LWRE	
Model	Part No.
1SV02F003	LWRE1SV02
1SV03F003	LWRE1SV03
1SV04F003	LWRE1SV04
1SV05F003	LWRE1SV05
1SV06F003	LWRE1SV06
1SV07F003	LWRE1SV07
1SV08F005	LWRE1SV08
1SV09F005	LWRE1SV09
1SV10F005	LWRE1SV10
1SV11F005	LWRE1SV11
1SV12F007	LWRE1SV12
1SV13F007	LWRE1SV13
1SV15F007	LWRE1SV15
1SV17F011	LWRE1SV17
1SV19F011	LWRE1SV19
1SV22F011	LWRE1SV22
1SV25F015	LWRE1SV25
1SV27F015	LWRE1SV27
1SV30F015	LWRE1SV30
1SV32F022	LWRE1SV32
1SV34F022	LWRE1SV34
1SV37F022	LWRE1SV37

3 e-SV Series

Product Code: LWRE	
Model	Part No.
3SV02F003	LWRE3SV02
3SV03F003	LWRE3SV03
3SV04F003	LWRE3SV04
3SV05F005	LWRE3SV05
3SV06F005	LWRE3SV06
3SV07F007	LWRE3SV07
3SV08F007	LWRE3SV08
3SV09F011	LWRE3SV09
3SV10F011	LWRE3SV10
3SV11F011	LWRE3SV11
3SV12F011	LWRE3SV12
3SV13F015	LWRE3SV13
3SV14F015	LWRE3SV14
3SV16F015	LWRE3SV16
3SV19F022	LWRE3SV19
3SV21F022	LWRE3SV21
3SV23F022	LWRE3SV23
3SV25F022	LWRE3SV25
3SV27F030	LWRE3SV27
3SV29F030	LWRE3SV29
3SV31F030	LWRE3SV31
3SV33F030	LWRE3SV33



e-SV SERIES



e-SV Rotating Elements (Cont.)

5 e-SV Series

Product Code: LWRE	
Model	Part No.
5SV02F003	LWRE5SV02
5SV03F005	LWRE5SV03
5SV04F005	LWRE5SV04
5SV05F007	LWRE5SV05
5SV06F011	LWRE5SV06
5SV07F011	LWRE5SV07
5SV08F011	LWRE5SV08
5SV09F015	LWRE5SV09
5SV10F015	LWRE5SV10
5SV11F015	LWRE5SV11
5SV12F022	LWRE5SV12
5SV13F022	LWRE5SV13
5SV14F022	LWRE5SV14
5SV15F022	LWRE5SV15
5SV16F022	LWRE5SV16
5SV18F030	LWRE5SV18
5SV21F030	LWRE5SV21
5SV23F040	LWRE5SV23
5SV25F040	LWRE5SV25
5SV28F040	LWRE5SV28
5SV30F055	LWRE5SV30
5SV33F055	LWRE5SV33

10 e-SV Series

Product Code: LWRE	
Model	Part No.
10SV01F007	LWRE10SV01
10SV02F007	LWRE10SV02
10SV03F011	LWRE10SV03
10SV04F015	LWRE10SV04
10SV05F022	LWRE10SV05
10SV06F022	LWRE10SV06
10SV07F030	LWRE10SV07
10SV08F030	LWRE10SV08
10SV09F040	LWRE10SV09
10SV10F040	LWRE10SV10
10SV11F040	LWRE10SV11
10SV13F055	LWRE10SV13
10SV15F055	LWRE10SV15
10SV17F075	LWRE10SV17
10SV18F075	LWRE10SV18
10SV20F075	LWRE10SV20
10SV21F110	LWRE10SV21

15 e-SV Series


Product Code: LWRE	
Model	Part No.
15SV01F011	LWRE15SV01
15SV02F022	LWRE15SV02
15SV03F030	LWRE15SV03
15SV04F040	LWRE15SV04
15SV05F040	LWRE15SV05
15SV06F055	LWRE15SV06
15SV07F055	LWRE15SV07
15SV08F075	LWRE15SV08
15SV09F075	LWRE15SV09
15SV10F110	LWRE15SV10
15SV11F110	LWRE15SV11
15SV13F110	LWRE15SV13
15SV15F150	LWRE15SV15
15SV17F150	LWRE15SV17

22 e-SV Series

Product Code: LWRE	
Model	Part No.
22SV01F011	LWRE22SV01
22SV02F022	LWRE22SV02
22SV03F030	LWRE22SV03
22SV04F040	LWRE22SV04
22SV05F055	LWRE22SV05
22SV06F075	LWRE22SV06
22SV07F075	LWRE22SV07
22SV08F110	LWRE22SV08
22SV09F110	LWRE22SV09
22SV10F110	LWRE22SV10
22SV12F150	LWRE22SV12
22SV14F150	LWRE22SV14
22SV17F185	LWRE22SV17



e-SV Special Versions



COMPATIBILITY MATRIX The following table describes the recommended compatibility between the special versions of e-SV™.

SPECIAL VERSIONS	Low NPSH	High Pressure	High Temperature 150 or 180°C	Version with HYDROVAR™	Reducing Footprint "R"	Horizontal Installation	4 Pole
Low NPSH		•	•	••	•	••	Δ
High pressure	•		N/A	N/A	N/A	N/A	Δ
High Temperature 150 or 180°C	•	N/A			N/A	•	Δ
Version with HYDROVAR™	•	•	N/A		•		•
Reducing footprint "R" Horizontal Installation		N/A	N/A	••		Δ	•
4-Pole	•	•	N/A		Δ	•	•
= Available. = On Request. N/A=ΔNot Available. Δ			Δ		•		

• Δ

Lowara have developed a wide range of special versions of its vertical multistage e-SV to give an appropriate and dedicated solution to special applications and installations in industrial or building services markets. Available in all 304SS or 316SS materials of construction.

Contact your pumps direct specialist to discuss your requirements or call Michael at Irrigation Direct.



Multi Stage Pumps

Horizontal MultiStage
Vertical MultiStage



For Assistance please contact Michael: 0488 917 285 or michael@irrigationdirect.com.au