





Speciality Pumps

Molasses Pumps





MOLASSES PUMPS



MOLASSES - CAST IRON GEAR PUMP OUTFITS

Electric Motor Driven

1/2 inch	240v 1 ph 1.5kw 4 pole	These pumps are designed to run at a speed of around 200 rpm using 8 pole motors - should you wish to use a pump that runs at a higher speed, refer to page 29. The only exception is the single phase 1" pump which uses a 4 pole motor and runs at 300rpm.	KC13E2-1M	POS-9	\$
1 inch	240v 1 ph 2.2kw 4 pole		KC25E3-1M	POS-9	\$
1 inch	415v 3 ph 2.2kw 8 pole		KC25E3-3M	POS-9	\$
1 1/4 inch	415v 3 ph 7.5kw 8 pole		KC35E10-3M	POS-9	\$
2 inch	415v 3 ph 7.5kw 8 pole		KC50E10-3M	POS-9	\$

Honda or Kohler Engine Driven

1 inch	5.5hp 6:1 gearbox Honda	KC25H5.5M	POS-9	\$
1 1/4 inch	9hp 6:1 gearbox Honda	KC35H9M ***	POS-9	\$
2 inch	13hp 6:1 gearbox Kohler	KC50K13M ***	POS-9	\$
3 inch	24hp with idler pulley Honda	KC80H24M	POS-9	

Cost for Teflon gland packing required for pumping molasses is included in the molasses pump pricing on this page - the Teflon gland packing is not included in the non molasses pumps.

Molasses Drum Pump Outfits


1 inch	240v 1 ph 2.2kw 4 pole	Special 44 gallon / 205 litre molasses drum pump complete with suction pipework, CAM Lock fittings and Teflon gland packing.	KC25DRUME	PM05/DRUME	POS-10	\$
	5.5hp 6:1 gearbox Honda		KC25DRUMH	PM05/DRUMH	POS-10	\$





Speciality Pumps

Molasses Pumps



For Assistance please contact Michael: 0488 917 285 or michael@irrigationdirect.com.au