

# DRIP LINES

**HYDROGOL**

---

**HYDRO PC/PCND**

---

**D2000**

---

**D5000 PC/AS/CX/ND**

---



# DRIP LINES & FITTINGS

Rivulis offers a wide range of drip lines, ensuring we have the product that best meets your application.

From cylindrical drippers in heavy wall tube, to pressure compensating drip lines with anti-siphon function, we have a drip line for your unique requirements.

## Quick Reference Guide

| Description                    | Hydrogol                                                                            | D2000                                                                               | Hydro PC                                                                            | Hydro PCND                                                                          | D5000 PC                                                                            | D5000 AS                                                                              | D5000 ND                                                                              | D5000 CX                                                                              |
|--------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Pressure compensating          |                                                                                     |                                                                                     | √                                                                                   | √                                                                                   | √                                                                                   | √                                                                                     | √                                                                                     | √                                                                                     |
| Anti-Siphon                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | √                                                                                     | √                                                                                     | √                                                                                     |
| No-Drain                       |                                                                                     |                                                                                     |                                                                                     | √                                                                                   |                                                                                     |                                                                                       | √                                                                                     |                                                                                       |
| Dripper Type                   | Cylindrical                                                                         | Flat                                                                                | Cylindrical                                                                         | Cylindrical                                                                         | Flat                                                                                | Flat                                                                                  | Flat                                                                                  | Flat                                                                                  |
| Flow Rates (lph)               | 1.0, 1.2, 1.6, 2.0, 4.0                                                             | 1.0, 1.5, 2.0, 4.0                                                                  | 1.2, 1.6, 2.2, 3.6                                                                  | 1.2, 1.35, 1.6, 1.75, 2.35, 3.6, 3.75                                               | 0.65, 1.0, 1.5, 2.0, 3.5                                                            |                                                                                       |                                                                                       |                                                                                       |
| Drip Line Diameter (mm)        | 16, 20                                                                              | 16, 17, 20, 22, 25, 27                                                              | 16, 17, 30                                                                          |                                                                                     | 16, 17, 20, 23, 27                                                                  |                                                                                       |                                                                                       |                                                                                       |
| Drip Line Wall Thickness (mil) | 40                                                                                  | 15, 25, 35, 40                                                                      | 40, 45, 47                                                                          |                                                                                     | 15, 25, 35, 40, 45, 47                                                              |                                                                                       |                                                                                       |                                                                                       |
|                                |  |  |  |  |  |  |  |  |



## Product advantages:

- Robust cylindrical dripper easy to use in any direction
- 2 Inlets & 2 Outlets in Every Dripper: Built-in redundancy in every dripper
- Flexible configurations



## Hydrogol | 16/40

| Actual ID | Nominal Diameter | Wall Thickness | Flow Rate Calculated at | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|-------------------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 40mil (1.0mm)  | 100kPa                  | 50 - 300kPa              | 400m        | 8-14               | 10,000m |

| Product Number | Description                       | Dripper Spacing (m) | Maximum Run Length (m)<br>(FV = 10% Flat Terrian) |
|----------------|-----------------------------------|---------------------|---------------------------------------------------|
| 101002384      | Hydrogol 16/40<br>1.0lph Dripper  | 0.3                 | 100                                               |
| 101002359      |                                   | 0.4                 | 120                                               |
| 101002360      |                                   | 0.5                 | 145                                               |
| 101002361      |                                   | 0.6                 | 165                                               |
| 101002446      |                                   | 0.75                | 195                                               |
| 101002411      |                                   | 1.0                 | 235                                               |
| 101002362      | Hydrogol 16/40<br>1.6 lph Dripper | 0.3                 | 70                                                |
| 101002390      |                                   | 0.4                 | 90                                                |
| 101002388      |                                   | 0.5                 | 105                                               |
| 101002392      |                                   | 0.6                 | 120                                               |
| 101002393      |                                   | 0.75                | 140                                               |
| 101002363      |                                   | 1.0                 | 175                                               |
| 101002365      | Hydrogol 16/40<br>2.0lph Dripper  | 0.3                 | 60                                                |
| 101002366      |                                   | 0.4                 | 75                                                |
| 101002367      |                                   | 0.5                 | 90                                                |
| 101002368      |                                   | 0.6                 | 105                                               |
| 101002369      |                                   | 0.75                | 120                                               |
| 101002371      |                                   | 1.0                 | 150                                               |
| 101002372      | Hydrogol 16/40<br>4.0lph Dripper  | 0.3                 | 40                                                |
| 101002373      |                                   | 0.4                 | 50                                                |
| 101002374      |                                   | 0.5                 | 60                                                |
| 101002375      |                                   | 0.6                 | 65                                                |
| 101008299      |                                   | 0.75                | 80                                                |
| 101002376      |                                   | 1.0                 | 95                                                |

## Hydrogol | 20/40

| Actual ID | Nominal Diameter | Wall Thickness | Flow Rate Calculated at | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|-------------------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 40mil (1.0mm)  | 100kPa                  | 50 - 300 kPa             | 300m        | 8-14               | 10,000m |

| Product Number | Description                   | Dripper Spacing (m) | Maximum Run Length (m) (FV = 10% Flat Terrian) |
|----------------|-------------------------------|---------------------|------------------------------------------------|
| 101002436      | Hydrogol 20/40 1.2lph Dropper | 0.3                 | 130                                            |
| 101002437      |                               | 0.4                 | 165                                            |
| 101002438      |                               | 0.5                 | 190                                            |
| 101002413      |                               | 0.6                 | 220                                            |
| 101002439      |                               | 0.75                | 255                                            |
| 101008418      |                               | 1.0                 | 310                                            |
| 101002440      | Hydrogol 20/40 2.0lph Dropper | 0.3                 | 85                                             |
| 101002379      |                               | 0.4                 | 105                                            |
| 101002394      |                               | 0.5                 | 125                                            |
| 101002378      |                               | 0.6                 | 140                                            |
| 101002395      |                               | 0.75                | 165                                            |
| 101002396      |                               | 1.0                 | 200                                            |
| 101002422      | Hydrogol 20/40 4.0lph Dropper | 0.3                 | 65                                             |
| 101002414      |                               | 0.4                 | 80                                             |
| 101002386      |                               | 0.5                 | 90                                             |
| 101002421      |                               | 0.6                 | 105                                            |
| 101002389      |                               | 0.75                | 125                                            |
| 101002397      |                               | 1.0                 | 150                                            |



## Product advantages:

- Pressure-Compensating (PC) function for precise delivery of water and nutrients
- Lasting quality and high clog resistance
- Cylindrical dripper with 2 water outlets in every dripper
- Large effective filtration area
- Also available as :

**ND** : No-drain feature  
for pulse irrigation



## Hydro PC | 16/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 40mil (1.0mm)  | 75 - 350kPa              | 400m        | 8-14               | 10,000m |

| Product Number | Description                       | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|-----------------------------------|---------------------|------------------------|
| 101002564      | Hydro PC 16/40<br>1.2 lph Dripper | 0.3                 | 150                    |
| 101002565      |                                   | 0.4                 | 190                    |
| 101002628      |                                   | 0.5                 | 230                    |
| 101002566      |                                   | 0.6                 | 265                    |
| 101002657      |                                   | 0.75                | 315                    |
| 101009071      |                                   | 1.0                 | 395                    |
| 101002601      | Hydro PC 16/40<br>1.6 lph Dripper | 0.3                 | 120                    |
| 101002567      |                                   | 0.4                 | 155                    |
| 101002568      |                                   | 0.5                 | 185                    |
| 101002569      |                                   | 0.6                 | 215                    |
| 101002570      |                                   | 0.75                | 250                    |
| 101002630      |                                   | 1.0                 | 315                    |
| 101002572      | Hydro PC 16/40<br>2.2 lph Dripper | 0.3                 | 95                     |
| 101002573      |                                   | 0.4                 | 125                    |
| 101002610      |                                   | 0.5                 | 150                    |
| 101002574      |                                   | 0.6                 | 175                    |
| 101002575      |                                   | 0.75                | 205                    |
| 101002576      |                                   | 1.0                 | 255                    |
| 101002701      | Hydro PC 16/40<br>3.6 lph Dripper | 0.3                 | 70                     |
| AU2021035      |                                   | 0.4                 | 90                     |
| 101002626      |                                   | 0.5                 | 110                    |
| 101002703      |                                   | 0.6                 | 125                    |
| AU2021036      |                                   | 0.75                | 145                    |
| 101002578      |                                   | 1.0                 | 185                    |

## Hydro PC | 16/45

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 45mil (1.1mm)  | 75 - 350kPa              | 400m        | 8-14               | 10,000m |

| Product Number | Description                       | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|-----------------------------------|---------------------|------------------------|
| 101008979      | Hydro PC 16/45<br>1.2 lph Dropper | 0.3                 | 150                    |
| 101009063      |                                   | 0.4                 | 190                    |
| 101009044      |                                   | 0.5                 | 230                    |
| 101009072      |                                   | 0.6                 | 265                    |
| 101009077      |                                   | 0.75                | 315                    |
| 101008981      |                                   | 1.0                 | 395                    |
| 101008983      | Hydro PC 16/45<br>1.6 lph Dropper | 0.3                 | 120                    |
| 101009040      |                                   | 0.4                 | 155                    |
| 101008985      |                                   | 0.5                 | 185                    |
| 101008986      |                                   | 0.6                 | 215                    |
| 101008987      |                                   | 0.75                | 250                    |
| 101008988      |                                   | 1.0                 | 315                    |
| 101008990      | Hydro PC 16/45<br>2.2 lph Dropper | 0.3                 | 95                     |
| 101008991      |                                   | 0.4                 | 125                    |
| 101008992      |                                   | 0.5                 | 150                    |
| 101008993      |                                   | 0.6                 | 175                    |
| 101008994      |                                   | 0.75                | 205                    |
| 101008995      |                                   | 1.0                 | 255                    |
| 101008998      | Hydro PC 16/45<br>3.6 lph Dropper | 0.3                 | 70                     |
| 101009052      |                                   | 0.4                 | 90                     |
| 101008999      |                                   | 0.5                 | 110                    |
| 101009000      |                                   | 0.6                 | 125                    |
| 101009001      |                                   | 0.75                | 145                    |
| 101009002      |                                   | 1.0                 | 185                    |

## Hydro PC | 17/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 15.3mm    | 17mm             | 40mil (1.0mm)  | 75 -350kPa               | 350m        | 8-14               | 10,000m |

| Product Number | Description                       | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|-----------------------------------|---------------------|------------------------|
| 101002658      | Hydro PC 17/40<br>1.2 lph Dropper | 0.3                 | 190                    |
| 101002659      |                                   | 0.4                 | 240                    |
| 101002660      |                                   | 0.5                 | 285                    |
| 101002580      |                                   | 0.6                 | 330                    |
| 101002661      |                                   | 0.75                | 390                    |
| 101002663      |                                   | 1.0                 | 480                    |
| 101002647      | Hydro PC 17/40<br>1.6 lph Dropper | 0.3                 | 150                    |
| 101002648      |                                   | 0.4                 | 190                    |
| 101002603      |                                   | 0.5                 | 230                    |
| 101002604      |                                   | 0.6                 | 265                    |
| 101002650      |                                   | 0.75                | 310                    |
| 101002666      |                                   | 1.0                 | 385                    |
| 101002635      | Hydro PC 17/40<br>2.2 lph Dropper | 0.3                 | 120                    |
| 101002612      |                                   | 0.4                 | 155                    |
| 101002609      |                                   | 0.5                 | 185                    |
| 101002602      |                                   | 0.6                 | 215                    |
| 101002596      |                                   | 0.75                | 250                    |
| 101002597      |                                   | 1.0                 | 315                    |
| 101002669      | Hydro PC 17/40<br>3.6 lph Dropper | 0.3                 | 90                     |
| 101002582      |                                   | 0.4                 | 110                    |
| 101002613      |                                   | 0.5                 | 135                    |
| 101002614      |                                   | 0.6                 | 155                    |
| 101002607      |                                   | 0.75                | 185                    |
| 101002595      |                                   | 1.0                 | 225                    |

## Hydro PC | 17/45

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 15.3mm    | 17mm             | 45mil (1.1mm)  | 75 - 350kPa              | 350m        | 8-14               | 10,000m |

| Product Number | Description                       | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|-----------------------------------|---------------------|------------------------|
| 101025866      | Hydro PC 17/45<br>1.2 lph Dropper | 0.3                 | 190                    |
| 101025988      |                                   | 0.4                 | 240                    |
| 101012929      |                                   | 0.5                 | 285                    |
| 101025891      |                                   | 0.6                 | 330                    |
| 101026208      |                                   | 0.75                | 390                    |
| 101025997      |                                   | 1.0                 | 480                    |
| 101002583      | Hydro PC 17/45<br>1.6 lph Dropper | 0.3                 | 150                    |
| 101025799      |                                   | 0.4                 | 190                    |
| 101025800      |                                   | 0.5                 | 230                    |
| 101008266      |                                   | 0.6                 | 265                    |
| 101012939      |                                   | 0.75                | 310                    |
| 101025801      |                                   | 1.0                 | 385                    |
| 101002585      | Hydro PC 17/45<br>2.2 lph Dropper | 0.3                 | 120                    |
| 101025804      |                                   | 0.4                 | 155                    |
| 101002586      |                                   | 0.5                 | 185                    |
| 101025805      |                                   | 0.6                 | 215                    |
| 101012925      |                                   | 0.75                | 250                    |
| 101025806      |                                   | 1.0                 | 315                    |
| 101026120      | Hydro PC 17/45<br>3.6 lph Dropper | 0.3                 | 90                     |
| 101025807      |                                   | 0.4                 | 110                    |
| 101025808      |                                   | 0.5                 | 135                    |
| 101026020      |                                   | 0.6                 | 155                    |
| 101025809      |                                   | 0.75                | 185                    |
| 101025810      |                                   | 1.0                 | 225                    |



## Hydro PC | 20/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 40mil (1.0mm)  | 75 - 350kPa              | 300m        | 8-14               | 10,000m |

| Product Number | Description                       | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|-----------------------------------|---------------------|------------------------|
| 101002719      | Hydro PC 20/40<br>1.2 lph Dropper | 0.3                 | 240                    |
| 101002673      |                                   | 0.4                 | 300                    |
| 101002674      |                                   | 0.5                 | 355                    |
| 101002646      |                                   | 0.6                 | 410                    |
| 101002675      |                                   | 0.75                | 485                    |
| 101002677      |                                   | 1.0                 | 595                    |
| 101002680      | Hydro PC 20/40<br>1.6 lph Dropper | 0.3                 | 195                    |
| 101002681      |                                   | 0.4                 | 250                    |
| 101002631      |                                   | 0.5                 | 295                    |
| 101002632      |                                   | 0.6                 | 340                    |
| 101002622      |                                   | 0.75                | 400                    |
| 101002683      |                                   | 1.0                 | 495                    |
| 101002625      | Hydro PC 20/40<br>2.2 lph Dropper | 0.3                 | 160                    |
| 101002686      |                                   | 0.4                 | 200                    |
| 101002633      |                                   | 0.5                 | 240                    |
| 101002636      |                                   | 0.6                 | 275                    |
| 101002598      |                                   | 0.75                | 325                    |
| 101002599      |                                   | 1.0                 | 405                    |
| 101002637      | Hydro PC 20/40<br>3.6 lph Dropper | 0.3                 | 115                    |
| 101002690      |                                   | 0.4                 | 145                    |
| 101002606      |                                   | 0.5                 | 175                    |
| 101002629      |                                   | 0.6                 | 200                    |
| 101002587      |                                   | 0.75                | 235                    |
| 101002615      |                                   | 1.0                 | 295                    |

## Hydro PC | 20/45

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 45mil (1.1mm)  | 75 - 350kPa              | 300m        | 8-14               | 10,000m |

| Product Number | Description                       | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|-----------------------------------|---------------------|------------------------|
| 101009046      | Hydro PC 20/45<br>1.2 lph Dropper | 0.3                 | 240                    |
| 101009057      |                                   | 0.4                 | 300                    |
| 101009010      |                                   | 0.5                 | 355                    |
| 101009066      |                                   | 0.6                 | 410                    |
| 101009080      |                                   | 0.75                | 485                    |
| 101009048      |                                   | 1.0                 | 595                    |
| 101009055      | Hydro PC 20/45<br>1.6 lph Dropper | 0.3                 | 195                    |
| 101009012      |                                   | 0.4                 | 250                    |
| 101002588      |                                   | 0.5                 | 295                    |
| 101009013      |                                   | 0.6                 | 340                    |
| 101009014      |                                   | 0.75                | 400                    |
| 101009015      |                                   | 1.0                 | 495                    |
| 101009039      | Hydro PC 20/45<br>2.2 lph Dropper | 0.3                 | 160                    |
| 101009017      |                                   | 0.4                 | 200                    |
| 101009018      |                                   | 0.5                 | 240                    |
| 101002589      |                                   | 0.6                 | 275                    |
| 101009019      |                                   | 0.75                | 325                    |
| 101009020      |                                   | 1.0                 | 405                    |
| 101009068      | Hydro PC 20/45<br>3.6 lph Dropper | 0.3                 | 115                    |
| 101009050      |                                   | 0.4                 | 145                    |
| 101009021      |                                   | 0.5                 | 175                    |
| 101009042      |                                   | 0.6                 | 200                    |
| 101009022      |                                   | 0.75                | 235                    |
| 101009024      |                                   | 1.0                 | 295                    |

## Hydro PC | 20/47

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 47mil (1.2mm)  | 75 - 350kPa              | 300m        | 8-14               | 10,000m |

| Product Number | Description                       | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|-----------------------------------|---------------------|------------------------|
| 101026146      | Hydro PC 20/47<br>1.2 lph Dropper | 0.3                 | 240                    |
| 101026147      |                                   | 0.4                 | 300                    |
| 101026148      |                                   | 0.5                 | 355                    |
| 101002591      |                                   | 0.6                 | 410                    |
| AU7021123      |                                   | 0.75                | 485                    |
| AU7021124      |                                   | 1.0                 | 595                    |
| 101025966      | Hydro PC 20/47<br>1.6 lph Dropper | 0.3                 | 195                    |
| 101025827      |                                   | 0.4                 | 250                    |
| 101022949      |                                   | 0.5                 | 295                    |
| 101025903      |                                   | 0.6                 | 340                    |
| 101025829      |                                   | 0.75                | 400                    |
| 101025830      |                                   | 1.0                 | 495                    |
| 101025831      | Hydro PC 20/47<br>2.2 lph Dropper | 0.3                 | 160                    |
| 101025869      |                                   | 0.4                 | 200                    |
| 101025832      |                                   | 0.5                 | 240                    |
| 101026178      |                                   | 0.6                 | 275                    |
| 101026056      |                                   | 0.75                | 325                    |
| 101025833      |                                   | 1.0                 | 405                    |
| AU7021121      | Hydro PC 20/47<br>3.6 lph Dropper | 0.3                 | 115                    |
| 101025870      |                                   | 0.4                 | 145                    |
| 101025834      |                                   | 0.5                 | 175                    |
| 101025835      |                                   | 0.6                 | 200                    |
| 101025836      |                                   | 0.75                | 235                    |
| 101025838      |                                   | 1.0                 | 295                    |



## Product advantages:

- In addition to pressure compensating, the dripper seals when pressure falls below 1m pressure (1.2 m pressure in 12 mm Hydro PCND) to stop water draining out of the tube at shut-off
- Perfect for irrigation, subsurface and highly undulating ground
- Also ideal for greenhouse applications



## Hydro PCND | 16/40

| Actual ID | Nominal Diameter | Wall Thickness | Sealing Pressure | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|------------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 40mil (1.0mm)  | 10kPa            | 75 - 350kPa              | 400m        | 8-14               | 10,000m |

| Product Number | Description                          | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|--------------------------------------|---------------------|------------------------|
| 101002976      | Hydro PCND 16/40<br>1.35 lph Dripper | 0.3                 | 140                    |
| 101002977      |                                      | 0.4                 | 180                    |
| 101002945      |                                      | 0.5                 | 215                    |
| 101002952      |                                      | 0.6                 | 245                    |
| 101002978      |                                      | 0.75                | 295                    |
| 101002980      |                                      | 1.0                 | 365                    |
| 101002970      | Hydro PCND 16/40<br>1.75 lph Dripper | 0.3                 | 115                    |
| 101002971      |                                      | 0.4                 | 145                    |
| 101002956      |                                      | 0.5                 | 175                    |
| 101002972      |                                      | 0.6                 | 200                    |
| 101002954      |                                      | 0.75                | 235                    |
| 101002885      |                                      | 1.0                 | 300                    |
| 101003043      | Hydro PCND 16/40<br>2.35 lph Dripper | 0.3                 | 95                     |
| 101002869      |                                      | 0.4                 | 120                    |
| 101003044      |                                      | 0.5                 | 145                    |
| 101002893      |                                      | 0.6                 | 165                    |
| 101003036      |                                      | 0.75                | 195                    |
| 101002858      |                                      | 1.0                 | 245                    |
| 101002982      | Hydro PCND 16/40<br>3.75 lph Dripper | 0.3                 | 70                     |
| 101002983      |                                      | 0.4                 | 85                     |
| 101002984      |                                      | 0.5                 | 105                    |
| 101002985      |                                      | 0.6                 | 120                    |
| 101002986      |                                      | 0.75                | 145                    |
| 101002988      |                                      | 1.0                 | 180                    |



## Hydro PCND | 16/45

| Actual ID | Nominal Diameter | Wall Thickness | Sealing Pressure | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|------------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 45mil (1.1mm)  | 10kPa            | 75 - 350kPa              | 400m        | 8-14               | 10,000m |

| Product Number | Description                          | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|--------------------------------------|---------------------|------------------------|
| 101009373      | Hydro PCND 16/45<br>1.35 lph Dropper | 0.3                 | 140                    |
| 101002955      |                                      | 0.4                 | 180                    |
| 101002850      |                                      | 0.5                 | 215                    |
| 101002886      |                                      | 0.6                 | 245                    |
| 101009401      |                                      | 0.75                | 295                    |
| 101009385      |                                      | 1.0                 | 365                    |
| 101009374      | Hydro PCND 16/45<br>1.75 lph Dropper | 0.3                 | 115                    |
| 101002849      |                                      | 0.4                 | 145                    |
| 101009375      |                                      | 0.5                 | 175                    |
| 101009388      |                                      | 0.6                 | 200                    |
| 101009402      |                                      | 0.75                | 235                    |
| 101009386      |                                      | 1.0                 | 300                    |
| 101002812      | Hydro PCND 16/45<br>2.35 lph Dropper | 0.3                 | 95                     |
| 101002813      |                                      | 0.4                 | 120                    |
| 101002814      |                                      | 0.5                 | 145                    |
| 101002815      |                                      | 0.6                 | 165                    |
| 101002857      |                                      | 0.75                | 195                    |
| 101002816      |                                      | 1.0                 | 245                    |
| 101002818      | Hydro PCND 16/45<br>3.75 lph Dropper | 0.3                 | 70                     |
| 101002819      |                                      | 0.4                 | 85                     |
| 101002820      |                                      | 0.5                 | 105                    |
| 101002861      |                                      | 0.6                 | 120                    |
| 101002863      |                                      | 0.75                | 145                    |
| 101002821      |                                      | 1.0                 | 180                    |

## Hydro PCND | 17/40

| Actual ID | Nominal Diameter | Wall Thickness | Sealing Pressure | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|------------------|--------------------------|-------------|--------------------|---------|
| 15.3mm    | 17mm             | 40mil (1.0mm)  | 10kPa            | 75 - 350kPa              | 350m        | 8-14               | 10,000m |

| Product Number | Description                          | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|--------------------------------------|---------------------|------------------------|
| 101002875      | Hydro PCND 17/40<br>1.35 lph Dropper | 0.3                 | 165                    |
| AU2021039      |                                      | 0.4                 | 210                    |
| 101002935      |                                      | 0.5                 | 250                    |
| AU2021044      |                                      | 0.6                 | 290                    |
| AU2021047      |                                      | 0.75                | 345                    |
| AU2021051      |                                      | 1.0                 | 430                    |
| 101002960      | Hydro PCND 17/40<br>1.75 lph Dropper | 0.3                 | 145                    |
| 101002961      |                                      | 0.4                 | 185                    |
| 101002892      |                                      | 0.5                 | 225                    |
| AU2021045      |                                      | 0.6                 | 265                    |
| AU2021048      |                                      | 0.75                | 310                    |
| 101002963      |                                      | 1.0                 | 380                    |
| 101002946      | Hydro PCND 17/40<br>2.35 lph Dropper | 0.3                 | 115                    |
| AU2021040      |                                      | 0.4                 | 145                    |
| AU2021042      |                                      | 0.5                 | 175                    |
| 101002938      |                                      | 0.6                 | 200                    |
| AU2021049      |                                      | 0.75                | 240                    |
| 101002940      |                                      | 1.0                 | 295                    |
| AU2021038      | Hydro PCND 17/40<br>3.75 lph Dropper | 0.3                 | 85                     |
| AU2021041      |                                      | 0.4                 | 105                    |
| AU2021043      |                                      | 0.5                 | 135                    |
| AU2021046      |                                      | 0.6                 | 155                    |
| AU2021050      |                                      | 0.75                | 185                    |
| AU2021120      |                                      | 1.0                 | 230                    |

## Hydro PCND | 17/45

| Actual ID | Nominal Diameter | Wall Thickness | Sealing Pressure | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|------------------|--------------------------|-------------|--------------------|---------|
| 15.3mm    | 17mm             | 45mil (1.1mm)  | 10kPa            | 75 - 350kPa              | 350m        | 8-14               | 10,000m |

| Product Number | Description                          | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|--------------------------------------|---------------------|------------------------|
| 101002878      | Hydro PCND 17/45<br>1.35 lph Dropper | 0.3                 | 165                    |
| 101002823      |                                      | 0.4                 | 210                    |
| 101002824      |                                      | 0.5                 | 250                    |
| 101002825      |                                      | 0.6                 | 290                    |
| 101002900      |                                      | 0.75                | 345                    |
| 101002902      |                                      | 1.0                 | 430                    |
| 101002827      | Hydro PCND 17/45<br>1.75 lph Dropper | 0.3                 | 145                    |
| 101002828      |                                      | 0.4                 | 185                    |
| 101002853      |                                      | 0.5                 | 225                    |
| 101002867      |                                      | 0.6                 | 265                    |
| 101002880      |                                      | 0.75                | 310                    |
| 101002864      |                                      | 1.0                 | 380                    |
| 101002854      | Hydro PCND 17/45<br>2.35 lph Dropper | 0.3                 | 115                    |
| 101002855      |                                      | 0.4                 | 145                    |
| 101002829      |                                      | 0.5                 | 175                    |
| 101002830      |                                      | 0.6                 | 200                    |
| 101002831      |                                      | 0.75                | 240                    |
| 101002832      |                                      | 1.0                 | 295                    |
| 101002907      | Hydro PCND 17/45<br>3.75 lph Dropper | 0.3                 | 85                     |
| 101002908      |                                      | 0.4                 | 105                    |
| 101002889      |                                      | 0.5                 | 135                    |
| 101002909      |                                      | 0.6                 | 155                    |
| 101002833      |                                      | 0.75                | 185                    |
| 101002834      |                                      | 1.0                 | 230                    |

## Hydro PCND | 20/40

| Actual ID | Nominal Diameter | Wall Thickness | Sealing Pressure | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|------------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 40mil (1.0mm)  | 10kPa            | 75 - 350kPa              | 300m        | 8-14               | 10,000m |

| Product Number | Description                          | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|--------------------------------------|---------------------|------------------------|
| 101003004      | Hydro PCND 20/40<br>1.35 lph Dropper | 0.3                 | 220                    |
| 101003005      |                                      | 0.4                 | 275                    |
| 101002894      |                                      | 0.5                 | 330                    |
| 101003006      |                                      | 0.6                 | 380                    |
| 101003007      |                                      | 0.75                | 445                    |
| 101003009      |                                      | 1.0                 | 550                    |
| 101003017      | Hydro PCND 20/40<br>1.75 lph Dropper | 0.3                 | 185                    |
| 101003018      |                                      | 0.4                 | 235                    |
| 101003019      |                                      | 0.5                 | 280                    |
| 101002941      |                                      | 0.6                 | 320                    |
| 101003020      |                                      | 0.75                | 375                    |
| 101003022      |                                      | 1.0                 | 470                    |
| 101003011      | Hydro PCND 20/40<br>2.35 lph Dropper | 0.3                 | 150                    |
| 101003012      |                                      | 0.4                 | 190                    |
| 101002942      |                                      | 0.5                 | 225                    |
| 101002943      |                                      | 0.6                 | 260                    |
| 101003013      |                                      | 0.75                | 310                    |
| 101003015      |                                      | 1.0                 | 380                    |
| 101002990      | Hydro PCND 20/40<br>3.75 lph Dropper | 0.3                 | 115                    |
| 101002944      |                                      | 0.4                 | 145                    |
| 101002991      |                                      | 0.5                 | 175                    |
| 101002992      |                                      | 0.6                 | 200                    |
| 101002993      |                                      | 0.75                | 235                    |
| 101002995      |                                      | 1.0                 | 295                    |

## Hydro PCND | 20/45

| Actual ID | Nominal Diameter | Wall Thickness | Sealing Pressure | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|------------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 45mil (1.1mm)  | 10kPa            | 75 - 350kPa              | 300m        | 8-14               | 10,000m |

| Product Number | Description                          | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|--------------------------------------|---------------------|------------------------|
| 101002913      | Hydro PCND 20/45<br>1.35 lph Dropper | 0.3                 | 220                    |
| 101002862      |                                      | 0.4                 | 275                    |
| 101002851      |                                      | 0.5                 | 330                    |
| 101002914      |                                      | 0.6                 | 380                    |
| 101002915      |                                      | 0.75                | 445                    |
| 101002917      |                                      | 1.0                 | 550                    |
| 101009379      | Hydro PCND 20/45<br>1.75 lph Dropper | 0.3                 | 185                    |
| 101009395      |                                      | 0.4                 | 235                    |
| 101002835      |                                      | 0.5                 | 280                    |
| 101002836      |                                      | 0.6                 | 320                    |
| 101002920      |                                      | 0.75                | 375                    |
| 101002837      |                                      | 1.0                 | 470                    |
| 101002838      | Hydro PCND 20/45<br>2.35 lph Dropper | 0.3                 | 150                    |
| 101002839      |                                      | 0.4                 | 190                    |
| 101002840      |                                      | 0.5                 | 225                    |
| 101002841      |                                      | 0.6                 | 260                    |
| 101002866      |                                      | 0.75                | 310                    |
| 101002842      |                                      | 1.0                 | 380                    |
| 101002927      | Hydro PCND 20/45<br>3.75 lph Dropper | 0.3                 | 115                    |
| 101002843      |                                      | 0.4                 | 145                    |
| 101002844      |                                      | 0.5                 | 175                    |
| 101002928      |                                      | 0.6                 | 200                    |
| 101002845      |                                      | 0.75                | 235                    |
| 101002846      |                                      | 1.0                 | 295                    |



## Hydro PCND | 20/47

| Actual ID | Nominal Diameter | Wall Thickness | Sealing Pressure | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|------------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 47mil (1.2mm)  | 10kPa            | 75 - 350kPa              | 300m        | 8-14               | 10,000m |

| Product Number | Description                          | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|--------------------------------------|---------------------|------------------------|
| 101027213      | Hydro PCND 20/47<br>1.35 lph Dropper | 0.3                 | 220                    |
| 101027375      |                                      | 0.4                 | 275                    |
| 101027206      |                                      | 0.5                 | 330                    |
| 101027376      |                                      | 0.6                 | 380                    |
| 101027257      |                                      | 0.75                | 445                    |
| 101027380      |                                      | 1.0                 | 550                    |
| 101027217      | Hydro PCND 20/47<br>1.75 lph Dropper | 0.3                 | 185                    |
| 101027241      |                                      | 0.4                 | 235                    |
| 101027218      |                                      | 0.5                 | 280                    |
| 101027387      |                                      | 0.6                 | 320                    |
| AU7021116      |                                      | 0.75                | 375                    |
| 101027249      |                                      | 1.0                 | 470                    |
| AU7021112      | Hydro PCND 20/47<br>2.35 lph Dropper | 0.3                 | 150                    |
| AU7021114      |                                      | 0.4                 | 190                    |
| 101027207      |                                      | 0.5                 | 225                    |
| 101027208      |                                      | 0.6                 | 260                    |
| 101027221      |                                      | 0.75                | 310                    |
| 101027251      |                                      | 1.0                 | 380                    |
| AU7021113      | Hydro PCND 20/47<br>3.75 lph Dropper | 0.3                 | 115                    |
| AU7021115      |                                      | 0.4                 | 145                    |
| 101027239      |                                      | 0.5                 | 175                    |
| 101027209      |                                      | 0.6                 | 200                    |
| 101027210      |                                      | 0.75                | 235                    |
| 101027235      |                                      | 1.0                 | 295                    |



## Product advantages:

- Developed using the latest in drip line engineering technology, the mandate for the emitter was to build a product that did not compromise on size or features
- Maximum clogging resistance with 64 – 93 individual inlets in every dripper
- High velocity design keeps particles in suspension around the dripper



## D2000 | 16/35

| Actual ID | Nominal Diameter | Wall Thickness | Flow Rate Calculated at | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|-------------------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 35mil (0.9mm)  | 100kPa                  | 80 - 300kPa              | 500m        | 20-24              | 10,000m |

| Product Number | Description                    | Dripper Spacing (m) | Maximum Run Length (m)<br>(FV = 10% Flat Terrian) |
|----------------|--------------------------------|---------------------|---------------------------------------------------|
| WT15320        | D2000 16/35<br>1.0 lph Dripper | 0.3                 | 105                                               |
| WT14847        |                                | 0.4                 | 128                                               |
| 101047698      |                                | 0.5                 | 150                                               |
| 101047699      |                                | 0.6                 | 169                                               |
| AU2021057      |                                | 0.75                | 196                                               |
| WT14946        |                                | 1.0                 | 236                                               |
| 101053485      | D2000 16/35<br>1.5 lph Dripper | 0.3                 | 82                                                |
| AU2021054      |                                | 0.4                 | 100                                               |
| AU2021055      |                                | 0.5                 | 116                                               |
| AU2021056      |                                | 0.6                 | 131                                               |
| 101063150      |                                | 0.75                | 152                                               |
| AU2021059      |                                | 1.0                 | 184                                               |
| WT10278        | D2000 16/35<br>2.0 lph Dripper | 0.3                 | 69                                                |
| WT10280        |                                | 0.4                 | 84                                                |
| WT10281        |                                | 0.5                 | 98                                                |
| WT10282        |                                | 0.6                 | 110                                               |
| WT10283        |                                | 0.75                | 128                                               |
| WT10284        |                                | 1.0                 | 153                                               |
| WT10285        | D2000 16/35<br>4.0 lph Dripper | 0.3                 | 44                                                |
| WT10286        |                                | 0.4                 | 54                                                |
| WT10287        |                                | 0.5                 | 62                                                |
| WT15285        |                                | 0.6                 | 70                                                |
| WT10288        |                                | 0.75                | 82                                                |
| WT10289        |                                | 1.0                 | 99                                                |

## D2000 | 16/40

| Actual ID | Nominal Diameter | Wall Thickness | Flow Rate Calculated at | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|-------------------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 40mil (1.0mm)  | 100kPa                  | 80 - 300kPa              | 400m        | 20-24              | 10,000m |

| Product Number | Description                    | Dripper Spacing (m) | Maximum Run Length (m)<br>(FV = 10% Flat Terrian) |
|----------------|--------------------------------|---------------------|---------------------------------------------------|
| WT15173        | D2000 16/40<br>1.0 lph Dropper | 0.3                 | 105                                               |
| 101047702      |                                | 0.4                 | 128                                               |
| 101047703      |                                | 0.5                 | 150                                               |
| 101047704      |                                | 0.6                 | 169                                               |
| AU2021080      |                                | 0.75                | 196                                               |
| AU2021084      |                                | 1.0                 | 236                                               |
| 101061766      | D2000 16/40<br>1.5 lph Dropper | 0.3                 | 82                                                |
| AU2021069      |                                | 0.4                 | 100                                               |
| AU2021073      |                                | 0.5                 | 116                                               |
| AU2021077      |                                | 0.6                 | 131                                               |
| 101063857      |                                | 0.75                | 152                                               |
| AU2021085      |                                | 1.0                 | 184                                               |
| WT10291        | D2000 16/40<br>2.0 lph Dropper | 0.3                 | 69                                                |
| 101047679      |                                | 0.4                 | 84                                                |
| WT10292        |                                | 0.5                 | 98                                                |
| 101047705      |                                | 0.6                 | 110                                               |
| WT10293        |                                | 0.75                | 128                                               |
| WT10294        |                                | 1.0                 | 153                                               |
| WT10295        | D2000 16/40<br>4.0 lph Dropper | 0.3                 | 44                                                |
| WT15260        |                                | 0.4                 | 54                                                |
| WT10296        |                                | 0.5                 | 62                                                |
| 101047706      |                                | 0.6                 | 70                                                |
| WT10297        |                                | 0.75                | 82                                                |
| WT10298        |                                | 1.0                 | 99                                                |

## D2000 | 20/40

| Actual ID | Nominal Diameter | Wall Thickness | Flow Rate Calculated at | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|-------------------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 40mil (1.0mm)  | 100kPa                  | 80 - 300kPa              | 450m        | 20-24              | 10,000m |

| Product Number | Description                    | Dripper Spacing (m) | Maximum Run Length (m)<br>(FV = 10% Flat Terrian) |
|----------------|--------------------------------|---------------------|---------------------------------------------------|
| AU208872       | D2000 20/40<br>1.0 lph Dropper | 0.3                 | 161                                               |
| AU208876       |                                | 0.4                 | 196                                               |
| AU208880       |                                | 0.5                 | 227                                               |
| AU208883       |                                | 0.6                 | 257                                               |
| AU208887       |                                | 0.75                | 297                                               |
| AU208891       |                                | 1.0                 | 353                                               |
| AU208873       | D2000 20/40<br>1.5 lph Dropper | 0.3                 | -                                                 |
| 101073841      |                                | 0.4                 | -                                                 |
| AU208881       |                                | 0.5                 | -                                                 |
| AU208884       |                                | 0.6                 | -                                                 |
| AU208888       |                                | 0.75                | -                                                 |
| AU208892       |                                | 1.0                 | -                                                 |
| AU208874       | D2000 20/40<br>2.0 lph Dropper | 0.3                 | 106                                               |
| AU208878       |                                | 0.4                 | 130                                               |
| 101050538      |                                | 0.5                 | 151                                               |
| AU208885       |                                | 0.6                 | 170                                               |
| AU208889       |                                | 0.75                | 197                                               |
| AU208893       |                                | 1.0                 | 237                                               |
| AU208875       | D2000 20/40<br>4.0 lph Dropper | 0.3                 | 68                                                |
| AU208879       |                                | 0.4                 | 83                                                |
| AU208882       |                                | 0.5                 | 97                                                |
| AU208886       |                                | 0.6                 | 109                                               |
| AU208890       |                                | 0.75                | 127                                               |
| AU208894       |                                | 1.0                 | 153                                               |

# D5000 PC

HEAVY WALL DRIP LINE



## Product advantages:

- The greatest drip line on earth and under it
- Pressure compensating
- Exceptional clogging resistance and water distribution uniformity
- Also available as

### AS

Anti-siphon feature for subsurface irrigation

### CX

Reduce root intrusion in subsurface applications.

### ND

No-drain feature for pulse irrigation



## D5000 PC | 16/15

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 16.1mm    | 16.9mm           | 15mil (0.38mm) | 50 - 220kPa              | 800m        | 16 - 20            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021211      | D5000 PC 16/15<br>0.65 lph Dropper | 0.3                 | 260                    |
| 101055297      |                                    | 0.4                 | 325                    |
| AU2021219      |                                    | 0.5                 | 380                    |
| AU2021223      |                                    | 0.6                 | 435                    |
| 101028210      | D5000 PC 16/15<br>1.0 lph Dropper  | 0.3                 | 150                    |
| 101028212      |                                    | 0.4                 | 190                    |
| 101038937      |                                    | 0.5                 | 230                    |
| AU2021224      |                                    | 0.6                 | 265                    |
| 101038959      | D5000 PC 16/15<br>1.5 lph Dropper  | 0.3                 | 115                    |
| 101038960      |                                    | 0.4                 | 145                    |
| 101038420      |                                    | 0.5                 | 175                    |
| 101068221      |                                    | 0.6                 | 205                    |
| 101038941      | D5000 PC 16/15<br>2.0 lph Dropper  | 0.3                 | 100                    |
| 101038942      |                                    | 0.4                 | 125                    |
| 101038347      |                                    | 0.5                 | 145                    |
| AU2021226      |                                    | 0.6                 | 165                    |

## D5000 PC | 16/35

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 35mil (0.9mm)  | 50 - 300kPa              | 500m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| 101070746      | D5000 PC 16/35<br>0.65 lph Dropper | 0.3                 | 225                    |
| 101064584      |                                    | 0.4                 | 290                    |
| AU2021228      |                                    | 0.5                 | 345                    |
| AU2021229      |                                    | 0.6                 | 400                    |
| 101064664      |                                    | 0.75                | 475                    |
| 101050111      |                                    | 1.0                 | 590                    |
| 101038690      | D5000 PC 16/35<br>1.0 lph Dropper  | 0.3                 | 165                    |
| 101038691      |                                    | 0.4                 | 210                    |
| 101038692      |                                    | 0.5                 | 250                    |
| 101039293      |                                    | 0.6                 | 290                    |
| 101039294      |                                    | 0.75                | 345                    |
| WT12541        |                                    | 1.0                 | 425                    |
| 101038130      | D5000 PC 16/35<br>1.5 lph Dropper  | 0.3                 | 125                    |
| 101038695      |                                    | 0.4                 | 160                    |
| 101038131      |                                    | 0.5                 | 190                    |
| 101045035      |                                    | 0.6                 | 220                    |
| 101045036      |                                    | 0.75                | 265                    |
| 101045037      |                                    | 1.0                 | 325                    |
| 101038698      | D5000 PC 16/35<br>2.0 lph Dropper  | 0.3                 | 105                    |
| 101038699      |                                    | 0.4                 | 130                    |
| 101038700      |                                    | 0.5                 | 160                    |
| 101045038      |                                    | 0.6                 | 185                    |
| 101045039      |                                    | 0.75                | 220                    |
| 101045040      |                                    | 1.0                 | 270                    |
| 101051199      | D5000 PC 16/35<br>3.5 lph Dropper  | 0.3                 | 70                     |
| 101048668      |                                    | 0.4                 | 90                     |
| 101051200      |                                    | 0.5                 | 110                    |
| 101063423      |                                    | 0.6                 | 130                    |
| 101051096      |                                    | 0.75                | 155                    |
| 101061232      |                                    | 1.0                 | 190                    |

# D5000 PC DRIP LINE



## D5000 PC | 16/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 40mil (1.0mm)  | 50 - 350kPa              | 400m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| 101063014      | D5000 PC 16/40<br>0.65 lph Dropper | 0.3                 | 225                    |
| 101051026      |                                    | 0.4                 | 290                    |
| 101044005      |                                    | 0.5                 | 345                    |
| AU2021230      |                                    | 0.6                 | 400                    |
| AU2022001      |                                    | 0.75                | 475                    |
| 101050112      |                                    | 1.0                 | 590                    |
| 101028205      | D5000 PC 16/40<br>1.0 lph Dropper  | 0.3                 | 165                    |
| 101028230      |                                    | 0.4                 | 210                    |
| 101022164      |                                    | 0.5                 | 250                    |
| 101040216      |                                    | 0.6                 | 290                    |
| 101045047      |                                    | 0.75                | 345                    |
| WT12542        |                                    | 1.0                 | 425                    |
| 101038704      | D5000 PC 16/40<br>1.5 lph Dropper  | 0.3                 | 125                    |
| 101038705      |                                    | 0.4                 | 160                    |
| 101038706      |                                    | 0.5                 | 190                    |
| 101045360      |                                    | 0.6                 | 220                    |
| 101041945      |                                    | 0.75                | 265                    |
| 101045041      |                                    | 1.0                 | 325                    |
| 101038711      | D5000 PC 16/40<br>2.0 lph Dropper  | 0.3                 | 105                    |
| 101038709      |                                    | 0.4                 | 130                    |
| 101038710      |                                    | 0.5                 | 160                    |
| 101045042      |                                    | 0.6                 | 185                    |
| 101045043      |                                    | 0.75                | 220                    |
| 101045044      |                                    | 1.0                 | 270                    |
| WT15275        | D5000 PC 16/40<br>3.5 lph Dropper  | 0.3                 | 70                     |
| WT15276        |                                    | 0.4                 | 90                     |
| WT15278        |                                    | 0.5                 | 110                    |
| WT15279        |                                    | 0.6                 | 130                    |
| WT15280        |                                    | 0.75                | 155                    |
| WT15281        |                                    | 1.0                 | 190                    |



# D5000 PC DRIP LINE



## D5000 PC | 16/45

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 45mil (1.15mm) | 50 - 350kPa              | 400m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021231      | D5000 PC 16/45<br>0.65 lph Dropper | 0.3                 | 225                    |
| AU2021234      |                                    | 0.4                 | 290                    |
| AU2021239      |                                    | 0.5                 | 345                    |
| AU2021243      |                                    | 0.6                 | 400                    |
| AU2021248      |                                    | 0.75                | 475                    |
| 101069858      |                                    | 1.0                 | 590                    |
| 101052035      | D5000 PC 16/45<br>1.0 lph Dropper  | 0.3                 | 165                    |
| AU2021235      |                                    | 0.4                 | 210                    |
| AU2021240      |                                    | 0.5                 | 250                    |
| AU2021244      |                                    | 0.6                 | 290                    |
| AU2021249      |                                    | 0.75                | 345                    |
| AU2021254      |                                    | 1.0                 | 425                    |
| AU2021232      | D5000 PC 16/45<br>1.5 lph Dropper  | 0.3                 | 125                    |
| AU2021236      |                                    | 0.4                 | 160                    |
| AU2021241      |                                    | 0.5                 | 190                    |
| AU2021245      |                                    | 0.6                 | 220                    |
| AU2021250      |                                    | 0.75                | 265                    |
| AU2021255      |                                    | 1.0                 | 325                    |
| AU2021233      | D5000 PC 16/45<br>2.0 lph Dropper  | 0.3                 | 105                    |
| AU2021237      |                                    | 0.4                 | 130                    |
| AU2021242      |                                    | 0.5                 | 160                    |
| AU2021246      |                                    | 0.6                 | 185                    |
| AU2021251      |                                    | 0.75                | 220                    |
| AU2021256      |                                    | 1.0                 | 270                    |
| 101067365      | D5000 PC 16/45<br>3.5 lph Dropper  | 0.3                 | 70                     |
| AU2021238      |                                    | 0.4                 | 90                     |
| 101067366      |                                    | 0.5                 | 110                    |
| AU2021247      |                                    | 0.6                 | 130                    |
| AU2021252      |                                    | 0.75                | 155                    |
| AU2021257      |                                    | 1.0                 | 190                    |

## D5000 PC | 17/35

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 15.3mm    | 17mm             | 35mil (0.9mm)  | 50 - 300kPa              | 450m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU17350265     | D5000 PC 17/35<br>0.65 lph Dropper | 0.3                 | 280                    |
| AU2021258      |                                    | 0.4                 | 350                    |
| AU2021260      |                                    | 0.5                 | 420                    |
| AU2021262      |                                    | 0.6                 | 485                    |
| AU2021263      |                                    | 0.75                | 570                    |
| AU2021265      |                                    | 1.0                 | 695                    |
| 101038742      | D5000 PC 17/35<br>1.0 lph Dropper  | 0.3                 | 210                    |
| 101038743      |                                    | 0.4                 | 260                    |
| 101038744      |                                    | 0.5                 | 310                    |
| 101045061      |                                    | 0.6                 | 360                    |
| 101045062      |                                    | 0.75                | 425                    |
| AU2021268      |                                    | 1.0                 | 520                    |
| 101038747      | D5000 PC 17/35<br>1.5 lph Dropper  | 0.3                 | 160                    |
| 101038748      |                                    | 0.4                 | 200                    |
| 101038749      |                                    | 0.5                 | 240                    |
| 101045063      |                                    | 0.6                 | 275                    |
| 101045064      |                                    | 0.75                | 325                    |
| 101045069      |                                    | 1.0                 | 400                    |
| 101038752      | D5000 PC 17/35<br>2.0 lph Dropper  | 0.3                 | 130                    |
| 101038753      |                                    | 0.4                 | 165                    |
| 101038754      |                                    | 0.5                 | 200                    |
| 101045065      |                                    | 0.6                 | 230                    |
| 101045066      |                                    | 0.75                | 270                    |
| 101045067      |                                    | 1.0                 | 335                    |
| AU2021259      | D5000 PC 17/35<br>3.5 lph Dropper  | 0.3                 | 90                     |
| 101070226      |                                    | 0.4                 | 115                    |
| 101050879      |                                    | 0.5                 | 140                    |
| AU2021264      |                                    | 0.6                 | 160                    |
| AU2021266      |                                    | 0.75                | 190                    |
| AU2021269      |                                    | 1.0                 | 235                    |

# D5000 PC DRIP LINE



## D5000 PC | 17/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 15.3mm    | 17mm             | 40mil (1.0mm)  | 50 - 350kPa              | 450m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021270      | D5000 PC 17/40<br>0.65 lph Dropper | 0.3                 | 280                    |
| AU2021272      |                                    | 0.4                 | 350                    |
| AU2021274      |                                    | 0.5                 | 420                    |
| AU2021276      |                                    | 0.6                 | 485                    |
| AU2021278      |                                    | 0.75                | 570                    |
| 101051404      |                                    | 1.0                 | 695                    |
| 101028203      | D5000 PC 17/40<br>1.0 lph Dropper  | 0.3                 | 210                    |
| 101038757      |                                    | 0.4                 | 260                    |
| 101038758      |                                    | 0.5                 | 310                    |
| 101040217      |                                    | 0.6                 | 360                    |
| 101045068      |                                    | 0.75                | 425                    |
| WT15694        |                                    | 1.0                 | 520                    |
| 101038761      | D5000 PC 17/40<br>1.5 lph Dropper  | 0.3                 | 160                    |
| 101038762      |                                    | 0.4                 | 200                    |
| 101038763      |                                    | 0.5                 | 240                    |
| 101045070      |                                    | 0.6                 | 275                    |
| 101045071      |                                    | 0.75                | 325                    |
| 101045072      |                                    | 1.0                 | 400                    |
| 101038766      | D5000 PC 17/40<br>2.0 lph Dropper  | 0.3                 | 130                    |
| 101038767      |                                    | 0.4                 | 165                    |
| 101038768      |                                    | 0.5                 | 200                    |
| 101045073      |                                    | 0.6                 | 230                    |
| 101045074      |                                    | 0.75                | 270                    |
| 101045075      |                                    | 1.0                 | 335                    |
| AU2021271      | D5000 PC 17/40<br>3.5 lph Dropper  | 0.3                 | 90                     |
| AU2021273      |                                    | 0.4                 | 115                    |
| AU2021275      |                                    | 0.5                 | 140                    |
| AU2021277      |                                    | 0.6                 | 160                    |
| AU2021279      |                                    | 0.75                | 190                    |
| 101072846      |                                    | 1.0                 | 235                    |

# D5000 PC DRIP LINE



## D5000 PC | 17/45

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 15.3mm    | 17mm             | 45mil (1.15mm) | 50 - 350kPa              | 400m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021281      | D5000 PC 17/45<br>0.65 lph Dropper | 0.3                 | 280                    |
| AU2021282      |                                    | 0.4                 | 350                    |
| AU2021284      |                                    | 0.5                 | 420                    |
| AU2021285      |                                    | 0.6                 | 485                    |
| AU2021287      |                                    | 0.75                | 570                    |
| AU2021288      |                                    | 1.0                 | 695                    |
| 101038770      | D5000 PC 17/45<br>1.0 lph Dropper  | 0.3                 | 210                    |
| 101038771      |                                    | 0.4                 | 260                    |
| 101038772      |                                    | 0.5                 | 310                    |
| 101045076      |                                    | 0.6                 | 360                    |
| 101045077      |                                    | 0.75                | 425                    |
| AU2021289      |                                    | 1.0                 | 520                    |
| 101038775      | D5000 PC 17/45<br>1.5 lph Dropper  | 0.3                 | 160                    |
| 101038776      |                                    | 0.4                 | 200                    |
| 101038777      |                                    | 0.5                 | 240                    |
| 101045078      |                                    | 0.6                 | 275                    |
| 101045083      |                                    | 0.75                | 325                    |
| 101045079      |                                    | 1.0                 | 400                    |
| 101038780      | D5000 PC 17/45<br>2.0 lph Dropper  | 0.3                 | 130                    |
| 101038781      |                                    | 0.4                 | 165                    |
| 101038782      |                                    | 0.5                 | 200                    |
| 101045080      |                                    | 0.6                 | 230                    |
| 101045081      |                                    | 0.75                | 270                    |
| 101045082      |                                    | 1.0                 | 335                    |
| WT15650        | D5000 PC 17/45<br>3.5 lph Dropper  | 0.3                 | 90                     |
| AU2021283      |                                    | 0.4                 | 115                    |
| 101050548      |                                    | 0.5                 | 140                    |
| AU2021286      |                                    | 0.6                 | 160                    |
| 101046095      |                                    | 0.75                | 190                    |
| WT15648        |                                    | 1.0                 | 235                    |

# D5000 PC DRIP LINE



## D5000 PC | 20/35

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 35mil (0.9mm)  | 50 - 300kPa              | 350m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021290      | D5000 PC 20/35<br>0.65 lph Dropper | 0.3                 | 380                    |
| AU2021295      |                                    | 0.4                 | 470                    |
| AU2021297      |                                    | 0.5                 | 555                    |
| AU2021300      |                                    | 0.6                 | 630                    |
| AU2021305      |                                    | 0.75                | 735                    |
| AU2021310      |                                    | 1.0                 | 895                    |
| 101072076      | D5000 PC 20/35<br>1.0 lph Dropper  | 0.3                 | 275                    |
| 101050991      |                                    | 0.4                 | 345                    |
| AU2021298      |                                    | 0.5                 | 410                    |
| AU2021301      |                                    | 0.6                 | 470                    |
| AU2021306      |                                    | 0.75                | 550                    |
| AU2021311      |                                    | 1.0                 | 675                    |
| AU2021292      | D5000 PC 20/35<br>1.5 lph Dropper  | 0.3                 | 215                    |
| 101064152      |                                    | 0.4                 | 265                    |
| 101060967      |                                    | 0.5                 | 315                    |
| AU2021302      |                                    | 0.6                 | 360                    |
| AU2021307      |                                    | 0.75                | 425                    |
| AU2021312      |                                    | 1.0                 | 520                    |
| 101074740      | D5000 PC 20/35<br>2.0 lph Dropper  | 0.3                 | 175                    |
| 101061738      |                                    | 0.4                 | 220                    |
| 101048527      |                                    | 0.5                 | 260                    |
| AU2021303      |                                    | 0.6                 | 300                    |
| AU2021308      |                                    | 0.75                | 355                    |
| AU2021313      |                                    | 1.0                 | 435                    |
| AU2021294      | D5000 PC 20/35<br>3.5 lph Dropper  | 0.3                 | 120                    |
| AU2021296      |                                    | 0.4                 | 155                    |
| AU2021299      |                                    | 0.5                 | 180                    |
| AU2021304      |                                    | 0.6                 | 210                    |
| AU2021309      |                                    | 0.75                | 245                    |
| AU2021314      |                                    | 1.0                 | 305                    |

# D5000 PC DRIP LINE



## D5000 PC | 20/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 40mil (1.0mm)  | 50 - 350kPa              | 350m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| 101062194      | D5000 PC 20/40<br>0.65 lph Dropper | 0.3                 | 380                    |
| 101050236      |                                    | 0.4                 | 470                    |
| AU2021315      |                                    | 0.5                 | 555                    |
| AU2021316      |                                    | 0.6                 | 630                    |
| 101050878      |                                    | 0.75                | 735                    |
| 101055537      |                                    | 1.0                 | 895                    |
| 101028206      | D5000 PC 20/40<br>1.0 lph Dropper  | 0.3                 | 275                    |
| 101028207      |                                    | 0.4                 | 345                    |
| 101038841      |                                    | 0.5                 | 410                    |
| 101040218      |                                    | 0.6                 | 470                    |
| 101045092      |                                    | 0.75                | 550                    |
| AU2021318      |                                    | 1.0                 | 675                    |
| 101038844      | D5000 PC 20/40<br>1.5 lph Dropper  | 0.3                 | 215                    |
| 101038845      |                                    | 0.4                 | 265                    |
| 101038846      |                                    | 0.5                 | 315                    |
| 101045093      |                                    | 0.6                 | 360                    |
| 101045094      |                                    | 0.75                | 425                    |
| 101045095      |                                    | 1.0                 | 520                    |
| 101038849      | D5000 PC 20/40<br>2.0 lph Dropper  | 0.3                 | 175                    |
| 101038850      |                                    | 0.4                 | 220                    |
| 101038851      |                                    | 0.5                 | 260                    |
| 101045096      |                                    | 0.6                 | 300                    |
| 101045097      |                                    | 0.75                | 355                    |
| 101064661      |                                    | 1.0                 | 435                    |
| 101059436      | D5000 PC 20/40<br>3.5 lph Dropper  | 0.3                 | 120                    |
| 101051800      |                                    | 0.4                 | 155                    |
| 101051268      |                                    | 0.5                 | 180                    |
| 101047766      |                                    | 0.6                 | 210                    |
| 101048492      |                                    | 0.75                | 245                    |
| 101048143      |                                    | 1.0                 | 305                    |

# D5000 PC DRIP LINE



## D5000 PC | 20/45

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 45mil (1.15mm) | 50 - 350kPa              | 350m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021319      | D5000 PC 20/45<br>0.65 lph Dropper | 0.3                 | 380                    |
| AU2021322      |                                    | 0.4                 | 470                    |
| 101066135      |                                    | 0.5                 | 555                    |
| AU2021324      |                                    | 0.6                 | 630                    |
| AU2021325      |                                    | 0.75                | 735                    |
| AU2021326      |                                    | 1.0                 | 895                    |
| 101038854      | D5000 PC 20/45<br>1.0 lph Dropper  | 0.3                 | 275                    |
| 101038855      |                                    | 0.4                 | 345                    |
| 101038856      |                                    | 0.5                 | 410                    |
| 101045099      |                                    | 0.6                 | 470                    |
| 101045100      |                                    | 0.75                | 550                    |
| 101065530      |                                    | 1.0                 | 675                    |
| AU2021320      | D5000 PC 20/45<br>1.5 lph Dropper  | 0.3                 | 215                    |
| 101038860      |                                    | 0.4                 | 265                    |
| 101038861      |                                    | 0.5                 | 315                    |
| 101045101      |                                    | 0.6                 | 360                    |
| 101063675      |                                    | 0.75                | 425                    |
| 101045103      |                                    | 1.0                 | 520                    |
| 101038864      | D5000 PC 20/45<br>2.0 lph Dropper  | 0.3                 | 175                    |
| 101038349      |                                    | 0.4                 | 220                    |
| 101038490      |                                    | 0.5                 | 260                    |
| 101045104      |                                    | 0.6                 | 300                    |
| 101063515      |                                    | 0.75                | 355                    |
| 101045106      |                                    | 1.0                 | 435                    |
| AU2021321      | D5000 PC 20/45<br>3.5 lph Dropper  | 0.3                 | 120                    |
| AU2021323      |                                    | 0.4                 | 155                    |
| 101045332      |                                    | 0.5                 | 180                    |
| 101049465      |                                    | 0.6                 | 210                    |
| 101049810      |                                    | 0.75                | 245                    |
| 101064145      |                                    | 1.0                 | 305                    |



# D5000 PC DRIP LINE



## D5000 PC | 20/47

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 47mil (1.2mm)  | 50 - 350kPa              | 350m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU7021146      | D5000 PC 20/47<br>0.65 lph Dropper | 0.3                 | 380                    |
| AU7021148      |                                    | 0.4                 | 470                    |
| AU7021150      |                                    | 0.5                 | 555                    |
| AU9021150      |                                    | 0.6                 | 630                    |
| AU7021152      |                                    | 0.75                | 735                    |
| AU7021153      |                                    | 1.0                 | 895                    |
| 101028221      | D5000 PC 20/47<br>1.0 lph Dropper  | 0.3                 | 275                    |
| 101028227      |                                    | 0.4                 | 345                    |
| 101038867      |                                    | 0.5                 | 410                    |
| 101045107      |                                    | 0.6                 | 470                    |
| 101045108      |                                    | 0.75                | 550                    |
| AU7021154      |                                    | 1.0                 | 675                    |
| 101038870      | D5000 PC 20/47<br>1.5 lph Dropper  | 0.3                 | 215                    |
| 101038871      |                                    | 0.4                 | 265                    |
| 101038872      |                                    | 0.5                 | 315                    |
| 101045109      |                                    | 0.6                 | 360                    |
| 101045110      |                                    | 0.75                | 425                    |
| 101045111      |                                    | 1.0                 | 520                    |
| 101038875      | D5000 PC 20/47<br>2.0 lph Dropper  | 0.3                 | 175                    |
| 101038876      |                                    | 0.4                 | 220                    |
| 101038877      |                                    | 0.5                 | 260                    |
| 101045112      |                                    | 0.6                 | 300                    |
| 101045113      |                                    | 0.75                | 355                    |
| 101045114      |                                    | 1.0                 | 435                    |
| AU7021147      | D5000 PC 20/47<br>3.5 lph Dropper  | 0.3                 | 120                    |
| AU7021149      |                                    | 0.4                 | 155                    |
| AU7021151      |                                    | 0.5                 | 180                    |
| 101072942      |                                    | 0.6                 | 210                    |
| 101059583      |                                    | 0.75                | 245                    |
| AU7021155      |                                    | 1.0                 | 305                    |

# D5000 PC DRIP LINE



## D5000 PC | 22/15

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 22.2mm    | 22mm             | 15mil (0.38mm) | 50 - 180kPa              | 800m        | 16 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021331      | D5000 PC 22/15<br>0.65 lph Dropper | 0.3                 | 455                    |
| AU2021332      |                                    | 0.4                 | 560                    |
| AU2021333      |                                    | 0.5                 | 650                    |
| AU2021334      |                                    | 0.6                 | 735                    |
| 101028217      | D5000 PC 22/15<br>1.0 lph Dropper  | 0.3                 | 305                    |
| 101038945      |                                    | 0.4                 | 375                    |
| 101038946      |                                    | 0.5                 | 435                    |
| 101050223      |                                    | 0.6                 | 495                    |
| 101038949      | D5000 PC 22/15<br>1.5 lph Dropper  | 0.3                 | 230                    |
| 101038950      |                                    | 0.4                 | 285                    |
| 101038951      |                                    | 0.5                 | 335                    |
| AU2021335      |                                    | 0.6                 | 385                    |
| 101038954      | D5000 PC 22/15<br>2.0 lph Dropper  | 0.3                 | 195                    |
| 101038955      |                                    | 0.4                 | 240                    |
| 101038956      |                                    | 0.5                 | 280                    |
| AU2021336      |                                    | 0.6                 | 320                    |

# D5000 PC DRIP LINE



## D5000 PC | 22/25

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 22.2mm    | 22mm             | 25mil (0.64mm) | 50 - 250kPa              | 500m        | 16 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021341      | D5000 PC 22/25<br>0.65 lph Dropper | 0.3                 | 600                    |
| AU2021342      |                                    | 0.4                 | 735                    |
| AU2021343      |                                    | 0.5                 | 855                    |
| AU2021344      |                                    | 0.6                 | 970                    |
| 101028218      | D5000 PC 22/25<br>1.0 lph Dropper  | 0.3                 | 425                    |
| 101038879      |                                    | 0.4                 | 525                    |
| 101038880      |                                    | 0.5                 | 615                    |
| AU2021345      |                                    | 0.6                 | 700                    |
| 101038883      | D5000 PC 22/25<br>1.5 lph Dropper  | 0.3                 | 330                    |
| 101038884      |                                    | 0.4                 | 405                    |
| 101038885      |                                    | 0.5                 | 475                    |
| 101065930      |                                    | 0.6                 | 540                    |
| 101038888      | D5000 PC 22/25<br>2.0 lph Dropper  | 0.3                 | 270                    |
| 101038889      |                                    | 0.4                 | 335                    |
| 101038890      |                                    | 0.5                 | 395                    |
| AU2021346      |                                    | 0.6                 | 445                    |

# D5000 PC DRIP LINE

## D5000 PC | 23/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 20.8mm    | 23mm             | 40mil (1.0mm)  | 50 - 300kPa              | 350m        | 16 - 20            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| 101059213      | D5000 PC 23/40<br>0.65 lph Dropper | 0.3                 | 530                    |
| AU2021348      |                                    | 0.4                 | 650                    |
| AU2021349      |                                    | 0.5                 | 760                    |
| 101073835      |                                    | 0.6                 | 860                    |
| AU2021352      |                                    | 0.75                | 1000                   |
| AU2021356      |                                    | 1.0                 | 1215                   |
| 101038893      | D5000 PC 23/40<br>1.0 lph Dropper  | 0.3                 | 385                    |
| 101038894      |                                    | 0.4                 | 485                    |
| 101038895      |                                    | 0.5                 | 570                    |
| 101040219      |                                    | 0.6                 | 645                    |
| 101045108      |                                    | 0.75                | 550                    |
| AU2021357      |                                    | 1.0                 | 925                    |
| 101038898      | D5000 PC 23/40<br>1.5 lph Dropper  | 0.3                 | 295                    |
| 101038899      |                                    | 0.4                 | 370                    |
| 101038900      |                                    | 0.5                 | 435                    |
| 101040220      |                                    | 0.6                 | 500                    |
| 101075362      |                                    | 0.75                | 585                    |
| AU2021358      |                                    | 1.0                 | 910                    |
| 101038903      | D5000 PC 23/40<br>2.0 lph Dropper  | 0.3                 | 245                    |
| 101038904      |                                    | 0.4                 | 305                    |
| 101038905      |                                    | 0.5                 | 360                    |
| 101040221      |                                    | 0.6                 | 415                    |
| 101045115      |                                    | 0.75                | 485                    |
| 101041734      |                                    | 1.0                 | 585                    |
| AU2021347      | D5000 PC 23/40<br>3.5 lph Dropper  | 0.3                 | 175                    |
| 101047872      |                                    | 0.4                 | 215                    |
| 101075566      |                                    | 0.5                 | 255                    |
| 101059450      |                                    | 0.6                 | 290                    |
| AU2021355      |                                    | 0.75                | 340                    |
| AU2021360      |                                    | 1.0                 | 415                    |

## D5000 PC | 23/45

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 20.8mm    | 23mm             | 45mil (1.15mm) | 50 - 300kPa              | 350m        | 16 - 20            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021361      | D5000 PC 23/45<br>0.65 lph Dropper | 0.3                 | 530                    |
| AU2021366      |                                    | 0.4                 | 650                    |
| AU2021369      |                                    | 0.5                 | 760                    |
| AU2021373      |                                    | 0.6                 | 860                    |
| AU2021378      |                                    | 0.75                | 1000                   |
| AU2021383      |                                    | 1.0                 | 1215                   |
| AU2021362      | D5000 PC 23/45<br>1.0 lph Dropper  | 0.3                 | 385                    |
| AU2021367      |                                    | 0.4                 | 485                    |
| AU2021370      |                                    | 0.5                 | 570                    |
| AU2021374      |                                    | 0.6                 | 645                    |
| AU2021379      |                                    | 0.75                | 755                    |
| AU2021384      |                                    | 1.0                 | 925                    |
| 101071401      | D5000 PC 23/45<br>1.5 lph Dropper  | 0.3                 | 295                    |
| 101065759      |                                    | 0.4                 | 370                    |
| 101048446      |                                    | 0.5                 | 435                    |
| AU2021375      |                                    | 0.6                 | 500                    |
| AU2021380      |                                    | 0.75                | 585                    |
| AU2021385      |                                    | 1.0                 | 910                    |
| AU2021364      | D5000 PC 23/45<br>2.0 lph Dropper  | 0.3                 | 245                    |
| 101065760      |                                    | 0.4                 | 305                    |
| AU2021371      |                                    | 0.5                 | 360                    |
| AU2021376      |                                    | 0.6                 | 415                    |
| AU2021381      |                                    | 0.75                | 485                    |
| AU2021386      |                                    | 1.0                 | 585                    |
| AU2021365      | D5000 PC 23/45<br>3.5 lph Dropper  | 0.3                 | 175                    |
| AU2021368      |                                    | 0.4                 | 215                    |
| AU2021372      |                                    | 0.5                 | 255                    |
| AU2021377      |                                    | 0.6                 | 290                    |
| AU2021382      |                                    | 0.75                | 340                    |
| AU2021387      |                                    | 1.0                 | 415                    |

# D5000 PC DRIP LINE



## D5000 PC | 23/47

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 20.8mm    | 23mm             | 47mil (1.2mm)  | 50 - 300kPa              | 350m        | 16 - 20            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU7021173      | D5000 PC 23/47<br>0.65 lph Dropper | 0.3                 | 530                    |
| AU7021178      |                                    | 0.4                 | 650                    |
| AU7021183      |                                    | 0.5                 | 760                    |
| AU7021188      |                                    | 0.6                 | 860                    |
| AU7021193      |                                    | 0.75                | 1000                   |
| AU7021198      |                                    | 1.0                 | 1215                   |
| AU7021174      | D5000 PC 23/47<br>1.0 lph Dropper  | 0.3                 | 385                    |
| AU7021179      |                                    | 0.4                 | 485                    |
| AU7021184      |                                    | 0.5                 | 570                    |
| 101074526      |                                    | 0.6                 | 645                    |
| AU7021194      |                                    | 0.75                | 755                    |
| AU7021199      |                                    | 1.0                 | 925                    |
| AU7021175      | D5000 PC 23/47<br>1.5 lph Dropper  | 0.3                 | 295                    |
| AU7021180      |                                    | 0.4                 | 370                    |
| AU7021185      |                                    | 0.5                 | 435                    |
| AU7021190      |                                    | 0.6                 | 500                    |
| AU7021195      |                                    | 0.75                | 585                    |
| AU7021200      |                                    | 1.0                 | 910                    |
| AU7021176      | D5000 PC 23/47<br>2.0 lph Dropper  | 0.3                 | 245                    |
| AU7021181      |                                    | 0.4                 | 305                    |
| AU7021186      |                                    | 0.5                 | 360                    |
| AU7021191      |                                    | 0.6                 | 415                    |
| AU7021196      |                                    | 0.75                | 485                    |
| AU7021201      |                                    | 1.0                 | 585                    |
| AU7021177      | D5000 PC 23/47<br>3.5 lph Dropper  | 0.3                 | 175                    |
| AU7021182      |                                    | 0.4                 | 215                    |
| AU7021187      |                                    | 0.5                 | 255                    |
| AU7021192      |                                    | 0.6                 | 290                    |
| AU7021197      |                                    | 0.75                | 340                    |
| AU7021202      |                                    | 1.0                 | 415                    |

# D5000 PC DRIP LINE



## D5000 PC | 27/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls per pallet | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|------------------|---------|
| 25mm      | 27mm             | 40mil (1.0mm)  | 50 - 270 kPa             | 350m        | 16 - 20          | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021388      | D5000 PC 27/40<br>0.65 lph Dropper | 0.3                 | 765                    |
| AU2021390      |                                    | 0.4                 | 935                    |
| AU2021395      |                                    | 0.5                 | 1085                   |
| AU2021400      |                                    | 0.6                 | 1225                   |
| AU2021405      |                                    | 0.75                | 1420                   |
| AU2021410      |                                    | 1.0                 | 1710                   |
| 101040176      | D5000 PC 27/40<br>1.0 lph Dropper  | 0.3                 | 545                    |
| 101040177      |                                    | 0.4                 | 670                    |
| 101040178      |                                    | 0.5                 | 790                    |
| 101040222      |                                    | 0.6                 | 895                    |
| AU2021406      |                                    | 0.75                | 1045                   |
| AU2021411      |                                    | 1.0                 | 1270                   |
| 101040181      | D5000 PC 27/40<br>1.5 lph Dropper  | 0.3                 | 420                    |
| 101040182      |                                    | 0.4                 | 520                    |
| 101040183      |                                    | 0.5                 | 610                    |
| 101040223      |                                    | 0.6                 | 690                    |
| AU2021407      |                                    | 0.75                | 805                    |
| AU2021412      |                                    | 1.0                 | 980                    |
| 101040195      | D5000 PC 27/40<br>2.0 lph Dropper  | 0.3                 | 350                    |
| 101040196      |                                    | 0.4                 | 430                    |
| 101040197      |                                    | 0.5                 | 505                    |
| 101040224      |                                    | 0.6                 | 575                    |
| 101045116      |                                    | 0.75                | 670                    |
| AU2021413      |                                    | 1.0                 | 815                    |
| AU2021389      | D5000 PC 27/40<br>3.5 lph Dropper  | 0.3                 | 245                    |
| AU2021394      |                                    | 0.4                 | 305                    |
| 101072528      |                                    | 0.5                 | 355                    |
| 101069654      |                                    | 0.6                 | 405                    |
| AU2021409      |                                    | 0.75                | 475                    |
| AU2021414      |                                    | 1.0                 | 575                    |

# D5000 AS

HEAVY WALL DRIP LINE



## Product advantages:

- Use D5000 AS in conditions where risk of soil ingestion at shut-off is high
- When there is negative pressure in the hose (i.e. a vacuum caused at system shut-off), the D5000 AS membrane lowers against the inlet filters, which in turn slows the reverse of water



## D5000 AS | 16/15

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 16.1mm    | 16.9mm           | 15mil (0.38mm) | 50 - 220kPa              | 800m        | 16 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021425      | D5000 AS 16/15<br>0.65 lph Dropper | 0.3                 | 260                    |
| AU2021429      |                                    | 0.4                 | 325                    |
| AU2021432      |                                    | 0.5                 | 380                    |
| AU2021437      |                                    | 0.6                 | 435                    |
| AU2021426      | D5000 AS 16/15<br>1.0 lph Dropper  | 0.3                 | 150                    |
| 101067342      |                                    | 0.4                 | 190                    |
| AU2021433      |                                    | 0.5                 | 230                    |
| AU2021438      |                                    | 0.6                 | 265                    |
| 101065060      | D5000 AS 16/15<br>1.5 lph Dropper  | 0.3                 | 115                    |
| 101063661      |                                    | 0.4                 | 145                    |
| AU2021434      |                                    | 0.5                 | 175                    |
| 101065408      |                                    | 0.6                 | 205                    |
| AU2021427      | D5000 AS 16/15<br>2.0 lph Dropper  | 0.3                 | 100                    |
| AU2021430      |                                    | 0.4                 | 125                    |
| AU2021435      |                                    | 0.5                 | 145                    |
| 101060318      |                                    | 0.6                 | 165                    |



# D5000 AS DRIP LINE



## D5000 AS | 16/35

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls per pallet | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|------------------|---------|
| 13.8mm    | 16mm             | 35mil (0.9mm)  | 50 - 300 kPa             | 500m        | 20 - 24          | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| 101075641      | D5000 AS 16/35<br>0.65 lph Dropper | 0.3                 | 225                    |
| AU2021443      |                                    | 0.4                 | 290                    |
| 101069462      |                                    | 0.5                 | 345                    |
| AU2021447      |                                    | 0.6                 | 400                    |
| AU2021449      |                                    | 0.75                | 475                    |
| AU2021453      |                                    | 1.0                 | 590                    |
| 101050715      | D5000 AS 16/35<br>1.0 lph Dropper  | 0.3                 | 165                    |
| 101066176      |                                    | 0.4                 | 210                    |
| 101049594      |                                    | 0.5                 | 250                    |
| 101062092      |                                    | 0.6                 | 290                    |
| AU2021450      |                                    | 0.75                | 345                    |
| AU2021454      |                                    | 1.0                 | 425                    |
| 101049638      | D5000 AS16/35<br>1.5 lph Dropper   | 0.3                 | 125                    |
| 101055232      |                                    | 0.4                 | 160                    |
| 101062046      |                                    | 0.5                 | 190                    |
| 101049146      |                                    | 0.6                 | 220                    |
| AU2021451      |                                    | 0.75                | 265                    |
| 101049795      |                                    | 1.0                 | 325                    |
| AU2021441      | D5000 AS 16/35<br>2.0 lph Dropper  | 0.3                 | 105                    |
| 101049111      |                                    | 0.4                 | 130                    |
| 101049112      |                                    | 0.5                 | 160                    |
| 101049187      |                                    | 0.6                 | 185                    |
| 101061198      |                                    | 0.75                | 220                    |
| AU2021455      |                                    | 1.0                 | 270                    |
| AU2021442      | D5000 AS 16/35<br>3.5 lph Dropper  | 0.3                 | 70                     |
| AU2021444      |                                    | 0.4                 | 90                     |
| 101070190      |                                    | 0.5                 | 110                    |
| AU2021448      |                                    | 0.6                 | 130                    |
| AU2021452      |                                    | 0.75                | 155                    |
| AU2021456      |                                    | 1.0                 | 190                    |

# D5000 AS DRIP LINE

## D5000 AS | 16/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 40mil (1.0mm)  | 50 - 350kPa              | 400m        | 20 - 24            | 10,000m |

| Product Number | Description                       | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|-----------------------------------|---------------------|------------------------|
| AU2021457      | D5000 AS16/40<br>0.65 lph Dropper | 0.3                 | 225                    |
| AU2021459      |                                   | 0.4                 | 290                    |
| AU2021461      |                                   | 0.5                 | 345                    |
| AU2021463      |                                   | 0.6                 | 400                    |
| AU2021465      |                                   | 0.75                | 475                    |
| AU2021467      |                                   | 1.0                 | 590                    |
| 101049211      | D5000 AS16/40<br>1.0 lph Dropper  | 0.3                 | 165                    |
| 101046238      |                                   | 0.4                 | 210                    |
| 101047560      |                                   | 0.5                 | 250                    |
| 101055389      |                                   | 0.6                 | 290                    |
| 101049955      |                                   | 0.75                | 345                    |
| 101067074      |                                   | 1.0                 | 425                    |
| 101049824      | D5000 AS 16/40<br>1.5 lph Dropper | 0.3                 | 125                    |
| 101054945      |                                   | 0.4                 | 160                    |
| 101047955      |                                   | 0.5                 | 190                    |
| 101061863      |                                   | 0.6                 | 220                    |
| 101049819      |                                   | 0.75                | 265                    |
| 101050633      |                                   | 1.0                 | 325                    |
| 101049825      | D5000 AS16/40<br>2.0 lph Dropper  | 0.3                 | 105                    |
| 101049113      |                                   | 0.4                 | 130                    |
| 101049114      |                                   | 0.5                 | 160                    |
| 101049115      |                                   | 0.6                 | 185                    |
| 101049116      |                                   | 0.75                | 220                    |
| 101048296      |                                   | 1.0                 | 270                    |
| AU2021458      | D5000 AS 16/40<br>3.5 lph Dropper | 0.3                 | 70                     |
| AU2021460      |                                   | 0.4                 | 90                     |
| AU2021462      |                                   | 0.5                 | 110                    |
| AU2021464      |                                   | 0.6                 | 130                    |
| AU2021466      |                                   | 0.75                | 155                    |
| AU2021468      |                                   | 1.0                 | 190                    |

# D5000 AS DRIP LINE



## D5000 AS | 16/45

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 45mil (1.15mm) | 50 - 350kPa              | 400m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021469      | D5000 AS 16/45<br>0.65 lph Dropper | 0.3                 | 225                    |
| AU2021474      |                                    | 0.4                 | 290                    |
| AU2021479      |                                    | 0.5                 | 345                    |
| AU2021482      |                                    | 0.6                 | 400                    |
| AU2021487      |                                    | 0.75                | 475                    |
| AU2021491      |                                    | 1.0                 | 590                    |
| AU2021470      | D5000 AS 16/45<br>1.0 lph Dropper  | 0.3                 | 165                    |
| AU2021475      |                                    | 0.4                 | 210                    |
| AU2021480      |                                    | 0.5                 | 250                    |
| AU2021483      |                                    | 0.6                 | 290                    |
| AU2021488      |                                    | 0.75                | 345                    |
| AU2021492      |                                    | 1.0                 | 425                    |
| AU2021471      | D5000 AS16/45<br>1.5 lph Dropper   | 0.3                 | 125                    |
| AU2021476      |                                    | 0.4                 | 160                    |
| 101066230      |                                    | 0.5                 | 190                    |
| AU2021484      |                                    | 0.6                 | 220                    |
| 101063906      |                                    | 0.75                | 265                    |
| AU2021493      |                                    | 1.0                 | 325                    |
| AU2021472      | D5000 AS 16/45<br>2.0 lph Dropper  | 0.3                 | 105                    |
| AU2021477      |                                    | 0.4                 | 130                    |
| 101065572      |                                    | 0.5                 | 160                    |
| AU2021485      |                                    | 0.6                 | 185                    |
| AU2021489      |                                    | 0.75                | 220                    |
| 101064996      |                                    | 1.0                 | 270                    |
| AU2021473      | D5000 AS16/45<br>3.5 lph Dropper   | 0.3                 | 70                     |
| AU2021478      |                                    | 0.4                 | 90                     |
| AU2021481      |                                    | 0.5                 | 110                    |
| AU2021486      |                                    | 0.6                 | 130                    |
| AU2021490      |                                    | 0.75                | 155                    |
| AU2021494      |                                    | 1.0                 | 190                    |

# D5000 AS DRIP LINE

## D5000 AS | 17/35

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 15.3mm    | 17mm             | 35mil (0.9mm)  | 50 - 300kPa              | 450m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021495      | D5000 AS 17/35<br>0.65 lph Dropper | 0.3                 | 280                    |
| AU2021499      |                                    | 0.4                 | 350                    |
| AU2021503      |                                    | 0.5                 | 420                    |
| AU2021507      |                                    | 0.6                 | 485                    |
| AU2021510      |                                    | 0.75                | 570                    |
| AU2021514      |                                    | 1.0                 | 695                    |
| 101055346      | D5000 AS17/35<br>1.0 lph Dropper   | 0.3                 | 210                    |
| 101060878      |                                    | 0.4                 | 260                    |
| AU2021504      |                                    | 0.5                 | 310                    |
| 101069536      |                                    | 0.6                 | 360                    |
| 101066032      |                                    | 0.75                | 425                    |
| AU2021515      |                                    | 1.0                 | 520                    |
| AU2021496      | D5000 AS17/35<br>1.5 lph Dropper   | 0.3                 | 160                    |
| AU2021500      |                                    | 0.4                 | 200                    |
| AU2021505      |                                    | 0.5                 | 240                    |
| 101065558      |                                    | 0.6                 | 275                    |
| AU2021511      |                                    | 0.75                | 325                    |
| AU2021516      |                                    | 1.0                 | 400                    |
| AU2021497      | D5000 AS 17/35<br>2.0 lph Dropper  | 0.3                 | 130                    |
| AU2021501      |                                    | 0.4                 | 165                    |
| 101059334      |                                    | 0.5                 | 200                    |
| 101062107      |                                    | 0.6                 | 230                    |
| AU2021512      |                                    | 0.75                | 270                    |
| AU2021517      |                                    | 1.0                 | 335                    |
| AU2021498      | D5000 AS17/35<br>3.5 lph Dropper   | 0.3                 | 90                     |
| AU2021502      |                                    | 0.4                 | 115                    |
| AU2021506      |                                    | 0.5                 | 140                    |
| AU2021509      |                                    | 0.6                 | 160                    |
| AU2021513      |                                    | 0.75                | 190                    |
| AU2021518      |                                    | 1.0                 | 235                    |

# D5000 AS DRIP LINE

## D5000 AS | 17/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 15.3mm    | 17mm             | 40mil (1.0mm)  | 50 - 350kPa              | 450m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021519      | D5000 AS 17/40<br>0.65 lph Dropper | 0.3                 | 280                    |
| AU2021523      |                                    | 0.4                 | 350                    |
| AU2021527      |                                    | 0.5                 | 420                    |
| AU2021532      |                                    | 0.6                 | 485                    |
| AU2021537      |                                    | 0.75                | 570                    |
| AU2021542      |                                    | 1.0                 | 695                    |
| 101051689      | D5000 AS 17/40<br>1.0 lph Dropper  | 0.3                 | 210                    |
| 101062093      |                                    | 0.4                 | 260                    |
| AU2021528      |                                    | 0.5                 | 310                    |
| AU2021533      |                                    | 0.6                 | 360                    |
| AU2021538      |                                    | 0.75                | 425                    |
| AU2021543      |                                    | 1.0                 | 520                    |
| AU2021520      | D5000 AS 17/40<br>1.5 lph Dropper  | 0.3                 | 160                    |
| AU2021524      |                                    | 0.4                 | 200                    |
| AU2021529      |                                    | 0.5                 | 240                    |
| AU2021534      |                                    | 0.6                 | 275                    |
| AU2021539      |                                    | 0.75                | 325                    |
| AU2021544      |                                    | 1.0                 | 400                    |
| AU2021521      | D5000 AS 17/40<br>2.0 lph Dropper  | 0.3                 | 130                    |
| AU2021525      |                                    | 0.4                 | 165                    |
| AU2021530      |                                    | 0.5                 | 200                    |
| AU2021535      |                                    | 0.6                 | 230                    |
| 101075759      |                                    | 0.75                | 270                    |
| AU2021545      |                                    | 1.0                 | 335                    |
| AU2021522      | D5000 AS 17/40<br>3.5 lph Dropper  | 0.3                 | 90                     |
| AU2021526      |                                    | 0.4                 | 115                    |
| AU2021531      |                                    | 0.5                 | 140                    |
| AU2021536      |                                    | 0.6                 | 160                    |
| AU2021541      |                                    | 0.75                | 190                    |
| AU2021546      |                                    | 1.0                 | 235                    |

# D5000 AS DRIP LINE



## D5000 AS | 17/45

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 15.3mm    | 17mm             | 45mil (1.15mm) | 50 - 350kPa              | 400m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021547      | D5000 AS 17/45<br>0.65 lph Dropper | 0.3                 | 280                    |
| AU2021552      |                                    | 0.4                 | 350                    |
| AU2021557      |                                    | 0.5                 | 420                    |
| AU2021561      |                                    | 0.6                 | 485                    |
| AU2021566      |                                    | 0.75                | 570                    |
| AU2021569      |                                    | 1.0                 | 695                    |
| AU2021548      | D5000 AS 17/45<br>1.0 lph Dropper  | 0.3                 | 210                    |
| AU2021553      |                                    | 0.4                 | 260                    |
| AU2021558      |                                    | 0.5                 | 310                    |
| AU2021562      |                                    | 0.6                 | 360                    |
| AU2021567      |                                    | 0.75                | 425                    |
| AU2021570      |                                    | 1.0                 | 520                    |
| AU2021549      | D5000 AS 17/45<br>1.5 lph Dropper  | 0.3                 | 160                    |
| AU2021554      |                                    | 0.4                 | 200                    |
| 101050711      |                                    | 0.5                 | 240                    |
| AU2021563      |                                    | 0.6                 | 275                    |
| 101049745      |                                    | 0.75                | 325                    |
| AU2021571      |                                    | 1.0                 | 400                    |
| AU2021550      | D5000 AS 17/45<br>2.0 lph Dropper  | 0.3                 | 130                    |
| AU2021555      |                                    | 0.4                 | 165                    |
| AU2021559      |                                    | 0.5                 | 200                    |
| AU2021564      |                                    | 0.6                 | 230                    |
| 101050617      |                                    | 0.75                | 270                    |
| 101060324      |                                    | 1.0                 | 335                    |
| AU2021551      | D5000 AS 17/45<br>3.5 lph Dropper  | 0.3                 | 90                     |
| AU2021556      |                                    | 0.4                 | 115                    |
| AU2021560      |                                    | 0.5                 | 140                    |
| AU2021565      |                                    | 0.6                 | 160                    |
| AU2021568      |                                    | 0.75                | 190                    |
| AU2021572      |                                    | 1.0                 | 235                    |

# D5000 AS DRIP LINE



## D5000 AS | 20/35

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 35mil (0.9mm)  | 50 - 300kPa              | 350m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021573      | D5000 AS 20/35<br>0.65 lph Dropper | 0.3                 | 380                    |
| AU2021578      |                                    | 0.4                 | 470                    |
| AU2021583      |                                    | 0.5                 | 555                    |
| AU2021588      |                                    | 0.6                 | 630                    |
| AU2021593      |                                    | 0.75                | 735                    |
| AU2021598      |                                    | 1.0                 | 895                    |
| AU2021574      | D5000 AS 20/35<br>1.0 lph Dropper  | 0.3                 | 275                    |
| AU2021579      |                                    | 0.4                 | 345                    |
| AU2021584      |                                    | 0.5                 | 410                    |
| AU2021589      |                                    | 0.6                 | 470                    |
| AU2021594      |                                    | 0.75                | 550                    |
| AU2021599      |                                    | 1.0                 | 675                    |
| AU2021575      | D5000 AS 20/35<br>1.5 lph Dropper  | 0.3                 | 215                    |
| AU2021580      |                                    | 0.4                 | 265                    |
| 101077428      |                                    | 0.5                 | 315                    |
| AU2021590      |                                    | 0.6                 | 360                    |
| AU2021595      |                                    | 0.75                | 425                    |
| AU2021600      |                                    | 1.0                 | 520                    |
| AU2021576      | D5000 AS 20/35<br>2.0 lph Dropper  | 0.3                 | 175                    |
| AU2021581      |                                    | 0.4                 | 220                    |
| AU2021586      |                                    | 0.5                 | 260                    |
| AU2021591      |                                    | 0.6                 | 300                    |
| AU2021596      |                                    | 0.75                | 355                    |
| AU2021601      |                                    | 1.0                 | 435                    |
| AU2021577      | D5000 AS 20/35<br>3.5 lph Dropper  | 0.3                 | 120                    |
| AU2021582      |                                    | 0.4                 | 155                    |
| AU2021587      |                                    | 0.5                 | 180                    |
| AU2021592      |                                    | 0.6                 | 210                    |
| AU2021597      |                                    | 0.75                | 245                    |
| AU2021602      |                                    | 1.0                 | 305                    |

# D5000 AS DRIP LINE

## D5000 AS | 20/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 40mil (1.0mm)  | 50 - 350kPa              | 350m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| 101063484      | D5000 AS 20/40<br>0.65 lph Dropper | 0.3                 | 380                    |
| 101050238      |                                    | 0.4                 | 470                    |
| AU2021609      |                                    | 0.5                 | 555                    |
| AU2021611      |                                    | 0.6                 | 630                    |
| AU2021614      |                                    | 0.75                | 735                    |
| AU2021617      |                                    | 1.0                 | 895                    |
| 101065714      | D5000 AS 20/40<br>1.0 lph Dropper  | 0.3                 | 275                    |
| AU2021606      |                                    | 0.4                 | 345                    |
| 101048257      |                                    | 0.5                 | 410                    |
| 101061921      |                                    | 0.6                 | 470                    |
| AU2021615      |                                    | 0.75                | 550                    |
| AU2021618      |                                    | 1.0                 | 675                    |
| 101063718      | D5000 AS 20/40<br>1.5 lph Dropper  | 0.3                 | 215                    |
| 101070743      |                                    | 0.4                 | 265                    |
| 101047559      |                                    | 0.5                 | 315                    |
| 101062081      |                                    | 0.6                 | 360                    |
| 101058984      |                                    | 0.75                | 425                    |
| 101072941      |                                    | 1.0                 | 520                    |
| 101051084      | D5000 AS 20/40<br>2.0 lph Dropper  | 0.3                 | 175                    |
| 101052978      |                                    | 0.4                 | 220                    |
| 101049799      |                                    | 0.5                 | 260                    |
| 101073193      |                                    | 0.6                 | 300                    |
| 101048491      |                                    | 0.75                | 355                    |
| AU2021620      |                                    | 1.0                 | 435                    |
| 101059459      | D5000 AS 20/40<br>3.5 lph Dropper  | 0.3                 | 120                    |
| 101059461      |                                    | 0.4                 | 155                    |
| 101059462      |                                    | 0.5                 | 180                    |
| 101073709      |                                    | 0.6                 | 210                    |
| 101067279      |                                    | 0.75                | 245                    |
| 101075302      |                                    | 1.0                 | 305                    |



# D5000 AS DRIP LINE



## D5000 AS | 20/45

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 45mil (1.15mm) | 50 - 350kPa              | 350m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| 101065444      | D5000 AS 20/45<br>0.65 lph Dropper | 0.3                 | 380                    |
| AU2021605      |                                    | 0.4                 | 470                    |
| AU2021623      |                                    | 0.5                 | 555                    |
| AU2021625      |                                    | 0.6                 | 630                    |
| AU2021629      |                                    | 0.75                | 735                    |
| AU2021631      |                                    | 1.0                 | 895                    |
| AU2021622      | D5000 AS 20/45<br>1.0 lph Dropper  | 0.3                 | 275                    |
| 101067747      |                                    | 0.4                 | 345                    |
| 101075052      |                                    | 0.5                 | 410                    |
| AU2021626      |                                    | 0.6                 | 470                    |
| AU2021630      |                                    | 0.75                | 550                    |
| AU2021632      |                                    | 1.0                 | 675                    |
| 101047878      | D5000 AS 20/45<br>1.5 lph Dropper  | 0.3                 | 215                    |
| 101059195      |                                    | 0.4                 | 265                    |
| 101049653      |                                    | 0.5                 | 315                    |
| 101096612      |                                    | 0.6                 | 360                    |
| 101052498      |                                    | 0.75                | 425                    |
| 101053422      |                                    | 1.0                 | 520                    |
| 101051964      | D5000 AS 20/45<br>2.0 lph Dropper  | 0.3                 | 175                    |
| 101049117      |                                    | 0.4                 | 220                    |
| 101049118      |                                    | 0.5                 | 260                    |
| 101049119      |                                    | 0.6                 | 300                    |
| 101049120      |                                    | 0.75                | 355                    |
| 101049121      |                                    | 1.0                 | 435                    |
| AU2021604      | D5000 AS 20/45<br>3.5 lph Dropper  | 0.3                 | 120                    |
| AU2021608      |                                    | 0.4                 | 155                    |
| AU2021610      |                                    | 0.5                 | 180                    |
| AU2021628      |                                    | 0.6                 | 210                    |
| AU2021616      |                                    | 0.75                | 245                    |
| AU2021633      |                                    | 1.0                 | 305                    |

# D5000 AS DRIP LINE

## D5000 AS | 20/47

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 47mil (1.2mm)  | 50 - 350kPa              | 350m        | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| 101059203      | D5000 AS 20/47<br>0.65 lph Dropper | 0.3                 | 380                    |
| AU7021245      |                                    | 0.4                 | 470                    |
| AU7021246      |                                    | 0.5                 | 555                    |
| 101051410      |                                    | 0.6                 | 630                    |
| AU7021251      |                                    | 0.75                | 735                    |
| AU7021255      |                                    | 1.0                 | 895                    |
| 101049202      | D5000 AS 20/47<br>1.0 lph Dropper  | 0.3                 | 275                    |
| 101070189      |                                    | 0.4                 | 345                    |
| 101073714      |                                    | 0.5                 | 410                    |
| AU7021248      |                                    | 0.6                 | 470                    |
| AU7021252      |                                    | 0.75                | 550                    |
| AU7021256      |                                    | 1.0                 | 675                    |
| AU7021242      | D5000 AS 20/47<br>1.5 lph Dropper  | 0.3                 | 215                    |
| 101060993      |                                    | 0.4                 | 265                    |
| 101050713      |                                    | 0.5                 | 315                    |
| 101052156      |                                    | 0.6                 | 360                    |
| AU7021253      |                                    | 0.75                | 425                    |
| AU7021257      |                                    | 1.0                 | 520                    |
| AU7021243      | D5000 AS 20/47<br>2.0 lph Dropper  | 0.3                 | 175                    |
| 101050523      |                                    | 0.4                 | 220                    |
| 101050524      |                                    | 0.5                 | 260                    |
| AU7021249      |                                    | 0.6                 | 300                    |
| 101055605      |                                    | 0.75                | 355                    |
| AU7021258      |                                    | 1.0                 | 435                    |
| AU7021244      | D5000 AS 20/47<br>3.5 lph Dropper  | 0.3                 | 120                    |
| 101055553      |                                    | 0.4                 | 155                    |
| AU7021247      |                                    | 0.5                 | 180                    |
| AU7021250      |                                    | 0.6                 | 210                    |
| AU7021254      |                                    | 0.75                | 245                    |
| AU7021259      |                                    | 1.0                 | 305                    |

# D5000 AS DRIP LINE

## D5000 AS | 22/15

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 22.2mm    | 22.96mm          | 15mil (0.38mm) | 50 - 180kPa              | 800m        | 16 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021644      | D5000 AS 22/15<br>0.65 lph Dropper | 0.3                 | 455                    |
| AU2021649      |                                    | 0.4                 | 560                    |
| AU2021654      |                                    | 0.5                 | 650                    |
| AU2021659      |                                    | 0.6                 | 735                    |
| AU2021645      | 5000 AS 22/15<br>1.0 lph Dropper   | 0.3                 | 305                    |
| AU2021650      |                                    | 0.4                 | 375                    |
| AU2021655      |                                    | 0.5                 | 435                    |
| AU2021660      |                                    | 0.6                 | 495                    |
| AU2021646      | 5000 AS 22/15<br>1.5 lph Dropper   | 0.3                 | 230                    |
| AU2021651      |                                    | 0.4                 | 285                    |
| AU2021656      |                                    | 0.5                 | 335                    |
| AU2021661      |                                    | 0.6                 | 385                    |
| AU2021647      | 5000 AS 22/15<br>2.0 lph Dropper   | 0.3                 | 195                    |
| AU2021652      |                                    | 0.4                 | 240                    |
| AU2021657      |                                    | 0.5                 | 280                    |
| AU2021662      |                                    | 0.6                 | 320                    |

Maximum run length = 50kPa Pressure Loss

# D5000 AS DRIP LINE

## D5000 AS | 22/25

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 22.2mm    | 23.47mm          | 25mil (0.64mm) | 50 - 250kPa              | 500m        | 16 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| 101068770      | D5000 AS 22/25<br>0.65 lph Dropper | 0.3                 | 600                    |
| AU2021679      |                                    | 0.4                 | 735                    |
| AU2021683      |                                    | 0.5                 | 855                    |
| AU2021687      |                                    | 0.6                 | 970                    |
| AU2021675      | D5000 AS 22/25<br>1.0 lph Dropper  | 0.3                 | 425                    |
| 101055398      |                                    | 0.4                 | 525                    |
| 101067332      |                                    | 0.5                 | 615                    |
| 101092285      |                                    | 0.6                 | 700                    |
| AU2021676      | D5000 AS 22/25<br>1.5 lph Dropper  | 0.3                 | 330                    |
| AU2021680      |                                    | 0.4                 | 405                    |
| 101063719      |                                    | 0.5                 | 475                    |
| AU2021689      |                                    | 0.6                 | 540                    |
| AU2021677      | D5000 AS 22/25<br>2.0 lph Dropper  | 0.3                 | 270                    |
| AU2021681      |                                    | 0.4                 | 335                    |
| AU2021685      |                                    | 0.5                 | 395                    |
| AU2021690      |                                    | 0.6                 | 445                    |

Maximum run length = 130kPa Pressure Loss

# D5000 AS DRIP LINE



## D5000 AS | 23/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 20.8mm    | 23mm             | 40mil (1.0mm)  | 50 - 300kPa              | 350m        | 16 - 20            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021692      | D5000 AS 23/40<br>0.65 lph Dropper | 0.3                 | 530                    |
| AU2021695      |                                    | 0.4                 | 650                    |
| AU2021697      |                                    | 0.5                 | 760                    |
| AU2021699      |                                    | 0.6                 | 860                    |
| AU2021701      |                                    | 0.75                | 1000                   |
| AU2021706      |                                    | 1.0                 | 1215                   |
| 101070240      | D5000 AS 23/40<br>1.0 lph Dropper  | 0.3                 | 385                    |
| 101060830      |                                    | 0.4                 | 485                    |
| 101050346      |                                    | 0.5                 | 570                    |
| 101067881      |                                    | 0.6                 | 645                    |
| AU2021702      |                                    | 0.75                | 755                    |
| AU2021707      |                                    | 1.0                 | 925                    |
| 101050210      | D5000 AS 23/40<br>1.5 lph Dropper  | 0.3                 | 295                    |
| 101052158      |                                    | 0.4                 | 370                    |
| 101049827      |                                    | 0.5                 | 435                    |
| 101052159      |                                    | 0.6                 | 500                    |
| AU2021703      |                                    | 0.75                | 585                    |
| AU2021708      |                                    | 1.0                 | 910                    |
| 101049828      | D5000 AS 23/40<br>2.0 lph Dropper  | 0.3                 | 245                    |
| 101049829      |                                    | 0.4                 | 305                    |
| 101049831      |                                    | 0.5                 | 360                    |
| 101052056      |                                    | 0.6                 | 415                    |
| AU2021704      |                                    | 0.75                | 485                    |
| AU2021709      |                                    | 1.0                 | 585                    |
| AU2021694      | D5000 AS 23/40<br>3.5 lph Dropper  | 0.3                 | 175                    |
| AU2021696      |                                    | 0.4                 | 215                    |
| AU2021698      |                                    | 0.5                 | 255                    |
| AU2021700      |                                    | 0.6                 | 290                    |
| AU2021705      |                                    | 0.75                | 340                    |
| AU2021710      |                                    | 1.0                 | 415                    |

# D5000 AS DRIP LINE

## D5000 AS | 23/45

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 20.8mm    | 23mm             | 45mil (1.15mm) | 50 - 300kPa              | 350m        | 16 - 20            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021711      | D5000 AS 23/45<br>0.65 lph Dropper | 0.3                 | 530                    |
| AU2021716      |                                    | 0.4                 | 650                    |
| AU2021721      |                                    | 0.5                 | 760                    |
| AU2021726      |                                    | 0.6                 | 860                    |
| AU2021731      |                                    | 0.75                | 1000                   |
| AU2021736      |                                    | 1.0                 | 1215                   |
| AU2021712      | D5000 AS 23/45<br>1.0 lph Dropper  | 0.3                 | 385                    |
| AU2021717      |                                    | 0.4                 | 485                    |
| AU2021722      |                                    | 0.5                 | 570                    |
| AU2021727      |                                    | 0.6                 | 645                    |
| AU2021732      |                                    | 0.75                | 755                    |
| AU2021737      |                                    | 1.0                 | 925                    |
| AU2021713      | D5000 AS 23/45<br>1.5 lph Dropper  | 0.3                 | 295                    |
| AU2021718      |                                    | 0.4                 | 370                    |
| AU2021723      |                                    | 0.5                 | 435                    |
| AU2021728      |                                    | 0.6                 | 500                    |
| AU2021733      |                                    | 0.75                | 585                    |
| AU2021738      |                                    | 1.0                 | 910                    |
| AU2021714      | D5000 AS 23/45<br>2.0 lph Dropper  | 0.3                 | 245                    |
| 101071959      |                                    | 0.4                 | 305                    |
| AU2021724      |                                    | 0.5                 | 360                    |
| 101068460      |                                    | 0.6                 | 415                    |
| AU2021734      |                                    | 0.75                | 485                    |
| AU2021739      |                                    | 1.0                 | 585                    |
| AU2021715      | D5000 AS 23/45<br>3.5 lph Dropper  | 0.3                 | 175                    |
| AU2021720      |                                    | 0.4                 | 215                    |
| AU2021725      |                                    | 0.5                 | 255                    |
| AU2021730      |                                    | 0.6                 | 290                    |
| AU2021735      |                                    | 0.75                | 340                    |
| AU2021740      |                                    | 1.0                 | 415                    |

# D5000 AS DRIP LINE



## D5000 AS | 23/47

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 20.8mm    | 23mm             | 47mil (1.2mm)  | 50 - 300kPa              | 350m        | 16 - 20            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU9202287      | D5000 AS 23/47<br>0.65 lph Dropper | 0.3                 | 530                    |
| AU9202292      |                                    | 0.4                 | 650                    |
| AU9202297      |                                    | 0.5                 | 760                    |
| AU9202102      |                                    | 0.6                 | 860                    |
| AU9202107      |                                    | 0.75                | 1000                   |
| AU9202112      |                                    | 1.0                 | 1215                   |
| AU9202288      | D5000 AS 23/47<br>1.0 lph Dropper  | 0.3                 | 385                    |
| AU9202293      |                                    | 0.4                 | 485                    |
| AU9202298      |                                    | 0.5                 | 570                    |
| AU9202103      |                                    | 0.6                 | 645                    |
| AU9202108      |                                    | 0.75                | 755                    |
| AU9202113      |                                    | 1.0                 | 925                    |
| AU9202289      | D5000 AS 23/47<br>1.5 lph Dropper  | 0.3                 | 295                    |
| AU9202294      |                                    | 0.4                 | 370                    |
| AU9202299      |                                    | 0.5                 | 435                    |
| AU9202104      |                                    | 0.6                 | 500                    |
| AU9202109      |                                    | 0.75                | 585                    |
| AU9202114      |                                    | 1.0                 | 910                    |
| AU9202290      | D5000 AS 23/47<br>2.0 lph Dropper  | 0.3                 | 245                    |
| AU9202295      |                                    | 0.4                 | 305                    |
| AU9202100      |                                    | 0.5                 | 360                    |
| AU9202105      |                                    | 0.6                 | 415                    |
| AU9202110      |                                    | 0.75                | 485                    |
| AU9202115      |                                    | 1.0                 | 585                    |
| AU9202291      | D5000 AS 23/47<br>3.5 lph Dropper  | 0.3                 | 175                    |
| AU9202296      |                                    | 0.4                 | 215                    |
| AU9202101      |                                    | 0.5                 | 255                    |
| AU9202106      |                                    | 0.6                 | 290                    |
| AU9202111      |                                    | 0.75                | 340                    |
| AU9202116      |                                    | 1.0                 | 415                    |

# D5000 AS DRIP LINE

## D5000 AS | 27/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 25mm      | 27mm             | 40mil (1.0mm)  | 50 - 270kPa              | 350m        | 16 - 20            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2021741      | D5000 AS 27/40<br>0.65 lph Dropper | 0.3                 | 765                    |
| AU2021744      |                                    | 0.4                 | 935                    |
| AU2021748      |                                    | 0.5                 | 1085                   |
| AU2021751      |                                    | 0.6                 | 1225                   |
| AU2021756      |                                    | 0.75                | 1420                   |
| AU2021761      |                                    | 1.0                 | 1710                   |
| AU2021742      | D5000 AS 27/40<br>1.0 lph Dropper  | 0.3                 | 545                    |
| AU2021745      |                                    | 0.4                 | 670                    |
| 101051564      |                                    | 0.5                 | 790                    |
| AU2021752      |                                    | 0.6                 | 895                    |
| AU2021757      |                                    | 0.75                | 1045                   |
| AU2021762      |                                    | 1.0                 | 1270                   |
| 101065956      | D5000 AS 27/40<br>1.5 lph Dropper  | 0.3                 | 420                    |
| 101068655      |                                    | 0.4                 | 520                    |
| 101054863      |                                    | 0.5                 | 610                    |
| AU2021753      |                                    | 0.6                 | 690                    |
| AU2021758      |                                    | 0.75                | 805                    |
| AU2021763      |                                    | 1.0                 | 980                    |
| 101049166      | D5000 AS 27/40<br>2.0 lph Dropper  | 0.3                 | 350                    |
| 101049089      |                                    | 0.4                 | 430                    |
| AU2021749      |                                    | 0.5                 | 505                    |
| AU2021754      |                                    | 0.6                 | 575                    |
| AU2021759      |                                    | 0.75                | 670                    |
| AU2021764      |                                    | 1.0                 | 815                    |
| AU2021743      | D5000 AS 27/40<br>3.5 lph Dropper  | 0.3                 | 245                    |
| AU2021747      |                                    | 0.4                 | 305                    |
| AU2021750      |                                    | 0.5                 | 355                    |
| AU2021755      |                                    | 0.6                 | 405                    |
| AU2021760      |                                    | 0.75                | 475                    |
| AU2021765      |                                    | 1.0                 | 575                    |



# D5000 ND DRIP LINE



## Product advantages:

- Use D5000 ND where you have pulse irrigation – short and frequent irrigation cycles where the water needs to stay in the tube during shut-off. When the pressure drops below 0.14 bar, D5000 ND seals, keeping the water in the tube, ready for the next irrigation cycle



## D5000 ND | 16/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 40mil (1.0mm)  | 50 - 350 kPa             | 400         | 20 - 24            | 10,000m |

| Product Number | Description                       | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|-----------------------------------|---------------------|------------------------|
| AUND50003      | D5000 ND16/40<br>0.65 lph Dropper | 0.3                 | 225                    |
| AUND50004      |                                   | 0.4                 | 290                    |
| AUND50005      |                                   | 0.5                 | 345                    |
| AUND50006      |                                   | 0.6                 | 400                    |
| AUND50007      |                                   | 0.75                | 475                    |
| AUND50008      |                                   | 1.0                 | 590                    |
| AUND50010      | D5000 ND 16/40<br>1.0 lph Dropper | 0.3                 | 165                    |
| AUND50011      |                                   | 0.4                 | 210                    |
| AUND50012      |                                   | 0.5                 | 250                    |
| AUND50013      |                                   | 0.6                 | 290                    |
| AUND50014      |                                   | 0.75                | 345                    |
| AUND50015      |                                   | 1.0                 | 425                    |
| AUND50017      | D5000 ND 16/40<br>1.5 lph Dropper | 0.3                 | 125                    |
| AUND50018      |                                   | 0.4                 | 160                    |
| AUND50019      |                                   | 0.5                 | 190                    |
| AUND50020      |                                   | 0.6                 | 220                    |
| AUND50021      |                                   | 0.75                | 265                    |
| AUND50022      |                                   | 1.0                 | 325                    |
| AUND50024      | D5000 CX 16/40<br>2.0 lph Dropper | 0.3                 | 105                    |
| AUND50025      |                                   | 0.4                 | 130                    |
| AUND50026      |                                   | 0.5                 | 160                    |
| AUND50027      |                                   | 0.6                 | 185                    |
| AUND50028      |                                   | 0.75                | 220                    |
| AUND50029      |                                   | 1.0                 | 270                    |
| AUND50031      | D5000 ND 16/40<br>3.5 lph Dropper | 0.3                 | 70                     |
| AUND50032      |                                   | 0.4                 | 90                     |
| AUND50033      |                                   | 0.5                 | 110                    |
| AUND50034      |                                   | 0.6                 | 130                    |
| AUND50035      |                                   | 0.75                | 155                    |
| AUND50036      |                                   | 1.0                 | 190                    |

# D5000 ND DRIP LINE

## D5000 ND | 20/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 40mil (1.0mm)  | 50 - 350 kPa             | 350         | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AUND50038      | D5000 ND 20/40<br>0.65 lph Dropper | 0.3                 | 380                    |
| AUND50039      |                                    | 0.4                 | 470                    |
| AUND50040      |                                    | 0.5                 | 555                    |
| AUND50041      |                                    | 0.6                 | 630                    |
| AUND50042      |                                    | 0.75                | 735                    |
| AUND50043      |                                    | 1.0                 | 895                    |
| AUND50045      | D5000 ND 20/40<br>1.0 lph Dropper  | 0.3                 | 275                    |
| AUND50046      |                                    | 0.4                 | 345                    |
| AUND50047      |                                    | 0.5                 | 410                    |
| AUND50048      |                                    | 0.6                 | 470                    |
| AUND50049      |                                    | 0.75                | 550                    |
| AUND50050      |                                    | 1.0                 | 675                    |
| AUND50052      | D5000 ND 20/40<br>1.5 lph Dropper  | 0.3                 | 215                    |
| AUND50053      |                                    | 0.4                 | 265                    |
| AUND50054      |                                    | 0.5                 | 315                    |
| AUND50055      |                                    | 0.6                 | 360                    |
| AUND50056      |                                    | 0.75                | 425                    |
| AUND50057      |                                    | 1.0                 | 520                    |
| AUND50059      | D5000 ND 20/40<br>2.0 lph Dropper  | 0.3                 | 175                    |
| AUND50060      |                                    | 0.4                 | 220                    |
| AUND50061      |                                    | 0.5                 | 260                    |
| AUND50062      |                                    | 0.6                 | 300                    |
| AUND50063      |                                    | 0.75                | 355                    |
| AUND50064      |                                    | 1.0                 | 435                    |
| AUND50067      | D5000 ND 20/40<br>3.5 lph Dropper  | 0.3                 | 120                    |
| AUND50068      |                                    | 0.4                 | 155                    |
| AUND50069      |                                    | 0.5                 | 180                    |
| AUND50070      |                                    | 0.6                 | 210                    |
| AUND50071      |                                    | 0.75                | 245                    |
| AUND50072      |                                    | 1.0                 | 305                    |

# D5000 ND DRIP LINE



## D5000 ND | 23/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 40mil (1.0mm)  | 50 - 350 kPa             | 350         | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AUND50074      | D5000 ND 23/40<br>0.65 lph Dropper | 0.3                 | 380                    |
| AUND50075      |                                    | 0.4                 | 470                    |
| AUND50076      |                                    | 0.5                 | 555                    |
| AUND50077      |                                    | 0.6                 | 630                    |
| AUND50078      |                                    | 0.75                | 735                    |
| AUND50079      |                                    | 1.0                 | 895                    |
| AUND50081      | D5000 ND 23/40<br>1.0 lph Dropper  | 0.3                 | 275                    |
| AUND50082      |                                    | 0.4                 | 345                    |
| AUND50083      |                                    | 0.5                 | 410                    |
| AUND50084      |                                    | 0.6                 | 470                    |
| AUND50085      |                                    | 0.75                | 550                    |
| AUND50086      |                                    | 1.0                 | 675                    |
| AUND50088      | D5000 ND 23/40<br>1.5 lph Dropper  | 0.3                 | 215                    |
| AUND50089      |                                    | 0.4                 | 265                    |
| AUND50090      |                                    | 0.5                 | 315                    |
| AUND50091      |                                    | 0.6                 | 360                    |
| AUND50092      |                                    | 0.75                | 425                    |
| AUND50093      |                                    | 1.0                 | 520                    |
| AUND50095      | D5000 ND 23/40<br>2.0 lph Dropper  | 0.3                 | 175                    |
| AUND50096      |                                    | 0.4                 | 220                    |
| AUND50097      |                                    | 0.5                 | 260                    |
| AUND50098      |                                    | 0.6                 | 300                    |
| AUND50099      |                                    | 0.75                | 355                    |
| AUND50100      |                                    | 1.0                 | 435                    |
| AUND50102      | D5000 ND 23/40<br>3.5 lph Dropper  | 0.3                 | 120                    |
| AUND50103      |                                    | 0.4                 | 155                    |
| AUND50104      |                                    | 0.5                 | 180                    |
| AUND50105      |                                    | 0.6                 | 210                    |
| AUND50106      |                                    | 0.75                | 245                    |
| AUND50107      |                                    | 1.0                 | 305                    |

More configurations are available upon request

# D5000 CX DRIP LINE



## Product advantages:

- D5000 CX enables growers to experience the root intrusion barrier benefits of copper by blending Cu2O directly into the resin of every D5000 CX dripper to provide a root intrusion solution without leaching / chemical release into the soil



## D5000 CX | 16/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 13.8mm    | 16mm             | 40mil (1.0mm)  | 50 - 350 kPa             | 400         | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2022004      | D5000 CX 16/40<br>0.65 lph Drinker | 0.3                 | 225                    |
| AU2022009      |                                    | 0.4                 | 290                    |
| AU2022014      |                                    | 0.5                 | 345                    |
| AU2022019      |                                    | 0.6                 | 400                    |
| AU2022024      |                                    | 0.75                | 475                    |
| AU2022029      |                                    | 1.0                 | 590                    |
| 101069833      | D5000 CX 16/40<br>1.0 lph Drinker  | 0.3                 | 165                    |
| 101068789      |                                    | 0.4                 | 210                    |
| 101068746      |                                    | 0.5                 | 250                    |
| 101068633      |                                    | 0.6                 | 290                    |
| AU2022025      |                                    | 0.75                | 345                    |
| AU2022030      |                                    | 1.0                 | 425                    |
| AU2022006      | D5000 CX 16/40<br>1.5 lph Drinker  | 0.3                 | 125                    |
| AU2022011      |                                    | 0.4                 | 160                    |
| AU2022016      |                                    | 0.5                 | 190                    |
| AU2022021      |                                    | 0.6                 | 220                    |
| AU2022026      |                                    | 0.75                | 265                    |
| AU2022031      |                                    | 1.0                 | 325                    |
| AU2022007      | D5000 CX 16/40<br>2.0 lph Drinker  | 0.3                 | 105                    |
| AU2022012      |                                    | 0.4                 | 130                    |
| AU2022017      |                                    | 0.5                 | 160                    |
| AU2022022      |                                    | 0.6                 | 185                    |
| AU2022027      |                                    | 0.75                | 220                    |
| AU2022032      |                                    | 1.0                 | 270                    |
| AU2022008      | D5000 CX 16/40<br>3.5 lph Drinker  | 0.3                 | 70                     |
| AU2022013      |                                    | 0.4                 | 90                     |
| AU2022018      |                                    | 0.5                 | 110                    |
| AU2022023      |                                    | 0.6                 | 130                    |
| AU2022028      |                                    | 0.75                | 155                    |
| AU2022033      |                                    | 1.0                 | 190                    |

# D5000 CX DRIP LINE



## D5000 CX | 20/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 40mil (1.0mm)  | 50 - 350 kPa             | 350         | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| 101068924      | D5000 CX 20/40<br>0.65 lph Dropper | 0.3                 | 380                    |
| AU2022189      |                                    | 0.4                 | 470                    |
| AU2022194      |                                    | 0.5                 | 555                    |
| AU2022199      |                                    | 0.6                 | 630                    |
| AU2022204      |                                    | 0.75                | 735                    |
| AU2022209      |                                    | 1.0                 | 895                    |
| AU2022185      | D5000 CX 20/40<br>1.0 lph Dropper  | 0.3                 | 275                    |
| AU2022190      |                                    | 0.4                 | 345                    |
| 101068376      |                                    | 0.5                 | 410                    |
| AU2022200      |                                    | 0.6                 | 470                    |
| AU2022205      |                                    | 0.75                | 550                    |
| AU2022210      |                                    | 1.0                 | 675                    |
| AU2022186      | D5000 CX 20/40<br>1.5 lph Dropper  | 0.3                 | 215                    |
| AU2022191      |                                    | 0.4                 | 265                    |
| AU2022196      |                                    | 0.5                 | 315                    |
| AU2022201      |                                    | 0.6                 | 360                    |
| AU2022206      |                                    | 0.75                | 425                    |
| AU2022211      |                                    | 1.0                 | 520                    |
| AU2022187      | D5000 CX 20/40<br>2.0 lph Dropper  | 0.3                 | 175                    |
| AU2022192      |                                    | 0.4                 | 220                    |
| 101072848      |                                    | 0.5                 | 260                    |
| AU2022202      |                                    | 0.6                 | 300                    |
| AU2022207      |                                    | 0.75                | 355                    |
| AU2022212      |                                    | 1.0                 | 435                    |
| AU2022188      | D5000 CX 20/40<br>3.5 lph Dropper  | 0.3                 | 120                    |
| AU2022193      |                                    | 0.4                 | 155                    |
| AU2022198      |                                    | 0.5                 | 180                    |
| AU2022203      |                                    | 0.6                 | 210                    |
| AU2022208      |                                    | 0.75                | 245                    |
| AU2022213      |                                    | 1.0                 | 305                    |

# D5000 CX DRIP LINE



## D5000 CX | 23/40

| Actual ID | Nominal Diameter | Wall Thickness | Operating Pressure Range | Roll Length | Rolls (per pallet) | M.O.Q   |
|-----------|------------------|----------------|--------------------------|-------------|--------------------|---------|
| 17.6mm    | 20mm             | 40mil (1.0mm)  | 50 - 350 kPa             | 350         | 20 - 24            | 10,000m |

| Product Number | Description                        | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|---------------------|------------------------|
| AU2022292      | D5000 CX 23/40<br>0.65 lph Dropper | 0.3                 | 380                    |
| AU2022297      |                                    | 0.4                 | 470                    |
| AU2022302      |                                    | 0.5                 | 555                    |
| AU2022307      |                                    | 0.6                 | 630                    |
| AU2022312      |                                    | 0.75                | 735                    |
| AU2022317      |                                    | 1.0                 | 895                    |
| AU2022293      | D5000 CX 23/40<br>1.0 lph Dropper  | 0.3                 | 275                    |
| AU2022298      |                                    | 0.4                 | 345                    |
| AU2022303      |                                    | 0.5                 | 410                    |
| AU2022308      |                                    | 0.6                 | 470                    |
| AU2022313      |                                    | 0.75                | 550                    |
| AU2022318      |                                    | 1.0                 | 675                    |
| AU2022294      | D5000 CX 23/40<br>1.5 lph Dropper  | 0.3                 | 215                    |
| AU2022299      |                                    | 0.4                 | 265                    |
| AU2022304      |                                    | 0.5                 | 315                    |
| AU2022309      |                                    | 0.6                 | 360                    |
| AU2022314      |                                    | 0.75                | 425                    |
| AU2022319      |                                    | 1.0                 | 520                    |
| AU2022295      | D5000 CX 23/40<br>2.0 lph Dropper  | 0.3                 | 175                    |
| AU2022300      |                                    | 0.4                 | 220                    |
| AU2022305      |                                    | 0.5                 | 260                    |
| AU2022310      |                                    | 0.6                 | 300                    |
| AU2022315      |                                    | 0.75                | 355                    |
| AU2022320      |                                    | 1.0                 | 435                    |
| AU2022296      | D5000 CX 23/40<br>3.5 lph Dropper  | 0.3                 | 120                    |
| AU2022301      |                                    | 0.4                 | 155                    |
| AU2022306      |                                    | 0.5                 | 180                    |
| AU2022311      |                                    | 0.6                 | 210                    |
| AU2022316      |                                    | 0.75                | 245                    |
| AU2022321      |                                    | 1.0                 | 305                    |

More configurations are available upon request





## Product advantages:

- Pressure-Compensating (PC) function for precise delivery of water and nutrients
- Lasting quality and high clog resistance
- Cylindrical dripper with 2 outlets for easier installation
- Long term reliability for durability and excellent performance



## Landscape Dripline | 15/40

| Actual ID | Nominal Diameter | Wall Thickness | Dripper Operation Range | Recommended Design Operation Range | Coils per Pallet 50m | Coils per Pallet 100m | Coils per Pallet 200m | M.O.Q   |
|-----------|------------------|----------------|-------------------------|------------------------------------|----------------------|-----------------------|-----------------------|---------|
| 12.9mm    | 15mm             | 40mil (1mm)    | 75-350kPa               | 100 - 300 kPa                      | 20-60                | 20-50                 | 12-20                 | 10,000m |

| Product Number | Description                                   | Roll Length (m) | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|-----------------------------------------------|-----------------|---------------------|------------------------|
| 101002616      | Hydrobloom PC Brown 15/40<br>1.6 lph Drinker  | 50              | 0.3                 | 95                     |
| 101002749      |                                               | 100             | 0.3                 | 95                     |
| 101002619      |                                               | 200             | 0.3                 | 95                     |
| WT13503        | Hydrobloom PC Purple 15/40<br>1.6 lph Drinker | 50              | 0.3                 | 95                     |
| 101002797      |                                               | 200             | 0.3                 | 95                     |
| 101002755      | Hydrobloom Brown PC 15/40<br>2.2 lph Drinker  | 50              | 0.3                 | 275                    |
| 101002756      |                                               | 100             | 0.3                 | 345                    |
| 101002753      |                                               | 200             | 0.3                 | 410                    |
| WT13504        | Hydrobloom Purple PC 15/40<br>2.2 lph Drinker | 50              | 0.3                 | 470                    |
| WT13505        |                                               | 200             | 0.3                 | 550                    |

## Landscape Dripline | 16/40 | Purple

| Actual ID | Nominal Diameter | Wall Thickness | Dripper Operation Range | Recommended Design Operation Range | Coils per Pallet 100m | M.O.Q   |
|-----------|------------------|----------------|-------------------------|------------------------------------|-----------------------|---------|
| 13.8mm    | 16mm             | 40mil (1mm)    | 75-350kPa               | 100 - 300 kPa                      | 20-50                 | 10,000m |

| Product Number | Description                        | Roll Length (m) | Dripper Spacing (m) | Maximum Run Length (m) |
|----------------|------------------------------------|-----------------|---------------------|------------------------|
| 101008241      | Hydrobloom Purple PC 16/40 1.6lph  | 100             | 0.6                 | 215                    |
| 101002639      | Hydrobloom Purple PC 16/40 2.2lph  | 100             | 0.6                 | 175                    |
| 101002640      | Hydrobloom Purple PC 16/40 3.6lph  | 100             | 1                   | 185                    |
| 101003151      | Hydrobloom Purple PC 16/40 2.35lph | 100             | 0.6                 | 165                    |
| 101003035      | Hydrobloom Purple PC 16/40 3.75lph | 100             | 1                   | 180                    |

Other configurations available upon request.


# DRIP LINE FITTINGS

Don't let fittings be the weakest link of your irrigation system.

## Quick Reference Guide

| Product Range | Rivulis Triple Barb Fittings                                                      | Antelco Fittings                                                                  | Fast Ring Fittings                                                                | Cobra Clamps                                                                        |
|---------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Use with      | 16, 17 & 20 mm heavy wall drip line & LDPE                                        | Heavy wall drip line & LDPE                                                       | Thin wall drip line (without seam). Up to 25 mil wall thickness                   | Drip line & LDPE                                                                    |
|               |  |  |  |  |

## Antelco Xpando Take-Off Adaptor Chart

| Xpando® Take-Off Adaptor                                                                         | Min. ID                                                                             | Min. Wall Thickness                                                                 | Max. Wall Thickness                                                                 | Capo® Grommet                                                                         | Hole Size Drill Bit                                                                   |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|               |  |  |  |  |  |
| Xpando® 10 mm x 13 mm<br>Xpando® 10 mm x 14 mm<br>Xpando® 10 mm x 15 mm                          | 25 mm                                                                               | 1.5mm                                                                               | 3.6mm                                                                               | 10 mm (curved)                                                                        | 14 mm                                                                                 |
| Xpando® 13 mm x 13 mm<br>Xpando® 13 mm x 14 mm<br>Xpando® 13 mm x 15 mm                          | 40 mm                                                                               | 1.5mm                                                                               | 2.4 mm                                                                              | 13 mm                                                                                 | 16 mm                                                                                 |
| Xpando® 16 mm x 16 mm<br>Xpando® 16 mm x 18 mm                                                   | 50 mm                                                                               | 1.5 mm                                                                              | 3.6 mm                                                                              | 16 mm                                                                                 | 19mm                                                                                  |
| Xpando® 19 mm x 18 mm<br>Xpando® 19 mm x 19 mm<br>Xpando® 19 mm x 21 mm<br>Xpando® 19 mm x 25 mm | 50 mm                                                                               | 1.5 mm                                                                              | 6.0 mm                                                                              | 19 mm                                                                                 | 22 mm                                                                                 |

## Antelco fittings size chart for Rivulis Drip Lines

| Antelco Fittings Size | Rivulis Drip Line Size      |
|-----------------------|-----------------------------|
| 13mm                  | 15mm & 13mm LDPE            |
| 14mm                  | 16mm                        |
| 15mm                  | 17mm                        |
| 18mm                  | 20mm                        |
| 19mm                  | 19mm LDPE                   |
| 21mm                  | 23mm                        |
| 25mm                  | 27mm Dripline and 25mm LDPE |



## Rivulis Triple Barb | Joiners

| Product Number | Product Description      |
|----------------|--------------------------|
| 101001889      | 16 mm Triple Barb Joiner |
| 101001965      | 17 mm Triple Barb Joiner |
| 101001888      | 20 mm Triple Barb Joiner |

| Quantity (Bag) |
|----------------|
| 50             |
| 50             |
| 50             |



## Rivulis Triple Barb | Adaptors

| Product Number | Product Description                  |
|----------------|--------------------------------------|
| 101010748      | 16 mm x 3/4" Female Threaded Adaptor |
| 101003920      | 20 mm x 3/4" Female Threaded Adaptor |
| 101003914      | 16 mm x 1/2" Male Threaded Adaptor   |
| 101003915      | 16 mm x 3/4" Male Threaded Adaptor   |
| 101013077      | 17 mm x 1/2" Male Threaded Adaptor   |
| 101003916      | 17 mm x 3/4" Male Threaded Adaptor   |
| 101003917      | 20 mm x 1/2" Male Threaded Adaptor   |
| 101003918      | 20 mm x 3/4" Male Threaded Adaptor   |

| Quantity (Bag) |
|----------------|
| 50             |
| 50             |
| 50             |
| 50             |
| 50             |
| 50             |
| 50             |
| 50             |



## Rivulis Triple Barb | Elbows

| Product Number | Product Description              |
|----------------|----------------------------------|
| 101003928      | 16 mm Triple Barbed Elbow        |
| 101003929      | 17 mm Triple Barbed Elbow        |
| 101003930      | 20 mm Triple Barbed Elbow        |
| 101003951      | 17 mm x 3/4" Male Threaded Elbow |
| 101003953      | 20 mm x 3/4" Male Threaded Elbow |
| 101003950      | 16 mm x 3/4" Male Threaded Elbow |

| Quantity (Bag) |
|----------------|
| 50             |
| 50             |
| 50             |
| 50             |
| 50             |
| 50             |



## Rivulis Fittings | Grommet

| Product Number | Product Description                             |
|----------------|-------------------------------------------------|
| 101001886      | Grommet to Suit 16, 17, 20 mm Take-Off Fittings |

| Quantity (Bag) |
|----------------|
| 50             |



## Rivulis Triple Barb | Take-Off

| Product Number | Product Description                      |
|----------------|------------------------------------------|
| 101001885      | 16 mm Triple Barb Take-Off (use grommet) |
| 101003837      | 17 mm Triple Barb Take-Off (use grommet) |
| 101001884      | 20 mm Triple Barb Take-Off (use grommet) |


| Quantity (Bag) |
|----------------|
| 50             |
| 50             |
| 50             |



## Rivulis Triple Barb | Tees

| Product Number | Product Description                           |
|----------------|-----------------------------------------------|
| 101003961      | 16 mm Triple Barbed Tee                       |
| 101003962      | 17 mm Triple Barbed Tee                       |
| 101003963      | 20 mm Triple Barbed Tee                       |
| 101004001      | 16 mm Triple Barbed Female Tee 16 x 3/4" x 16 |
| 101003993      | 16 mm Triple Barbed Male Tee 16 x 3/4" x 16   |
| 101004002      | 17 mm Triple Barbed Female Tee 17 x 3/4" x 17 |
| 101003995      | 17 mm Triple Barbed Male Tee 17 x 3/4" x 17   |
| 101004003      | 20 mm Triple Barbed Female Tee 20 x 3/4" x 20 |
| 101003997      | 20 mm Triple Barbed Male Tee 20 x 3/4" x 20   |
| 101003979      | 20 mm x 16 x 20 mm Triple Barbed Reducing Tee |

| Quantity (Bag) |
|----------------|
| 50             |
| 50             |
| 50             |
| 50             |
| 50             |
| 50             |
| 50             |
| 50             |
| 50             |
| 50             |



## Rivulis Triple Barb | Flush Valves

| Product Number | Product Description                |
|----------------|------------------------------------|
| 101033945      | 16 mm Barbed Angle Valve with Hook |
| 101033946      | 17 mm Barbed Angle Valve with Hook |
| 101033947      | 20 mm Barbed Angle Valve with Hook |

| Quantity (Bag) |
|----------------|
| 50             |
| 50             |
| 50             |



## Rivulis Flag Pressure Indicator

| Product Number | Product Description                                                                 | Quantity (Bag) |
|----------------|-------------------------------------------------------------------------------------|----------------|
| 101066075      | Rivulis Pressure Indicator   Green Flag (Tape or Thin Wall)                         | 50             |
| 101067057      | Rivulis Pressure Indicator Complete Assembly   Green Flag 60cm Tube & Hammer Stake  | 50             |
| 101066077      | Rivulis Pressure Indicator   Yellow Flag (Medium/Heavy Wall)                        | 50             |
| 101067058      | Rivulis Pressure Indicator Complete Assembly   Yellow Flag 60cm Tube & Hammer Stake | 50             |



## Lateral Flushing Valves

| Operating Pressure (bar) | Flushing Time (Seconds) | Flush Volume (Litres) |
|--------------------------|-------------------------|-----------------------|
| 0.5 - 0.3                | 15-25                   | 2-3                   |

| Product Number | NDJ Product Number | Description          |
|----------------|--------------------|----------------------|
| AU790111       | 790701             | Thread 1/2" NPT male |
| AU790112       | 790702             | Thread 3/4" BSP male |
| AU790113       | 790716             | Barb 16mm            |
| AU790114       | 790717             | Barb 17mm            |
| AU790115       | 790720             | Barb 20mm            |
| AU790116       | 790727             | Tape 17mm (5/8")     |
| AU790117       | 790722             | Tape 22mm (7/8")     |



## Antelco Fittings | Capo Grommets

| Product Number | Product Description |
|----------------|---------------------|
| 101048099      | 10 mm CAPO Grommet  |
| 101042321      | 13 mm CAPO Grommet  |
| 101042322      | 16 mm CAPO Grommet  |
| 101042323      | 19 mm CAPO Grommet  |

| Quantity (Bag) |
|----------------|
| 100            |
| 100            |
| 100            |
| 100            |



## Antelco Fittings | Xpando Take-Offs

| Product Number | Product Description                             |
|----------------|-------------------------------------------------|
| 101042303      | 8 mm x 13 mm Take-Off Elbow                     |
| 101048084      | 10 mm x 13 mm Take off (use with 10 mm Grommet) |
| 101048100      | 10 mm x 13 mm Take-Off Elbow                    |
| 101042316      | 13 mm Take-Off Adaptor                          |
| 101042315      | 16 mm x 13 mm Take-off Adaptor                  |
| 101042317      | 17 mm x 13 mm Take-off Adaptor                  |
| 101042318      | 19 mm Take-Off Adaptor                          |
| 101042314      | 20 mm x 16 mm Take-Off Adaptor                  |
| 101042319      | 23 mm x 19 mm Take-off Adaptor                  |
| 101042320      | 27 mm x 19 mm Take-off Adaptor                  |

| Quantity (Bag) |
|----------------|
| 25             |
| 25             |
| 25             |
| 25             |
| 25             |
| 25             |
| 25             |
| 25             |
| 25             |
| 25             |



## Antelco Fittings | Green Back Valves

| Product Number | Product Description    |
|----------------|------------------------|
| 101042366      | 13 mm Green-Back Valve |
| 101042372      | 16 mm Green-Back Valve |
| 101042370      | 17 mm Green-Back Valve |
| 101042367      | 19 mm Green-Back Valve |
| 101042371      | 20 mm Green-Back Valve |
| 101042368      | 23 mm Green-Back Valve |
| 101042369      | 27 mm Green-Back Valve |

| Quantity (Bag) |
|----------------|
| 20             |
| 20             |
| 20             |
| 20             |
| 20             |
| 20             |
| 20             |



## Antelco Fittings | End Plugs

| Product Number | Product Description                       |
|----------------|-------------------------------------------|
| 101047922      | 13 mm End Plug                            |
| 101042360      | 16 mm End Plug                            |
| 101042637      | 17 mm End Plug                            |
| 101047933      | 19 mm End Plug                            |
| 101042362      | 20 mm End Plug                            |
| 101042364      | 23 mm End Plug                            |
| 101042361      | 27 mm Drip Line End & 25 mm LDPE End Plug |
| 101075853      | 32 mm End Plug                            |

| Quantity (Bag) |
|----------------|
| 25             |
| 25             |
| 25             |
| 25             |
| 25             |
| 25             |
| 25             |
| 100            |



## Antelco Fittings | Threaded Adaptors

| Product Number | Product Description             |
|----------------|---------------------------------|
| 101042363      | 16 mm x 1/2" NPT Director       |
| 101042365      | 17 mm x 1/2" NPT Director       |
| 101048046      | Director 1" BSPM x 19mm LDPE SB |

| Quantity (Bag) |
|----------------|
| 25             |
| 25             |
| 25             |



## Antelco Fittings | Nut & Tail

| Product Number | Product Description                                          |
|----------------|--------------------------------------------------------------|
| 101048067      | Nut and Tail with Washer 3/4" x 13 mm                        |
| 101048064      | Nut and Tail with Washer 1" x 13 mm                          |
| 101048068      | Nut and Tail With Washer 3/4" x 19 mm                        |
| 101048065      | Nut and Tail With Washer 1" x 19 mm                          |
| 101048066      | Nut and Tail with Washer 1" x 27 mm Drip Line and 25 mm LDPE |

| Quantity (Bag) |
|----------------|
| 25             |
| 25             |
| 25             |
| 25             |
| 25             |



## Antelco Fittings | Clamps

| Product Number | Product Description                                       |
|----------------|-----------------------------------------------------------|
| 101042335      | Ratchet Clamp – Suitable for 13 mm LDPE & 16 mm Drip Line |
| 101042338      | 17 mm Ratchet Clamp                                       |
| 101042336      | Ratchet Clamp – Suitable for 19 mm LDPE & 23 mm Drip Line |
| 101042334      | 20 mm Ratchet Clamp                                       |
| 101042337      | Ratchet Clamp – Suitable for 25 mm LDPE & 27 mm Drip Line |

| Quantity (Bag) |
|----------------|
| 25             |
| 25             |
| 25             |
| 25             |
| 25             |



## Antelco Fittings | Joiners

| Product Number | Product Description                          | Quantity (Bag) |
|----------------|----------------------------------------------|----------------|
| 101048058      | 13 mm Joiner                                 | 25             |
| 101048059      | 17 mm Joiner                                 | 25             |
| 101048061      | 19 mm Joiner                                 | 25             |
| 101048060      | 20 mm Joiner                                 | 25             |
| 101048062      | 23 mm Joiner                                 | 25             |
| 101048063      | 27 mm Drip Line Joiner and 25 mm LDPE        | 25             |
| 101042328      | 13 mm Double-Barbed Joiner                   | 25             |
| 101042329      | 16 mm Double-Barbed Joiner                   | 25             |
| 101042325      | 17 mm Double-Barbed Joiner                   | 25             |
| 101042326      | 19 mm Double Barbed Joiner                   | 25             |
| 101042330      | 20 mm Double-Barbed Joiner                   | 25             |
| 101042331      | 23 mm Double-Barbed Joiner                   | 25             |
| 101042327      | 27 mm Double Barbed Joiner                   | 25             |
| 101048073      | 19 mm x 13 mm Reducing Joiner                | 25             |
| 101048075      | 19 mm x 17 mm Reducing Joiner                | 25             |
| 101048076      | 19 mm x 20 mm Reducing Joiner                | 25             |
| 101042324      | 19 mm x 23 mm Reducing Joiner                | 25             |
| 101046635      | 27/40 x 23/40 Reducing Joiner                | 25             |
| 101048077      | 27 mm and 25 mm LDPE x 13 mm Reducing Joiner | 25             |
| 101048079      | 27 mm and 25 mm LDPE x 19 mm Reducing Joiner | 25             |
| 101059148      | 13 mm x 16 mm Double-Barbed Reducing Joiner  | 25             |
| 101059149      | 19 mm x 16 mm Double-Barbed Reducing Joiner  | 25             |
| 101042332      | 19 mm x 17 mm Double-Barbed Reducing Joiner  | 25             |
| 101042333      | 19 mm x 20 mm Double-Barbed Reducing Joiner  | 25             |
| 101078258      | 25 mm x 18 mm Double-Barbed Reducing Joiner  | 25             |
| 101042340      | 27 mm x 19 mm Double Barbed Reducing Joiner  | 25             |



## Antelco Fittings | Elbows

| Product Number | Product Description                                           |
|----------------|---------------------------------------------------------------|
| 101048052      | 13 mm Elbow                                                   |
| 101048053      | 19 mm Elbow                                                   |
| 101048054      | 27 mm Drip Line and 25 mm LDPE Elbow                          |
| 101048071      | 19 mm x 20 mm Reducing Elbow                                  |
| 101042339      | 19 mm x 23 mm Reducing Elbow                                  |
| 101048070      | 19 mm x 17 mm Reducing Elbow                                  |
| 101042341      | 13 mm Double-Barbed Elbow                                     |
| 101042342      | 16 mm Double-Barbed Elbow                                     |
| 101042349      | 17 mm Double-Barbed Elbow                                     |
| 101042346      | 19 mm Double Barbed Elbow                                     |
| 101042343      | 20 mm Double-Barbed Elbow                                     |
| 101042344      | 23 mm Double-Barbed Elbow                                     |
| 101042345      | 27 mm Double Barbed Elbow                                     |
| 101042347      | 19 mm x 17 mm Double-Barbed Reducing Elbow                    |
| 101042348      | 19 mm x 20 mm Double-Barbed Reducing Elbow                    |
| 101048103      | 13 mm Threaded Elbow x ½" BSP Female                          |
| 101048104      | 19 mm Threaded Elbow x ½" BSP Female                          |
| 101048105      | 27 mm Drip Line and 25 mm LDPE Threaded Elbow x ½" BSP Female |
| 101048087      | 13 mm Threaded Elbow x ½" BSP Male                            |
| 101048088      | 19 mm Threaded Elbow x ½" BSP Male                            |
| 101048090      | 27 mm Drip Line and 25 mm LDPE Threaded Elbow x ½" BSP Male   |
| 101048089      | 19 mm Threaded Elbow x ¾" BSP Male                            |
| 101048091      | 27 mm Drip Line and 25 mm LDPE Threaded Elbow x ¾" BSP Male   |

[illegible]

| Product Number | Product Description                                   |
|----------------|-------------------------------------------------------|
| 101048051      | 13 mm Tee                                             |
| 101048085      | 19 mm Single Barb Tee                                 |
| 101048056      | 17 mm x 19 mm Tee                                     |
| 101048057      | 20 mm Tee x 19 mm                                     |
| 101044411      | Reducing Tee 23 mm Line x 13 mm Branch                |
| 101042351      | 13 mm Double-Barbed Tee                               |
| 101042352      | 16 mm Double-Barbed Tee                               |
| 101042356      | 16 mm x 19 mm x 16 mm Double-Barbed Tee               |
| 101042350      | 17 mm Double-Barbed Tee                               |
| 101042357      | 17 mm x 19 mm x 17 mm Double-Barbed Tee               |
| 101042359      | 19 mm Double Barbed Tee                               |
| 101042353      | 20 mm Double-Barbed Tee                               |
| 101042358      | 20 mm x 19 mm x 20 mm Double-Barbed Tee               |
| 101042354      | 23 mm Double-Barbed Tee                               |
| 101042355      | 27 mm Double Barbed Tee                               |
| 101048080      | Reducing Tee 19 mm Line x 13 mm Branch                |
| 101048083      | 27 mm Drip Line & 25mm LDPE Reducing Tee x 19 mm      |
| 101073314      | 23mm dripline x 19mm x 23mm dripline DB Branch Tee    |
| 101048081      | 27 mm Reducing Tee and 25 mm LDPE x 13 mm             |
| 101048435      | 13 mm Threaded Tee x ½" BSPM                          |
| 101048092      | 13 mm Threaded Tee x ½" BSPF                          |
| 101048093      | 19 mm Threaded Tee x ½" BSPF                          |
| 101048094      | 19 mm Threaded Tee x ½" BSPM                          |
| 101048095      | 19mm Threaded Tee x ¾" BSPM                           |
| 101048097      | 27 mm Drip Line and 25 mm LDPE Threaded Tee x ½" BSPM |
| 101048098      | 27 mm Drip Line and 25 mm LDPE Threaded Tee x ¾" BSPM |
| 101048096      | 27 mm Drip Line and 25 mm LDPE Threaded Tee x ½" BSPF |

[illegible]



## Fast Ring | Couplings

| Product Number | Product Description     | Quantity (Bag) |
|----------------|-------------------------|----------------|
| 101051859      | Fast Ring 16mm Coupling | 100            |
| 101051885      | Fast Ring 22mm Coupling | 50             |



## Fast Ring | Fast Ring x Barb

| Product Number | Product Description                  | Quantity (Bag) |
|----------------|--------------------------------------|----------------|
| 101051860      | Fast Ring 16mm x 16mm Barbed Adaptor | 100            |
| 101051889      | Fast Ring 16mm x 20mm Barbed Adaptor | 50             |
| 101051886      | Fast Ring 22mm x 20mm Barbed Adaptor | 50             |



## Fast Ring | Start Connectors

| Product Number | Product Description                                                     | Quantity (Bag) |
|----------------|-------------------------------------------------------------------------|----------------|
| 101051891      | Fast Ring 16 mm Start connector with Gasket                             | 100            |
| 101051912      | Fast Ring 16 mm Layflat Start Connector (use with 14 mm Lay Flat Punch) | 100            |
| 101051897      | Fast Ring 22 mm Layflat Start Connector (use with 14 mm Lay Flat Punch) | 100            |
| 101051884      | Fast Ring Grommet for Start Connector                                   | 100            |



## Fast Ring | Adaptors

| Product Number | Product Description                         | Quantity (Bag) |
|----------------|---------------------------------------------|----------------|
| 101051908      | Fast Ring 16mm x 1/2" Male Threaded Adaptor | 100            |
| 101051890      | Fast Ring 22mm x 3/4" Male Threaded Adaptor | 50             |



## Fast Ring | Elbows

| Product Number | Product Description                       | Quantity (Bag) |
|----------------|-------------------------------------------|----------------|
| 101051895      | Fast Ring 22mm x 1/2" Male Threaded Elbow | 50             |
| 101051911      | Fast Ring 16mm x 1/2" Male Threaded Elbow | 50             |



## Fast Ring | Tees

| Product Number | Product Description                              | Quantity (Bag) |
|----------------|--------------------------------------------------|----------------|
| 101051910      | Fast Ring 16 mm x 1/2" x 16 mm Male Threaded Tee | 50             |
| 101051894      | Fast Ring 22 mm x 1/2" x 22 mm Male Threaded Tee | 50             |



## Non-Return Valves

| Product Number | Product Description   |
|----------------|-----------------------|
| 101066464      | 3/4" Non-Return Valve |
| 101066465      | 1" Non-Return Valve   |



## Drip Line Fittings | Vine Clips

| Product Number | Product Description                                            |
|----------------|----------------------------------------------------------------|
| 101064206      | 13 mm Vine Clip (for round drip line)                          |
| 101063748      | 16 mm Vine Clip (for round drip line)                          |
| 101062978      | 19 mm Vine Clip (for round drip line)                          |
| 101063847      | 25 mm Vine Clip (for round drip line)                          |
| 101046410      | 16mm Drop Stopper (Violet)                                     |
| 101064697      | LF Poly Drip Line 16 mm Vine Clip (for D2000/D5000 drip lines) |
| 101075719      | LF Poly Drip Line 23 mm Vine Clip (for D2000/D5000 drip lines) |




## Drip Line Fittings | Spiral Clips

| Product Number | Product Description  |
|----------------|----------------------|
| 101064538      | 13 mm Spiral Clip    |
| 101064539      | 16/19 mm Spiral Clip |
| 101064540      | 25 mm Spiral Clip    |
| 101064541      | 32 mm Spiral Clip    |



## Drip Line Fittings | Accessories

| Product Number | Product Description                               |
|----------------|---------------------------------------------------|
| 101003163      | Hydroclip (Red) for 17 mm & 20 mm Hydro Drip Line |
| 101003164      | Hydroclip (Blue) for 16 mm Hydro Drip Line        |
| 101004589      | Tension Wire Device for Drip Line                 |



## Drip Line Fittings | Philmac Fittings

| Product Number | Product Description         |
|----------------|-----------------------------|
| 101003863      | 19 mm Curved Grommet (GR34) |
| 101008217      | 19 mm Take Off (TO3434)     |



## Drip Line Fittings | Riser Tube Assemblies

| Product Number | Product Description                                          |
|----------------|--------------------------------------------------------------|
| 101047926      | 19 mm Riser Tube (1.2 m with Take-Off Adaptor & Cobra Clamp) |
| 101048019      | 19 mm Riser Tube (1.5 m with Take-Off Adaptor & Cobra Clamp) |
| 101055233      | 25 mm Riser Tube (1.2 m with Take-Off Adaptor & Cobra Clamp) |

## Drip Line Fittings | R1000 Tube Assemblies

| Product Number | Product Description                                                |
|----------------|--------------------------------------------------------------------|
| 101098981      | R1000, 1.20m Assembly (2 x Cobra Clamp + Joiner + Reducing Joiner) |
| 101078344      | R1000, 16mm, 4.00m, Blind                                          |
| 101092476      | R1000, 16mm, 1.20m, Blind                                          |

## Drip Line Fittings | Drill Bits

| Product Number | Product Description                       |
|----------------|-------------------------------------------|
| 101048039      | 14 mm Drill Bit for 10 mm Antelco Grommet |
| 101048040      | 16 mm Drill Bit for 13 mm Antelco Grommet |
| 101048041      | 19 mm Drill Bit for 16 mm Antelco Grommet |
| 101048042      | 22 mm Drill Bit for 19 mm Antelco Grommet |



## Cobra Clamps

| Product Number | Product Description     | Clamping Range | Band Colour | Quantity (Box) |
|----------------|-------------------------|----------------|-------------|----------------|
| 101045729      | Cobra Clamping Pro Tool | -              | -           | 1              |
| 101045699      | C7.5/7 Cobra Clamp      | 8.0-9.0 mm     | White       | 100            |
| 101045700      | C8/7 Cobra Clamp        | 8.5-9.5 mm     | Yellow      | 100            |
| 101045701      | C8.5/7 Cobra Clamp      | 9.0-10.0 mm    | Green       | 100            |
| 101045702      | C9/7 Cobra Clamp        | 9.5-10.5 mm    | Purple      | 100            |
| 101045703      | C9.5/7 Cobra Clamp      | 10.0-11.0 mm   | Black       | 100            |
| 101045704      | C10/7 Cobra Clamp       | 10.5-11.5 mm   | White       | 100            |
| 101045705      | C10.5/7 Cobra Clamp     | 11.0-12.0 mm   | Yellow      | 100            |
| 101045706      | C11/7 Cobra Clamp       | 11.5-12.5 mm   | Green       | 100            |
| 101045707      | C11.5/8 Cobra Clamp     | 12.0-13.0 mm   | Purple      | 100            |
| 101045708      | C12/8 Cobra Clamp       | 12.5-14.0 mm   | Black       | 100            |
| 101045709      | C13/8 Cobra Clamp       | 13.5-15.0 mm   | Yellow      | 100            |
| 101045710      | C14/8 Cobra Clamp       | 14.5-16.0 mm   | Violet      | 100            |
| 101045711      | C15/8 Cobra Clamp       | 15.5-17.0 mm   | White       | 100            |
| 101045712      | C16/8 Cobra Clamp       | 16.5-18.0 mm   | Green       | 100            |
| 101045713      | C17/8 Cobra Clamp       | 17.5-19.0 mm   | Black       | 100            |
| 101045714      | C18/8 Cobra Clamp       | 18.5-20.0 mm   | Yellow      | 100            |
| 101045715      | C19/8 Cobra Clamp       | 19.5-21.0 mm   | Violet      | 100            |
| 101045716      | C20/8 Cobra Clamp       | 20.5-22.0 mm   | White       | 100            |
| 101045717      | C21/8 Cobra Clamp       | 21.5-23.0 mm   | Green       | 100            |
| 101045718      | C22/8 Cobra Clamp       | 22.5-24.0 mm   | Black       | 100            |
| 101045719      | C23/8 Cobra Clamp       | 23.5-25.0 mm   | Yellow      | 100            |
| 101045720      | C24/8 Cobra Clamp       | 24.5-26.0 mm   | Violet      | 100            |
| 101045721      | C25/8 Cobra Clamp       | 25.5-27.0 mm   | White       | 100            |
| 101045722      | C26/8 Cobra Clamp       | 26.5-28.0 mm   | Green       | 100            |
| 101045723      | C27/8 Cobra Clamp       | 27.5-29.0 mm   | Black       | 100            |
| 101045724      | C28/8 Cobra Clamp       | 28.5-30.0 mm   | Yellow      | 100            |
| 101045725      | C29/8 Cobra Clamp       | 29.5-31.0 mm   | Purple      | 100            |
| 101045726      | C30/8 Cobra Clamp       | 30.5-32.0 mm   | White       | 100            |
| 101045727      | C34/9 Cobra Clamp       | 34.0-36.0 mm   | Purple      | 100            |
| 101045728      | C36/9 Cobra Clamp       | 36.0-38.0 mm   | Green       | 100            |



