

GREENHOUSE

DRIPPERS

FOGGERS & MISTERS

TOOLS & ACCESSORIES

Drippers



With over 40 online dripper combinations, we have you covered with the most comprehensive range of drippers available including variable flow rates, outlet options and Pressure Compensating and Non-Drip (PC/PCND) combinations.

Our solutions cover in-field online drippers to the most advanced soilless system needs and are ideal for intensive agriculture, greenhouse and in-field applications.

Quick Reference Guide

Description	E1000	Supertif PC Conic + Barb	Supertif PCND Conic + Barb	Supertif NDH	Supertif MOP
Pressure Compensating		√	√	√	√
No - Drain			√	√	√
How to use	Connected directly in to the main tube Alone or with adapters and microtube or with microtube + stakes	Connected directly to the main tube Alone or with adapters and microtube or with microtube + stakes			
					

Description	ClickTif PC	ClickTif PCND	J-Turbo KeyPlus	J-SC-PC-Plus
Pressure Compensating	√	√		√
No - Drain		√		
How to use	Connected directly in to the main tube - Alone or with adapters and microtube or with microtube + stakes		Connected to the main tube or with adaptors and micro tube.	Connected directly to the main tube - Alone or with adapters and microtube or with microtube + stakes
				

E1000 DRIPPER

ONLINE DRIPPER WITH EASY TO OPEN, TAKE-APART BODY FOR EASY CLEANING



An online dripper with easy to open, take-apart body for easy cleaning. Use in-field or connect to tubing and pegs for soilless applications. Great for organic applications where dripper clogging is a major challenge. The take-apart dripper enables easy removal of organic fertilizer residue.

Every pack of 1,000 drippers comes with a handy E1000 tool. This specially designed spanner allows you to pop open your E1000 dripper with ease. Once open, you have full access to the flow labyrinth allowing you to easily clean the dripper.

PRICE LIST

E1000 Online Dripper

Flow Rate Calculated at	Operating Pressure Range	Installation	Outlet Type
100kPa	80 - 200kPa	Install with 2.0mm punch tool	Multi-function outlet - for use with single, 2 & 4 way branching adaptors


Product Number	Description
201013383	E1000 Dripper 2.00 lph Brown
201013385	E1000 Dripper 4.00 lph Black
201013386	E1000 Dripper 8.00 lph Green
101043997	E1000 Take Apart Tool



Take Apart Tool

TECHNICAL DATA

E1000 Flow Rate (lph) / Pressure (bar)



SUPERTIF DRIPPERS

IDEAL FOR HORTICULTURE, GREENHOUSE AND SOILLESS APPLICATIONS




- Ideal for: Intensive horticulture, greenhouse and soilless applications
- Features a self-cleaning mechanism and precision manufacturing for maximum reliability in each dripper
- Offers multiple outlet configurations, variable flow rates, no-drain options with multiple sealing and opening pressures, and a wide range of accessories
- Outstanding clogging protection and resilient to harsh environmental conditions



PRICE LIST

Supertif Drippers | Conic + Barb Outlet

Product Number	Dripper	Flow Rate	Base Colour	Cover Colour	Min Pressure (m)	Max Pressure (m)	Sealing Pressure (m)	Start Opening Pressure (m)
201015523	Supertif PC	2.2	Black	Brown	6	35	-	-
201015524		3.85	Black	Black	6	35	-	-
201015525		7.8	Black	Green	6	35	-	-
201015526		12	Black	Red	6	35	-	-
201015527		25	Black	Orange	10	35	-	-
201015528	Supertif PCND	1.1	Brown	Light Gray	7	35	1.5	-
201015531		2.2	Brown	Brown	7	35	1.5	-
201015533		3.85	Brown	Black	7	35	1.5	-
201015534		7.8	Brown	Green	7	35	1.5	-
201015529	Supertif PCND-H	1.6	Brown	Dark Gray	12	35	3.5	-
201015532		3.1	Brown	Blue	12	35	3.5	-
201015535		11	Brown	Red	12	35	3.5	-
201016202		24.5	Brown	Orange	12	35	3.5	-
201015536	Supertif ND MOP	1.1	Light Blue	Light Gray	11	35	1.8	7
201015538		2.2	Light Blue	Brown	11	35	1.8	7
201015537	Supertif PCND-H-MOP	1.6	Blue	Dark Gray	10	35	2	6
201015539		3.1	Blue	Blue	10	35	2	6
201015540		5.3	Blue	Violet	10	35	2	6



Supertif Drippers | Side Barb Outlet

Product Number	Dripper	Flow Rate	Base Colour	Cover Colour	Min Pressure (m)	Max Pressure (m)	Sealing Pressure (m)	Start Opening Pressure (m)
101003187	Supertif PCND	1.1	Brown	Light Gray	7	35	1.5	-
101003191		2.2	Brown	Brown	3	35	1.5	-
101003195		3.85	Brown	Black	7	35	1.5	-
101011756	Supertif PCND-H	1.6	Brown	Dark Gray	12	35	3.5	-
101011757		3.1	Brown	Blue	12	35	3.5	-
101003189	Supertif PCND-MOP	1.1	Light Blue	Light Gray	10	35	1.8	7
101018411		2.2	Light Blue	Brown	10	35	1.8	7
101003196		3.85	Light Blue	Black	10	35	1.8	7
101003185	Supertif PCND-H-MOP	1.6	Blue	Dark Gray	10	35	2	6
101003193		3.1	Blue	Blue	10	35	2	6

Supertif Vacuum Dripper

Product Number	Description
101003200	Supertif Vacuum Dripper Green Green Base



Supertif Assemblies


Product Number	Description	Outlet	Tube Length	Peg
101070672	Supertif PC Dripper Assembly 2.20 lph Dripper	Conic + Barb	60cm	BarPeg
101065299	Supertif PC Dripper Assembly 3.85 lph Dripper	Conic + Barb	60cm	BarPeg
101028359	Supertif PCND Dripper Assembly 1.10 lph	Conic + Barb	60cm	BarPeg
101072214	Supertif PCND Dripper Assembly 3.85 lph	Conic + Barb	60cm	BarPeg
201003415	Supertif PCND Dripper Assembly 7.80 lph	Conic + Barb	60cm	BarPeg
101048114	Supertif PCND-H Dripper Assembly 11.00 lph	Conic + Barb	60cm	BarPeg
101048115	Supertif PCNDH MOP Dripper Assembly 5.30 lph	Conic + Barb	60cm	BarPeg
101022796	Supertif PCND-H Dripper Assembly 3.10 lph	SLB Outlet	60cm	BarPeg
101068887	Supertif PCND-H Dripper Assembly 1.6 lph	SLB Outlet	60cm	BarPeg
201003411	Supertif PCND-H Dripper Assembly 3.10 lph	SLB Outlet	80cm	BarPeg
101048118	Supertif PCND-H Dripper Assembly 1.60 lph	SOL Outlet	60cm	BarPeg
101023021	Supertif PCND-H Dripper Assembly 3.10 lph	SOL Outlet	60cm	BarPeg
101048120	Supertif PCND MOP Dripper Assembly 1.10 lph	SOL Outlet	60cm	BarPeg
101048121	Supertif PCND MOP Dripper Assembly 2.20 lph	SOL Outlet	60cm	BarPeg
101048122	Supertif PCND MOP Dripper Assembly 3.85 lph	SOL Outlet	60cm	BarPeg
101048123	Supertif PCNDH MOP Dripper Assembly 1.60 lph	SOL Outlet	60cm	BarPeg
101003221	Supertif PCNDH MOP Dripper Assembly 3.10 lph	SOL Outlet	60cm	BarPeg
101023019	Supertif PCND Dripper Assembly 2.20 lph	SOL Outlet	60cm	BarPeg

*Additional flow rates and dripper assemblies are available upon request.
Subject to minimum order quantities and delayed supply times.*



Pre-Assembled Multi-Adaptors with Tube & Pegs

Product Number	Description	Tube	Peg (s)
201000253	2 Way Adaptor (Barb) with 2 x 60 cm Tube & DriPeg Assembly	2 x 60 cm 3 x 5 mm (White)	2 x DriPeg (Grey)
201000254	4 Way Adaptor (Barb) with 4 x 60 cm Tube & DriPeg Assembly	4 x 60 cm 3 x 5 mm (White)	4 x DriPeg (Grey)
WT11971	60 cm Tube & BarPeg Assembly with Angled Inlet Adaptor	1 x 60 cm 3 x 5 mm (White)	BarPeg (Grey)
101028520	60 cm Tube & BarPeg Assembly	1 x 60 cm 3 x 5 mm (White)	BarPeg (Grey)
201000283	60 cm Tube & SnaPeg Assembly	1 x 60 cm 3 x 5 mm (White)	SnaPeg (Grey)



*Suitable for Conic/multi-function outlet drippers (Drippers not included)
Supertif Outlet Assemblies are not compatible with ClickTif Drippers*

Dripper Accessories | Pegs

DripPeg	SnaPeg	BarPeg	Polytif
			

Product Number	Description	Product Information
201000248	DripPeg – Flow Equalizing Peg (grey)	DripPeg – Flow Equalizing Peg (grey)
201000247	SnaPeg – 30° Diagonal Bend (grey)	SnaPeg – 30° Diagonal Bend (grey)
101008233	BarPeg – 30° Diagonal Bend (grey)	BarPeg – 30° Diagonal Bend (grey)
201000076	Polytif – Flow Equalizing Peg (black)	Polytif – Flow Equalizing Peg (black)

Dripper Accessories | Multi Adaptors for E1000 & Supertif

Product Number	Description
101003297	Start Adaptor
201000237	1 Way Angled Adaptor (Barb)
101003301	2 Way Adaptor (Barb)
201000246	2 Way Adaptor (Conic-F x Threaded Barb)
101003302	4 Way Adaptor (Barb)
201000074	4 Way Adaptor (Conic-F x Threaded Barb)
101098513	Black Clitif to Rivulis Branch Adapter



Clitif to Rivulis Branch Adapter

Dripper Accessories | Plugs

Product Number	Description
101003314	Supertif Plug 2mm
101003311	Plug 2.8mm



Dripper Accessories | Tube

Product Number	Description
101013009	3/5 White Microtube 500m Roll





- Offers excellent protection against clogging
- Available in PC and ND models
- Ideal for greenhouses, nurseries, orchards, vineyards and landscape applications



PRICE LIST

ClickTif HD Drippers | ND Housing

Product Number	NDJ Code	Housing	Flow Rate	Outlet	Outlet Colour
101081008	CTNL13T	ND Grey	1.3	Taper Outlet	Grey
201016314	CTNL13B	ND Grey	1.3	Barb Outlet	Grey
101081009	CTNL20T	ND Grey	2	Taper Outlet	Brown
101081014	CTNL20B	ND Grey	2	Barb Outlet	Brown
101081010	CTNL30T	ND Grey	3	Taper Outlet	Blue
201016315	CTNL30B	ND Grey	3	Barb Outlet	Blue
101081011	CTNL40T	ND Grey	4	Taper Outlet	Black
101081015	CTNL40B	ND Grey	4	Barb Outlet	Black
201016316	CTNL80T	ND Grey	8	Taper Outlet	Green
101081016	CTNL80B	ND Grey	8	Barb Outlet	Green
201016442	CTNL12T	ND Grey	12	Taper Outlet	Red
201016313	CTNL12B	ND Grey	12	Barb Outlet	Red



ClickTif HD Drippers | PC Housing

Product Number	NDJ Code	Housing	Flow Rate	Outlet	Outlet Colour
201016446	CTPC13T	PC Green	1.3	Taper Outlet	Grey
201016445	CTPC13B	PC Green	1.3	Barb Outlet	Grey
101080980	CTPC20T	PC Green	2	Taper Outlet	Brown
101080983	CTPC20B	PC Green	2	Barb Outlet	Brown
201016448	CTPC30T	PC Green	3	Taper Outlet	Blue
201016447	CTPC30B	PC Green	3	Barb Outlet	Blue
201016334	CTPC40T	PC Green	4	Taper Outlet	Black
201016449	CTPC40B	PC Green	4	Barb Outlet	Black
101080982	CTPC80T	PC Green	8	Taper Outlet	Green
201016450	CTPC80B	PC Green	8	Barb Outlet	Green
201016444	CTPC12T	PC Green	12	Taper Outlet	Red
201016443	CTPC12B	PC Green	12	Barb Outlet	Red



ClickTif HD Assemblies


Product Number	NDJ Product Number	Description	Flow rate (l/h)	Tube (cm)
101095755	CTNL13B0040116	Black Tube & Stake	1.3	40
101090477	CTNL13B0050116			50
101098152	CTNL13B0060116			60
101090479	CTNL20B0040116		2	40
101090480	CTNL20B0050116			50
AU02001	CTNL20B0060116			60
101095766	CTNL30B0040116		3	40
101090484	CTNL30B0050116			50
AU03001	CTNL30B0060116			60
AU03002	CTNL13B0040217	Grey/white Tube & Stake	1.3	40
AU03003	CTNL13B0060217			50
AU03004	CTNL13B0060217			60
AU03005	CTNL20B0040217		2	40
101098154	CTNL20B0050217			50
AU13001	CTNL20B0060217			60
AU13002	CTNL30B0040217		3	40
101098157	CTNL30B0050217			50
AU03006	CTNL30B0060217			60



ClickTif HD Assemblies (w/o dripper)

Product Number	NDJ Product Number	Description
101090460	CT1060116	1 outlet connector, black PE3/5 Tube x 60cm, black drop gide slim
AU06001	CT1060217	1 outlet connector, grey PE3/5 Tube x 60cm, grey/white drop gide slim
101090464	CT2060112	2 outlet connector, black PE3/5 Tube x 60cm, black labyrinth stake slim
101097464	CT2060214	2 outlet connecwtor, grey PE3/5 Tube x 60cm, grey/White labyrinth stake slim
101090470	CT4060112	4 outlet connector, black PE3/5 Tube x 60cm, black labyrinth stake slim
101085949	CT4060214	4 outlet connector, grey PE3/5 Tube x 60cm, grey/white labyrinth stake slim
AU075001	CT4075112	4 outlet connector, black PE3/5 Tube x 75cm, black labyrinth stake slim

Clicktif Tools & Accessories are not compatable with Supertif Drippers



ClickTif Accessories

Product Number	NDJ Product Number	Description
101081218	802908	1 Outlet connector
101080175	802920	2 Outlet connector
201016325	802940	4 Outlet connector
101087376	802928	2 Outlet Multi-level connector
101081219	802948	4 Outlet Multi-level connector
101098514		Grey Supertif to Naan Branch Adapter
101080038	802960	Cap
101081201	802870	Drop Guide Slim - black
101075346	802880	Drop Guide Slim - grey
101085165	802850	Labyrinth Stake Slim - black
101085612	802860	Labyrinth Stake Slim - grey



ClickTif Tools

Product Number	NDJ Product Number	Description
101085326	897284	Hand punch for ClickTif dripper 2.5mm (black)
101087893	6130210406	Hand punch for ClickTif dripper 2.5mm (blue)
101087894	6130210418	Hand gun punch for ClickTif dripper 2.5mm





PRODUCT FEATURES

- **Openable** online button dripper
- Turbulent flow path with wide cross sectional area ensures **clog resistance**
- **Extended outlet** facilitates use of PE extension tube or vinyl tube

PRICE LIST

J-Turbo Key Plus

Product Number	NDJ Product Number	Description	Colour	Flow Rate (l/h)
101090548	J67102J1550	J-Turbo Key Plus	Yellow	2.0
101085035	J67102J1560	J-Turbo Key Plus	Black	4.0
101085037	J67102J1570	J-Turbo Key Plus	Blue	8.0
101090551	J67102J1580	J-Turbo Key Plus	Green	14.0



TECHNICAL DATA

Operating Pressure Range	0.5 - 2.5 bar
Pressure Compensating	NO
Recommended Filtration	130 micron
Installation	Use 2.9 mm punch tool
Inlet Connections	Barb
Outlet Connections	Taper



PRODUCT FEATURES

- **Openable** Pressure compensating online button dripper
- Silicon rubber diaphragm ensures **long lasting consistent performance**

PRICE LIST

J-SC-PC-PLUS

Product Number	NDJ Product Number	Description	Colour	Flow Rate (l/h)
101085978	J67102J1500	J-SC-PC-PLUS	Yellow	2.2
101085036	J67102J1505	J-SC-PC-PLUS	Black	4.2
101085038	J67102J1510	J-SC-PC-PLUS	Blue	8.2



TECHNICAL DATA

Operating Pressure Range	1.0 - 2.0 bar
Pressure Compensating	✓
Recommended Filtration	130 micron
Installation	Use 2.9 mm punch tool
Inlet Connections	Barb
Outlet Connections	Taper

Foggers and Misters

Rivulis offer a wide range of Foggers and Misters that deliver performance season after season with consistent quality and crop production efficiencies.

Our solutions range offers specific solutions both for orchards and greenhouse productions.

Quick Reference Guide

	Description	Super Fogger	Fogger	FLF	Inverted Rondo	Green Mist
Orchards	Cooling and Humidification			✓	✓	
Protected crops	Irrigation and fertigation				✓	✓
	Cooling and Humidification	✓	✓	✓	✓	
	Chemical Application	✓	✓			
	Germination / Propagation	✓	✓	✓	✓	✓
						

SUPER FOGGER / FOGGER

RELIABLE SOLUTION FOR COOLING OR HUMIDIFYING OF GREENHOUSES



PRODUCT FEATURES

- Extra fine droplet size
- High water distribution uniformity and coverage
- Easy installation and service



PRICE LIST

Super Fogger x2

Product Number	NDJ Product Number	Description
101080188	197802	Super Fogger, Female, Green (medium pressure)
101085577	197202	Super Fogger, Barbed 4/7, Green (medium pressure)
101087091	197402	Super Fogger, Threaded 3/8 W/W, Green (medium pressure)
101087093	197808	Super Fogger, Female, Blue (high pressure)
101085578	197208	Super Fogger, Barbed 4/7, Blue (High pressure)
101087092	197408	Super Fogger, Threaded 3/8 W/W, Blue (high pressure)



Super Fogger x4

Product Number	NDJ Product Number	Description
101086643	197842	Super Fogger x4, Female, Green (medium pressure)
101085579	197242	Super Fogger x4, Barbed 4/7, Green (medium pressure)
101087094	197848	Super Fogger x4 Female, Blue (high pressure)
101085580	197248	Super Fogger x4, Barbed 4/7, Blue (high pressure)




TECHNICAL DATA

Model	Medium Pressure* (Green Cover)				High Pressure (Blue Cover)			
	Flow rate (l/h) at bar 3.0	Opening Pressure (bar)*	Closing Pressure (bar)	Average Droplet Size (micron)	Flow rate (l/h) at 4.0 bar	Opening Pressure (bar)	Closing Pressure (bar)	Average Droplet Size (micron)
Super Fogger x2	11.2	3.0	1.5	69	13	4.0	2.4	55
Super Fogger x4	20.8	3.0	1.5		24	4.0	2.4	

*Medium pressure model, maximum operating pressure 3.5 bar.

Fogger

Product Number	NDJ Product Number	Description
101081222	192804	1 Fogger 5.3lph violet nozzle
101029596	192803	1 Fogger 7 lph, blue nozzle
101081223	192805	1 Fogger 14 lph, orange nozzle
101081224	192807	1 Fogger 21 lph, red nozzle
101081225	192808	1 Fogger 28 lph, black nozzle
101087089	195803	2 Foggers 7 lph blue nozzle on tee
101029552	191803	4 Foggers 7 lph blue nozzle on cross
101087084	192863	1 Fogger 7 lph on blue super LPD 4/7 barb
101087090	195863	2 Foggers 7 lph on T on blue super LPD 4/7 barb
101087078	191863	4 Foggers 7 lph on cross on blue super LPD barb



TECHNICAL DATA

Flow Rate On Cross (l/h)

Nozzle	Violet	Blue	Orange	Red	Black
3.0 bar	18.0	24.0	48.0	72.0	96.0
4.0 bar	21.2	28.0	56.0	84.0	112.0

Optional Nozzles Flow Rate (l/h)

Nozzle	Violet	Blue	Orange	Red	Black
3.0 bar	4.5	6.0	12.0	18.0	24.0
4.0 bar	5.3	7.0	14.0	21.0	28.0



PRODUCT FEATURES

- Use foggers to reduce the air temperature and/or to increase the air humidity
- FLF delivers a fine mist with an average droplet size of 70 microns
- Available in single, two and four outlet configurations




PRICE LIST

FLF Foggers

Product Number	Description	Flow Rate (lph)	Nozzle Color	Anti Leak
201000197	FLF 1 outlet 5.4 lph Barb Anti Leak	5.4	Light Blue	Barb x Conic Female
101003679	FLF 1 outlet 5.4 lph Conic M Anti Leak	5.4	Light Blue	Conic Male x Conic Female
101003674	FLF 1 outlet 10.5 lph Barb Anti Leak	10.5	Dark Blue	Barb x Conic female
101003680	FLF 1 outlet 10.5 lph Conic M Anti Leak	10.5	Dark Blue	Conic Male x Conic Female
101008234	FLF 2 outlet 5.4 lph	5.4 x 2	Light Blue	No Anti Leak
101009818	FLF 2 outlet 10.5 lph	10.5 x 2	Dark Blue	No Anti Leak
101003664	FLF 4 Outlet 5.4 lph	5.4 x 4	Light Blue	No Anti Leak
101009819	FLF 4 Outlet 10.5 lph	10.5 x 4	Dark Blue	No Anti Leak

Flow rate calculated at 350 kPa
Operating Pressure Range 350 -500 kPa



INVERTED RONDO

IMPROVE YOUR GREENHOUSE ENVIRONMENT FOR YOUR PLANTS TO THRIVE



PRODUCT FEATURES

- Use foggers to reduce the air temperature and/or to increase the air humidity
- FLF delivers a fine mist with an average droplet size of 70 microns
- Available in single, two and four outlet configurations

PRICE LIST

Inverted Rondo | Mist Sprayer

Operating Pressure Range	Flow Rate Calculated at	Inlet
250 - 400 kPa	300 kPa	Conic Female

Product Number	Description	Wetting Diameter (m) 2m Above Ground @ 300kPa
201000281	Rondo Mist Sprayer 47 lph Black	2
101022981	Rondo Mist Sprayer 61 lph Blue	2





PRODUCT FEATURES

- Ideal droplet size prevents drift of fine mist
- No dripping during operation
- Symmetrical water distribution with no deflection or "dead corners"

PRICE LIST

Green Mist


Product Number	NDJ Product Number	Description
AU98001	199802	Green Mist head
AU98002	199832	Green Mist head on super LPD black, barb 4/7
AU98003	1998021	Green Mist head on butterfly 4/7



TECHNICAL DATA

Working pressure	2.0-3.5 bar
Pressure (for flow rate calculation)	2 bar
Flow rate	30-40 l/h
Wetted Diameter	1.2 m
Connections Type	Tapered Female
Recommended Spacing	Max spacing between units on lateral: 0.8 m Max spacing between laterals: 0.8 m Max distance of lateral from bench edge: 0.1 m
Height of units above bench	1.0 . 1.2 m

Installation Layout



FLF Assemblies | | Tube, Adaptor, Weight & Connector

Product Number	Description	Connector	Tube Length
101022996	FLF Assembly - 6 mm Conic Female	Conic Female	35cm
101029347	FLF Assembly - 6 mm Conic Female	Conic Female	120cm
101003694	FLF Assembly - 6 mm Conic Male	Conic Male	60cm
101029304	FLF Assembly - 6 mm Conic Male	Conic Male	120cm
201000260	FLF Assembly - 6 mm Conic Male	Conic Male	35cm



Suspended Stand with 4/7 Barb Inlet

Suspended Stand, butterfly, suit push fit base	Suspended stand, fast-n-fast, suit 4/7 barbed base	Suspended stand, + Super LPD, suit push fit base
		

Product Number	NDJ Product Number	Description
101087353	797136	Suspended stand 20 cm, butterfly, suit push fit base
101087356	797140	Suspended stand 30 cm, butterfly, suit push fit base
101087358	797143	Suspended stand 60 cm, butterfly, suit push fit base
101087347	797122	Suspended stand 20 cm, fast-n-fast, suit 4/7 barbed base
101085445	797124	Suspended stand 30 cm, fast-n-fast, suit 4/7 barbed base
101084914	797129	Suspended Stand 60cm, fast-n-fast, suit 4/7 barbed base
101087370	797443	Suspended stand 30 cm, + Super LPD, suit push fit base
101087371	797446	Suspended stand 60 cm, + Super LPD, suit push fit base

Suspended Stand Assemblies

butterfly, suit push fit base	fast-n-fast, suit 4/7 barbed base	+ Super LPD, suit push fit base	Male Bayonet + butterfly, suit push fit base	Male Bayonet + fast-n-fast, suit 4/7 barb base	Adaptor 1/2" MBSP x Female Bayonet
					

Suspended Stand with 3/8WW Inlet

Product Number	NDJ Product Number	Description
AU20201	797179	Suspended stand 20 cm, butterfly, suit push fit base
101092746	797180	Suspended stand 30 cm, butterfly, suit push fit base
101094620	797182	Suspended stand 60 cm, butterfly, suit push fit base
AU20202	797189	Suspended stand 20 cm, fast-n-fast, suit 4/7 barbed base
101087361	797190	Suspended stand 30 cm, fast-n-fast, suit 4/7 barbed base
101087362	797192	Suspended stand 60 cm, fast-n-fast, suit 4/7 barbed base
101096892	797473	Suspended stand 30 cm + Super LPD, suit push fit base
101096893	797476	Suspended stand 60 cm + Super LPD, suit push fit base

Suspended Stand with Male Bayonet Inlet

Product Number	NDJ Product Number	Description
101096889	797431	Suspended Stand 20cm, Male Bayonet + butterfly, suit push fit base
101087369	797430	Suspended Stand 30cm, Male Bayonet + butterfly, suit push fit base
101087348	797125	Suspended Stand 30cm, Male Bayonet + fast-n-fast, suit 4/7 barb base
101096878	797120	Suspended Stand 60cm, Male Bayonet + fast-n-fast, suit 4/7 barb base
101081480	484921	Adaptor 1/2" MBSP x Female Bayonet

Tube Accessories

Product Number	NDJ Product Number	Description
201000205	897032	4x7 Barb connector/take-off
101075744		4x7 Plug - 10pk
101003862		4x7 Grommet to suit blue barb coupling
201000276		Female Conic x 1/2" female Threads (Adapter from PVC to Tornado Male Conic End)
201000822		Meteor adaptor (3/8" F x 4x7 Barb) (Suitable for sprinklers with 3/8" thread)
201000200		Multi function meteor adaptor (Suitable for 3/8" M & 1/2" F sprinkler bases x 4x7 Barb)
201000846		Black Plastic Holder to suit 8mm Stake
101081476	897030	Butterfly 3/8" x 4/7
101081468	897010	Butterfly barb 4/7, black
101081474	897016	Butterfly 3/8" W/W
201016439	897012	Butterfly thread 1/4"



Tube Accessories

Product Number	NDJ Product Number	Description
101081472	897001	Head 1/2" BSP
101081473	897002	Head 3/8" BSP
101080916	790100	Fast-n-Fast connector
101074892	897055	Fast-n-Fast plug
201016437	890300	Filter for LPD
101080833	769308	Mini valve for Modular 4/7 barb
101081439	850018	Cap to suit male push fit
101081470	891018	45° Elbow
101081471	891020	Tee
101081469	891014	Cross
101003723		Weight for hanging tube (Rivulis)
101085999	J67202J1000	Stabiliser 13cm for suspended stand (Jain)
101003744		4x7 PE 200m Coil
101003743		4x7 PVC 200m Coil



Super LPD

Product Number	NDJ Product Number	Description
101080921	790308	Super LPD Black, female inlet, suit Greenmist, Greenspin & Modular
101080925	790328	Super LPD Black, barb 4/7 inlet, suit Greenmist, Greenspin & Modular
101080927	790348	Super LPD Black, 3/8" W/W inlet, suit Greenmist, Greenspin & Modular
201016399	790302	Super LPD Green, female inlet, suit Fogger medium pressure
101086973	790322	Super LPD Green, barb 4/7 inlet, suit Fogger medium pressure
101096288	790342	Super LPD Green, 3/8" W/W inlet, suit Fogger medium pressure
101080920	790303	Super LPD Blue, female inlet, suit Fogger high pressure
101079567	790323	Super LPD Blue, barb 4/7 inlet, suit Fogger high pressure
201016401	790343	Super LPD Blue, 3/8" W/W inlet, suit Fogger high pressure



Retrofit Super LPD

Product Number	NDJ Product Number	Description
101080928	790388	Super LPD Black, N/fim male Inlet x NDJ male outlet LP
201016811	790448	Super LPD Black, 3/8" WW Inlet x N/fim female outlet LP
101080934	790488	Super LPD Black, N/fim male Inlet x N/fim female outlet LP
201016809	790382	Super LPD Green, N/fim male Inlet x NDJ male outlet MP
101096865	790483	Super LPD Blue, N/fim male Inlet x N/fim female outlet HP



OPERATING PRESSURE		
	Opening	Closing
Low-Pressure Super LPD	1.4 bar	0.6 bar
Medium-Pressure Super LPD	3.0 bar	1.5 bar
High-Pressure Super LPD	4.0 bar	2.4 bar

Anti Leak

Product Number	Description	Opening Pressure	Closing Pressure
201000202	Anti Leak Valve (Conic Female x Conic Male) <i>Suitable for Inverted Rondo</i>	200 kPa	60 kPa
201000203	Anti Leak Valve (Barbed x Conic Female) <i>Suitable for Inverted Rondo</i>		
201000204	Anti-Leak - Mini Valve (Barbed x Conic Male) <i>Suitable for Inverted Rondo</i>		
201000236	Anti-Leak - High Pressure Mini Valve (Conic Female x Conic Male)		
201000831	Anti-Leak - High Pressure Mini Valve (Barbed x Conic Female)		
201000832	Anti-Leak - High Pressure Mini Valve (Barbed x Conic Male)		



Sprinkler Accessories | Punches & Tools

Product Number	NDJ Product Number	Description
101001881		2.8mm Punch for 4/7 Take Off Adaptor
101080726	897285	Hand Punch for 4/7 barb 3.2mm (green)
101028548	6130210438	2.8mm Universal Punch 16-32mm (hand gun style)
101011244		8mm Drill Bit - To install 4/7 Grommet (101003862)
101001967		2mm Punch Tool (Supertif & E1000)
101003349		2mm Quick Punch Tool
101003353		2mm Punch Tool for 12-32mm Pipe
101050612		Supertif Insertion Tool
101050614		Dripper Holder for Insertion Tool
101050615		2.8mm Quick Punch Tool

